


# TECHNICAL DATASHEET

## INDUS GEN3 50W SMD IP65

22-10-2021



VT/INDUS/50W/SMD/6000K/IP65/GEN3/LED FLOODLIGHT

NOTES

### General Informations

Stock Code	3022200
HSC/GTIP Code	9405.40.10.00.00
EAN-13 (Inbox Barcode)	6972538041791
ITF-14 (Outbox Barcode)	36972538041792

### Electrical Characteristics

Current Type	AC
Operation Voltage	220-240 Volt
Operation Frequency	50/60 Hertz
Electrical Current	0,048 Amper
Power	50 Watt
Power Factor	>0.9
Luminous Efficiency	100 lumen/Watt
Energy Savings	0,85
Dimmable	No
Electrical Protection Class	Class I

### Electrical Component Specifications

Component Fitting Type	Internal Driver
Driver Properties	IC Linear
Driver Input Voltage	220-240 Volt
Driver Input Current	0,048 Amper

### Lighting Characteristics

Luminous Flux	5000 lumen
Time for 60% of Lumen	<0.5 seconds
Light Beam Angle	120°
Flicker	No
LED Type	SMD 2835

### Mechanical Parameters

IP Protection Class	IP65
Switch On/Off Cycle	15000
Lifetime	25000 hours
Body Material	Die-Casting Aluminum & Tempered Glass
Body Colour	Dark Grey
Diffuser Material	Tempered Glass
Mounting Accessories	Metal Bracket and Screw Set
Product Height	150 millimeter
Product Width	178 millimeter
Product Depth	28 millimeter
Ambient Temperature (Ta)	-20°C < Ta < 50°C

### Logistic Informations

Outbox Length	385 millimeter
Outbox Width	200 millimeter
Outbox Height	370 millimeter
Outbox Volume	0,028 m <sup>3</sup>
Outbox Quantity	20 pieces
Unit Net Weight	0,51 kilogram
Outbox Net Weight	10,2 kilogram
Outbox Gross Weight	11,54 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.