High to low impedance RCA converter



Converter to connect the car radio output to a car amplifier with RCA input.

Convert by car audio output from high to low impedance. Dimensions: 55x37x25mm Weight: 40g

Cod.:SP304 3,78 €

Audio Point - Car Meter 01S



Sound Level Meter Size: 178mm x 110mm x 50mm Display analog: (VU) meters Temperature display: -10 °C~80 °C Voltage display: DC 5V~DC25V Volume display: -20dB ~ +3dB

Cod.:SP982 12,40 €

3W + 3W audio amplifier - 2.5-5V LCDN205



3W + 3W audio amplifier - 2.5-5V LCDN205 Power supply: 2.5-5V DC Dimension i: 20x13x3mm

Cod.:10825 3,26 €

HI-FI Class A HENGPEN-637 stereo tube preamplifier module



HI-FI Class A stereo tube preamplifier module Features HENGPEN-637 Power supply 6.3 Volt ac (valve filament) Power supply 180-0-180 Volt ac (anodic valves) 8 Volt ac power supply (negative grid) High impedance input Size mm 170x110x90 Mounts a 6Z4 rectifier valve, Two 6N3 J pre-amp double triodes, Two transistors and a voltage

Cod.:W1220 31,88 €

PA 70W mono amplifier with radio - USB / SD - Bluetooth - RA-100



Mono PA 70W amplifier with radio - USB/SD - Bluetooth - RA-100
Characteristics Power 70W RMS power 35W Resp. freq. 20 - 20,000Hz
Impedance 4-16 Ohms supported Output voltage 110V MIC Input Sensitivity 25mV Dimensions: 279x245x75mm SNR 80dB THD (1KHz-150mV) 1% MIC Tone adjustment 80Hz ± 12dB / 3.5KHz ± 8dB /

Cod.:SP060 119,60 €

35W + 35W tube amp with USB and Bluetooth - black



Warm sounding tube amplifier.
Available inputs: 2xRCA stereo USB input Bluetooth input Consumption: 140W Output power: 35W + 35W Input impedance: 47kOhm Sensitivity: 500mv High: ± 10db Bass: ± 10dB SNR: P 80 Harmonic distortion (1KHz): 0.5%
Frequency response: 20Hz-20KHz ± 2dB Power supply: 220V 50Hz Dimensions:

Cod.:SP970 205,80 €

CDJ-6600 Dual DJ CD Player with USB / SD



CD/MP3/USB/SD/MMC compatible. 2.
 MP3 Playback, play MP3 files created in the specified format found. 3. CD TEXT / MP3 ID3 Tag name display 4. CD-R / RW Playback 5. Seamless Loop 6. RVS Effect. 7. BRAKE Effect. 8. SCRATCH Effect. 9. Shockproof function protecting against external vibrations. 10. Big liquid-crystal display screen (LCD) . 11.

Cod.:SP840 396,24 €

Mini Audio Amplifier 3W + 3W - 2.5-5V



Mini Audio Amplifier 3W + 3W Power supply: 2.5-5V DC Dimensions: 18x15x3mm

Cod.:10885 2,92 €

Lifetime Music Shower Bluetooth Speaker with LED coloration



Lifetime Music Bluetooth shower speaker with LED colour Waterproof Bluetooth shower speaker for listening to music with 7 different color changing lights while taking a shower. Details EAN 8711252012902 Lifetime Music Brand Dimensions 225 x 50 x 50mm Weight about 0.191KG ON/OFF button Silicone rope Charging time: 1 hour Playing time

Cod.:ED170 14,80 €

www.maltab2b.com Pagina 1/143

FM RADIO device and amplified USB MP3 player



FM RADIO device and USB panel MP3 player 10W amplifier Display Ideal for creating a DIY sound system. Power supply: 12V DC Possibility to connect a loudspeaker / case with superior performance Panel size: 178x54x44mm

Cod.:W246 16,60 €

USB rechargeable megaphone with bluetooth - ML-118



The ML-118 portable speaker has a power of 20 W and is characterized by its small size and maximum functionality and power. The ML-118 20W loudspeaker has the following features: Digital recording up to 240 seconds and playback Ecological ABS plastic, clean and high quality (scratch resistant) Power 20W Coverage range 500 m

Cod.: V2010 37.80 €

Wooden Stereo System with Radio / Bluetooth / SD / USB / AUX 100W







Stereo system with Radio/Bluetooth/SD/USB/AUX 100W in wood CD player 12V DC power supply included Central system dimensions: 290x250x200mm Single case dimensions: 230x200x260mm

Cod.: V950 289,80 €

USB rechargeable megaphone with bluetooth - ML-118 - black



The ML-118 portable speaker has a power of 20W and is characterized by its small size and maximum functionality and power. The ML-118 20W speaker has the following features: Up to 240 seconds digital recording and playback High quality, clean, environmentally friendly ABS plastic (scratch resistant) Power 20W Coverage range 500m Playback

Cod.: V4060 37,80 €

60W PA amplifier



60W PA amplifier Front panel ON / OFF button Volume adjustment knob Back panel AUX RCA L / R input AUX RCA output L / R 100V output terminal 70V output terminal 4-16 Ohm output terminal COM output terminal 12VDC input terminals 220V / 50Hz input plug Technical characteristics Frequency response: 20Hz-20KHz (±

Cod.:V3064 100,38 €

25W + 25W USB / SD / Bluetooth Stereo amplifier



25W + 25W USB / SD / Bluetooth Stereo amplifier Front panel Digital display ON / OFF button MODE button: USB / SD/BLUETOOTH PLAY/PAUSE button USB input PREV / VOLUMEbutton NEXT / VOLUME + button TREBLE (treble) knob BASS (bass) knob BALANCÉ knob MIC VOLUMÉ knob (microphone volume) ECHO knob

Cod.: V2031 83,58 €

600W Home Theater Amplifier Digital Display 5 Channels Bluetooth / USB / SD



600W Home Theater Amplifier Digital Display 5 Channels Bluetooth / USB / SD Main features Surround amplifier for use in HI-FI and home cinema Five channels, two front microphone inputs and fully adjustable microphone section for use in karaoke and PA LCD panel for displaying all the parameters 5x output channels 4x stereo RCA inputs

Cod.:SP6122 130,20 €

Rack Panel 12 XLR Female black

Rack panel 12 XLR Female black Features Measures 48x4.5x0.5cm Number of connectors: 12 Connector type: Female Connector: XLR

Cod.:V2011 26,88 €

DJ Tech SS-8 loudspeaker switch + Remote control



DJ Tech SS-8 loudspeaker switch + remote control One way imput and eight-way out audio-frequency power signal splitter, mainly used in contrastive broadcast with multi-speaker array, especially suitable for dealers and other occasions when audio-frequency power signal adapting is needed.

Audio-frequency power signal is switched

Cod.:V4074 81,90 €

Pagina 2/143 www.maltab2b.com

Turntable preamp with controls



microPHONO PP500 ultra-compact preamplifier with level and volume controls Ultra-compact phono preamplifier with metal shell, portable and durable. Converts the phono signal to a line level signal. 2 RCA inputs (L & 2 RCA), 1 * 1/4 "TRS output, multiple connection choices. With level and volume control

Cod.:V4058 33,60 €

M/S Amplifiers Auto Switcher APS-2311DE



Automatic switcher for APS-2311DE amplifiers Characteristics Automatic switcher for amplifiers for sound diffusion systems 4 individual channels with automatic switching function Automatic control and switching between primary and secondary Choice of function between: 4 main fixtures with four free amplifiers or 4 main fixtures with one

Cod.:APS-2311DE 102,90 €

Automatic switch for APS-2312DE amplifiers



Automatic switch for APS-2312DE amplifiers Speaker selector Bidirectional BGM input and emergency input Two directions of five outputs, selectable Relay switching Power supply: 110-120V / 220-240V, 50-60Hz, 24V Consumption: 18 W Weight: 6.33 kg Dimensions: 483x88x370mm

Cod.:APS-2312DE 102,90 €

APS-2315DE digital music recorder-player



APS-2315DE digital music recorder-player Features Digital recorder Integrated music programs and specific alarms for school or shops Inputs: 1 microphone + 1 line Output: 1 line 24 minutes of recording digital for voice messages, 8 blocks, each recordable and / or playable separately Three types of "bells" Manual control or

Cod.:APS-2315DE 102,90 €

Megaphone 15 W range of 100m white integrated microphone



Megaphone 15 W with 100m range integrated microphone white Battery powered megaphone (not included)
Features Mermaid to celebrate goals!
Talk option to support your team!
Thanks to its small size and shoulder strap you can comfortably carry it with you. Decorative stickers to personalize your megaphone and make it unique.

Cod.:WB1410 11,96 €

50 + 50W digital amplifier with Bluetooth and AUX - 5-27 V



Digital amplifier 50 + 50W with Bluetooth and AUX - 5-27 V Features
Perfect HIFI sound: Adopt TPA3116D2 chip (with AM interference suppression function), with excellent sound quality. It guarantees that even with high-power operation for a long time, the THD is less than 0.1%. Mini but Powerful: 2-channel stereo output power 50watt * 2, working

Cod.:WB442 32,00 €

2.1 Digital Amplifier with Bluetooth - 2x50W + 100W for Subwoofer Output



2.1 digital amplifier with Bluetooth 2x50W + 100W for Subwoofer output
Specifications Model: ZK-TB21
Material: electronic components Black
color Bluetooth version: 5.0 (unshielded,
10m) Input sensitivity: 500 mV Input
audio: AUX + Bluetooth Channel: 2.1
Chip: T PA3116D2 (with AM
anti-interference function) Power:

Cod.:WB450 52,30 €

2.1 2x80W + 100W - 24V amplifier module



Amplifier module 2.1 2x80W + 100W - 24V Features The precise cut and interface ensure perfect applicability, suitable for the installation site and easy to install. The product adopts high quality materials, effectively avoiding corrosion and wear, durable to use. The professional chip set offers excellent performance in the system. Easy to use,

Cod.:WB452 34,60 €

Stereo amplifier HI-FI USB-Bluetooth-MP3-FM Max.1200W



Stereo HI-FI amplifier
USB-Bluetooth-MP3-FM Max.1200W
HI-FI Stereo Amplifier FROM BEN
1200W Peak, 600W RMS. The most
powerful Stereo HI-FI amplifier with 8
Final Transistors in push-pull
configuration capable of delivering
300Watt + 300Watt RMS per channel.
The power of 300W + 300W RMS is

Cod.:APA-160BT 208,40 €

www.maltab2b.com Pagina 3/143

2 Channel 12V USB / FM / AUX Stereo Audio Amplifier



2 Channel 12V USB/FM/AUX Stereo Audio Amplifier Small and compact audio amplifier to be installed anywhere useful for improving and amplifying the sound quality in the car or at home. 12V power supply (power supply not included). It has a USB port for playing mp3s and useful for recharging devices, complete with remote control for remote management,

Cod.:WB226 24,80 €

HA-10 20W USB 6 Effects Portable Guitar Amplifier



Portable guitar amplifier HA-10 20W USB 6 effects The DJ-Tech HA- guitar amplifier 10 is a portable but powerful amplifier, suitable for practice and small rehearsals. Use the USB port to transfer MP3 files to the integrated MP3 player and listen to the backing tracks of your choice. The amplifier is rated at 20 watts and features a 6.5" speaker. There are

Cod.:HA-10 78,00 €

Yamaha XH-M531 2 * 20W Digital Power Amplifier



Yamaha XH-M531 2 * 20W Digital Power Amplifier Features Manufacturer: YAMAHA Model: XH-M531 Input voltage: DC12-15V Output power: 20W * 2 Frequency Response Range: 20Hz-60KHz Work efficiency: greater than 88% Input Impedance: 10K Output Impedance: 4-8 ohms Number of channels: double left and right channel

Cod.:WB1528 15,60 €

Professional 5-channel 390W RMS AV-600 amplifier



Professional 5-channel 390W RMS AV-600 amplifier Features Brand: Rocksonic Model: AV-600 5 channels Power supply: 220V / 50Hz RMS power: 390W Frequency range: 20Hz-20KHz Sensitivity: 500Mv Harmonic distortion: 0.1% (1W) Signal-to-Noise Ratio: 88dB Dimensions and weight Width: 43cm Length: 32cm Height: 12.5cm Weight:

Cod.:AV-600 156,00 €

Professional 5-channel amplifier 390W RMS 8 Ohm SD / USB AV-6500SD



Professional 5-channel amplifier 390W RMS 8 Ohm SD / USB AV-6500SD Features Brand: Rocksonic Model: AV-6500SD 5 channels Power supply: 220V / 50Hz RMS power: 180W per channel Frequency range: 20Hz-20KHz Sensitivity: 500Mv Harmonic distortion: 0.1% (1W) Signal-to-noise ratio: 88dB Impedance: 4-8 Ohm Audio inputs: SD

Cod.:AV-6500SD 220,00 €

5V 5W 2 Channel Mini Stereo Audio Amplifier CM2038



5V 5W 2 Channel Mini Stereo Audio Amplifier CM2038 The CM2038 is a dual power audio BTL amplifier.Supply voltage of 6V, 3.5W peak Output power (5W) can be supplied to a 4? load with a guaranteed THD of less than 10%, or 2.2W of power for an 8? load. External control, low power shutdown mode and pm2038 circuit features, internal thermal

Cod.:WB2472 7,96 €

DC12V 2x15W 2 Channel Audio Power Amplifier TDA7297



Audio power amplifier DC12V 2x15W 2 channels TDA7297 Features
Possibility to install two 4-8 Ohm 10-50W speakers 3.5mm audio jack input
Updated version of the heatsink, wider and thicker, better cooling effect
Suitable for bookshelf speakers, CRT
TVs, radios and other small amplifiers
Big volume in small size. High

Cod.:F1490 11,96 €

USB / SD 5 Channel 70V / 100V / 8 Ohm 120W PA-120 Audio Amplifier



USB / SD 5 Channel 70V / 100V / 8 Ohm 120W PA-120 Audio Amplifier Features Brand: Winford Model: PA-120 Power: 120W Audio inputs: USB, SD card Microphone inputs: 2x 6.35mm audio jack Aux input: -10dB Mic input: -55dB Treble / Bass: +/- 15dB Output: 4 - 16 Ohm 70 / 100V Distortion: 1KHZ <0.1% Noise: -45dBdB Signal to noise ratio:

Cod.:PA-120 276,00 €

Automatic switch for APS-2311E amplifiers



Automatic switch for APS-2311E amplifiers Features Automatic switch for amplifiers for public address systems 4 individual channels with automatic switching function Control and switching automatic between primary and secondary Choice of function: 4 main devices with four free amplifiers or 4 main devices with one spare Manual and

Cod.:APS-2311E 102,90 €

Pagina 4/143 www.maltab2b.com

35 + 35W Bluetooth / USB / SD / FM AMP-547 audio amplifier



35 + 35W Bluetooth / USB / SD / FM AMP-547 audio amplifier Features Power supply: 220-240V with European plug / DC 12V Terminal block for R / L speakers from 4 to 16 Ohm RCA L / R input for DVD players Two 6.35mm audio jake audio inputs for microphone USB and SD card input Bluetooth connection Model: AMP-547 Brand: AFR Suitable for

Cod.:SP1044 78,60 €

35 + 35W Bluetooth / USB / SD / FM AMP-521 surround sound amplifier



35 + 35W Bluetooth / USB / SD / FM AMP-521 surround sound amplifier Features Power supply: 220-240V with European plug / DC 12V Terminal block for R / L speakers from 4 to 16 Ohm RCA L / R input for DVD players Two 6.35mm audio jakc audio inputs for microphone USB and SD card input Bluetooth

connection Model: AMP-521 Brand: AFR

Cod.:SP6048 78,60 €

2x100W MAX stereo amplifier with Bluetooth and AV-300 FM radio



2x100W MAX stereo amplifier with Bluetooth and AV-300 FM radio The AV-300 stereo amplifier is a complete platform that allows songs to be played via USB stick, SD card or Bluetooth and is also equipped with FM radio. The two 6.35mm jack inputs allow you to connect microphones or other input devices. The navigation keys allow you to scroll

Cod.:AV-300 129,60 €

200W 2.0 OK-200W Stereo Hi-Fi Amplifier Module



200W 2.0 OK-200W Stereo Hi-Fi
Amplifier Module NB: The image is for
illustrative purposes, some details and
colors may differ from those shown in the
image Two channel stereo digital audio
amplifier With DC power connection port
and DC 18-26V wiring terminals (do not
use at the same time). Volume
control/subwoofer/stereo knob The

Cod.:SP6220 24,00 €

300W stereo audio amplifier with radio and USB/SD



300W stereo audio amplifier with radio and USB/SD The EC3109K1 stereo amplifier is a complete platform that allows the execution of songs via USB stick SD card, it is also equipped with FM radio. The two 6.35mm jack inputs allow you to connect microphones or other input devices. The navigation keys allow you to scroll through tracks, as well as

Cod.:EC3109K1 96,00 €

Car megaphone with 40W amplifier



Car megaphone with 40W amplifier Kit consisting of megaphone, to be fixed on the vehicle thanks to the three magnets placed on the base, amplifier/recorder to which the microphone must be connected which can be used for announcements or announcement recordings. Convenient in size and practical megaphone for repeating announcements, ideal for

Cod.:V3065 31,60 €

Power cable - 10 mt



Cable for loudspeakers and acoustic boxes produced with high quality standards. Products with a large surface area to minimize losses and skin effect, to have a perfect timbre response in frequency and sound fidelity. The connectors are 24k gold plated and supplied with banana termination. This cable delivers a full, thick, and smooth

Cod.:CA590 31,04 €

Cable Jack M / M Mono 6.3 mm - 1.5 meters - Purple



Cable Jack M / M Mono 6.3 mm - 1.5 meters - Purple Linear noiseless mono cable with Jack connectors for musical instruments and audio equipment. This high quality professional audio cable is equipped with straight 6.3 mm mono metal jacks. Cable length: 1.5 meters Connectors: Jack 6.3mm male / Jack 6.3mm male

Cod.:CA212 5,82 €

Audio cable Jack M / M Mono 6.3mm 5 meters Purple



Audio cable Jack M/M Mono 6.3mm 5 meters Purple Mono linear cable with Jack connectors for musical instruments and audio equipment. This high quality professional audio cable is equipped with straight type 6.3mm mono metal Jack connectors. Features• Jack 6.35 mm audio cable• Jack 6.35 mm Mono connector• Length: 5 mt. Connections•

Cod.:MIC080 13,60 €

www.maltab2b.com Pagina 5/143

3.5mm Stereo Jack Splitter Cable 10 cm



Stereo audio extension cable
Connections Jack 3.5 Male 2x Jack 3.5
Female Length: 10 cm White with green
female connectors

Cod.:CA216 1,18 €

RCA Male Audio Cable - RCA Male 1.00 m Black



This audio cable with RCA connector is ideal for connecting a CD player and other audio devices similar to an amplifier . EAN: 5412810191949

Cod.:CA860 1,26 €

RCA Audio Cable Male - 2x RCA Male 5.00 m Black



This audio splitter cable with RCA connectors is ideal for connecting a subwoofer to a receiver or amplifier. EAN: 5412810191925

Cod.:CA407 2,06 €

RCA Audio Cable Male - 2x RCA Male 10.0 m Black



This audio splitter cable with RCA connectors is ideal for connecting a subwoofer to a receiver or amplifier. EAN: 5412810191901

Cod.:CA572 3,74 €

Audio cable Jack 6.3mm male -Speakon male - 10 meters



Audio cable Jack 6.3mm male - Speakon male - 10 metres Cable section: 2x2.5mm2 Black colour Mono cable

Cod.:CA840 21,34 €

Audio cable Jack 6.3mm male -Speakon male - 5 meters



Audio cable Jack 6.3mm male - Speakon male - 5 metres Cable section: 2x2.5mm2 Black colour Mono cable

Cod.:CA428 14,08 €

XLR female Cannon cable to Jack 6.35 male 1.5 meters Mono - Yellow / Brown



XLR Cannon female to Jack 6.35 male cable 1.5 meters Mono - Yellow/Brown The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Characteristics • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length:

Cod.:SP042 6,52 €

XLR female Cannon cable to Jack 6.35 male 1.5 meters Mono - Black / Blue



The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Features • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length: 1.5 m. Connections • XLR Female 3 P • Jack Male 6.35 mm Mono

Cod.:SP252 6,52 €

XLR female Cannon cable to Jack 6.35 male 1.5 meters Mono - White / Black



The XLR connector, also called 'Cannon', is a standard professional connector for transmitting analogue signals. Improves signal quality thanks to the balanced signal. Features Cable Cannon XLR to Jack 6.35 mm Jack Connector 6.35 mm Mono Length: 1.5 m. Connections XLR Female 3 P Male Jack 6.35 mm Mono

Cod.:SP303 6,52 €

Pagina 6/143 www.maltab2b.com

XLR female Cannon cable to Jack 6.35 male 1.5 meters Mono - White / Blue



The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Features • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length: 1.5 m. Connections • XLR Female 3 P • Jack Male 6.35 mm Mono

Cod.:SP054

6,52 €

XLR female Cannon cable to Jack 6.35 male 5 meters Mono - Yellow / Brown



XLR Cannon female to Jack 6.35 male cable 5 meters Mono - Yellow/Brown The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Characteristics • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length:

Cod.:SP542

11,14€

XLR female Cannon cable to Jack 6.35 male 5 meters Mono - Black / Blue



Cannon XLR female to Jack 6.35 male Mono cable 5 meters - Black/Blue The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Characteristics • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length:

Cod.:SP173

11.14€

XLR female Cannon cable to Jack 6.35 male 5 meters Mono - White / Black



Cannon XLR female to Jack 6.35 male Mono cable 5 meters - White/Black The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Characteristics • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length:

Cod.:SP294

11,14 €

XLR female Cannon cable to Jack 6.35 male 5 meters Mono - White / Fuchsia



XLR Cannon female to Jack 6.35 male cable 5 meters Mono - White/Fuchsia The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Characteristics • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length:

Cod.:SP264

11,14 €

XLR female Cannon cable to Jack 6.35 male 5 meters Mono - White / Blue



Cannon XLR female to Jack 6.35 male Mono cable 5 meters - White/Blue The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Characteristics • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length:

Cod.:SP312

11,14 €

XLR female Cannon cable to Jack 6.35 male 3 meters Mono - White / Fuchsia



The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Features: • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length: 3 m. Connections: • XLR Female 3 P • Jack Male 6.35 mm Mono

Cod.:SP037

8,82 €

XLR female Cannon cable to Jack 6.35 male 3 meters Mono - White / Blue



The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Features: • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length: 3 m. Connections: • XLR Female 3 P • Jack Male 6.35 mm Mono

Cod.:SP038

8,82 €

XLR female Cannon cable to Jack 6.35 male 3 meters Mono - Black / Blue



The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Features: • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length: 3 m. Connections: • XLR Female 3 P • Jack Male 6.35 mm Mono

Cod.:SP034

8,82€

www.maltab2b.com Pagina 7/143

XLR female Cannon cable to Jack 6.35 male 3 meters Mono - White / Black



Cannon XLR female to Jack 6.35 male Mono cable 3 meters - White/Black The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Characteristics • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length:

Cod.:SP417 8,82 €

XLR female Cannon cable to Jack 6.35 male 3 meters Mono - Yellow / Brown



The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. Features: • Cannon XLR to Jack 6.35 mm cable • Jack 6.35 mm Mono connector • Length: 3 m. Connections: • XLR Female 3 P • Jack Male 6.35 mm Mono

Cod.:SP036 8,82 €

2x RCA male stereo cable - 2x RCA male - 5 meters



2x RCA male stereo cable - 2x RCA male - 5 meters

Cod.:Z540 4,00 €

Blister - 2x RCA male stereo cable - 2x RCA male - 5 meters



Blister - 2x RCA male stereo cable - 2x RCA male - 5 meters Manufacturer: Noveline EAN: 8028274021202

Cod.:SP191 4,42 €

2x RCA male stereo audio cable - 2x RCA male - 3 meters - Black



This stereo audio cable with RCA connectors is ideal for connecting a CD or DVD player or other audio device similar to an amplifier. Link A 2x RCA Male Link B 2x RCA Male Cable type RCA Color Black Packaging Plastic bag External material PVC Connector design - side A Straight Length 3 m Type of audio Stereo

Cod.:SP422 2,06 €

2x RCA male stereo audio cable - 2x RCA male - 5 meters - Black



2x RCA male stereo audio cable - 2x RCA male - 5 meters - Black This stereo audio cable with RCA connectors is ideal for connecting a CD or DVD player or other similar audio device to an amplifier.

Link A 2x RCA Male Link B 2x RCA Male Cable type RCA Color Black
Packaging Plastic bag Outer material
PVC Connector design - A side Straight

Cod.:SP576 2,32 €

Stereo Audio Cable 3.5 mm Male - 2x RCA Male 10.0 m Black



Stereo Audio Cable 3.5 mm Male - 2x RCA Male 10m Black This stereo audio cable with 3.5mm to RCA connectors can be used to connect an MP3 player, mobile phone or other similar device to an amplifier or set of speakers. Product Specifications Black colour Blister packaging Round hollow design PVC outer material Sound type Stereo Nickel

Cod.:ND9010 2,48 €

Digital Toslink Audio Cable Male -Toslink Male 5.00 m Black



Digital Audio Cable Toslink Male - Toslink Male 5m Black This digital audio cable with Toslink connectors is ideal for connecting a DVD or Blu-ray player, games console and other similar devices to an amplifier. Product specification Color Black Packaging Blister Cable design Round External material PVC Connector design - A side Straight

Cod.:ND9035 5,20 €

Stereo Audio Cable din 5-Pin Male - 4x RCA Female 0.20 m Black



Audio cable DIN Male to 5 pin/4x RCA male 1m This stereo audio cable featuring 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other similar audio device to an amplifier. Characteristics Connector A 5-pin DIN plug B connector RCA plug Sound type Stereo Plating material Nickel Lining material PVC Length 1

Cod.:ND1560 2,56 €

Pagina 8/143 www.maltab2b.com

XLR Stereo Cable XLR 3p (M) - XLR 3p (F) 1.5 m Dark Gray



Connect microphones, amplifiers and DJ equipment together with this Sweex balanced XLR audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534023963

Cod.:ND2370 7,80 €

XLR Monocable XLR 3p (F) - 6.35 mm Male 3.0 m Dark Gray



Connect microphones, amplifiers and DJ equipment to each other with this Sweex unbalanced XLR audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024151

Cod.:SX210 8,82 €

XLR Monocable XLR 3p (F) - 6.35 mm Male 10.0 m Dark Gray



Connect microphones, amplifiers and DJ equipment to each other with this Sweex unbalanced XLR audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024175

Cod.:SX100 15,42 €

XLR Stereo Cable 2x XLR 3-Pin Male - 2x RCA Male 3.0 m Dark Gray



XLR Stereo Cable 2x XLR 3-Pin Male - 2x RCA Male 3.0 m Dark Gray Interconnect musical instruments, microphones, amplifiers and DJ equipment with this Sweex XLR to RCA audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. Product Specifications Link A 2x

Cod.:ND1400 9,14 €

XLR Stereo Cable XLR 3p (F) - 2x RCA Male 1.5m Dark Gray



Connect musical instruments, microphones, amplifiers and DJ equipment together with this XLR to RCA Sweex audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024274

Cod.:SX515 8,94 €

XLR 3p (F) XLR Stereo Cable - 2x RCA Male 3.0m Dark Gray



XLR Stereo Cable XLR 3p (F) - 2x RCA
Male 3.0 m Dark Grey Interconnect
musical instruments, microphones,
amplifiers and DJ equipment with this
Sweex XLR to RCA audio
cable. Designed specifically for use in the
music industry, this audio cable delivers
excellent performance every time. •
Durable die-cast zinc connector for a

Cod.:SX320 9,66 €

XLR Stereo Cable 2x XLR 3-Pin Female - 2x RCA Male 1.5m Dark Gray



Connect musical instruments, microphones, amplifiers and DJ equipment together with this XLR to RCA Sweex audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024298

Cod.:SX455 10,10 €

Mono-Audio Cable 6.35 mm Male - 6.35 mm Male 10.0 m Dark Gray



Connect musical instruments and microphones together with this highly flexible 6.35 mm Sweex unbalanced audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time.

EAN: 8717534024380

Cod.:SX160 15,42 €

Mono-Audio Cable 6.35 mm Male - 6.35 mm Male 1.5 m Dark Gray



Connect musical instruments and microphones together with this highly flexible 6.35 mm Sweex unbalanced audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time.

EAN: 8717534024397

Cod.:SX250 7,18 €

www.maltab2b.com Pagina 9/143

Mono-Audio Cable 6.35 mm Male - 6.35 mm Male 3.0 m Dark Gray



Mono Audio Cable 6.35 mm Male 3m Dark Gray Sweex Connect musical instruments and microphones together with this highly flexible Sweex 6.35mm unbalanced audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. • Heavy duty die-cast zinc connector for a stable

Cod.:SX375 8,82 €

Stereo Audio Cable 6.35 mm Male - 6.35 mm Male 1.5 m Dark Gray



Connect musical instruments, microphones, amplifiers and DJ equipment together with this Sweex 6.35 mm balanced audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024441

Cod.:SX170 7,18 €

Stereo Audio Cable 6.35 mm Male - 2x 6.35 mm Male 1.5 m Dark Gray



Connect musical instruments and microphones to amplifiers with this highly flexible 6.35 mm Sweex audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time.

EAN: 8717534024502

Cod.:SX545 9,94 €

Stereo Audio Cable 6.35 mm Male - 2x 6.35 mm Male 3.0 m Dark Gray



Connect musical instruments and microphones to amplifiers with this highly flexible 6.35 mm Sweex audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024519

Cod.:SX340 12,14 €

Speaker Cable 2 Pin Female Speaker - 6.35 mm Male 3.0 m Dark Gray



Connect speakers, mixers and amplifiers together with this Sweex speaker cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time.

EAN: 8717534024694

Cod.:SX200 10,26 €

Speaker Cable 2 Pin Female Speaker - 6.35 mm Male 5.0 m Dark Gray



Connect speakers, mixers and amplifiers together with this Sweex speaker cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024700

Cod.:SX220 15,42 €

Speaker Cable 2 Pin Female Speaker - 6.35 mm Male 10.0 m Dark Gray



Connect speakers, mixers and amplifiers together with this Sweex speaker cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time.

EAN: 8717534024717

Cod.:SX630 25,22 €

Digital Cable XLR XLR 5 Pin Male - 5 Pin XLR Female 0.50 m Dark Gray



Connect the control units to stage lighting with this highly flexible Sweex digital XLR cable. Thanks to the higher resistance of 110 ohm, it is specifically designed to transfer DMX or AES-EUB. EAN: 8717534024809

Cod.:SX415 7,30 €

Cable Digital XLR XLR 5 Pin Male - 5 Pin XLR Female 1.00 m Dark Gray



Connect the control units to stage lighting with this highly flexible Sweex digital XLR cable. Thanks to the higher resistance of 110 ohm, it is specifically designed to transfer DMX or AES-EUB. EAN: 8717534024816

Cod.:SX395 8,20 €

Pagina 10/143 www.maltab2b.com

Speaker Cable 6.35 mm Male - 6.35 mm Male 15.0 m Dark Gray



Connect musical instruments, microphones, amplifiers and DJ equipment together with this Sweex 6.35 mm mono speaker cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024984

Cod.:SX390 31,60 €

Speaker Cable 6.35 mm Male - 6.35 mm Male 5.0 m Dark Gray



Mono Speaker Cable 6.35mm Male -Male 5m Grey Interconnect musical instruments, microphones, amplifiers and DJ equipment with this Sweex 6.35mm mono speaker cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. Sweex audio cable with which a connection can be

Cod.:SX470 14,34 €

Stereo Audio Cable 6.35 mm Male - 2x 6.35 mm Male 5.0 m Dark Gray



Connect musical instruments and microphones to amplifiers with this highly flexible 6.35 mm Sweex audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534025011

Cod.:SX300 14,36 €

Stereo Audio Cable 6.35 mm Male - 3.5 mm Male 3.0 m Dark Gray



Stereo Audio Cable 6.35mm Male 3.5mm Male 3.0m Dark Grey
Interconnect musical instruments,
microphones, amplifiers and DJ
equipment with this Sweex 6.35mm to
3.5mm audio cable. Designed specifically
for use in the music industry, this audio
cable delivers excellent performance
every time. • Durable die-cast zinc

Cod.:ND2630 10,92 €

Stereo Audio Cable 2x RCA Male - 2x RCA Male 3 m Dark Gray



Connect microphones, amplifiers and DJ equipment together with this Sweex RCA stereo audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534025097

Cod.:SX120 9,24 €

Digital Cable XLR XLR 3p (M) - RJ45 plug / s 0.30 m Dark Gray



Connect the control units to the stage lighting with this Sweex DMX adapter cable. It allows DMX signals to be connected to the increasingly common DMX-over-RJ45 environment. EAN: 8717534024007

Cod.:SX600 8,44 €

Digital Cable XLR XLR 3p (F) - RJ45 plug / s 0.30 m Dark Gray



Connect the control units to the stage lighting with this Sweex DMX adapter cable. It allows DMX signals to be connected to the increasingly common DMX-over-RJ45 environment. EAN 8717534024014

Cod.:SX155 8,44 €

Jiasound B7-12 Stagebox XLR power



Jiasound B7-12 Stagebox XLR power strip 12 channels, coded connectors

Cod.:SP590 96,60 €

Stagebox extension strip 8 stage XLR - 30 meters



Stagebox extension strip 8 stage XLR - 30 meters 8-channel, 8 XLR inputs, length: 30 m Color: Black, flexible and robust outer sheath sturdy cable reel

Cod.:SP6050 399,00 €

www.maltab2b.com Pagina 11/143

Stagebox extension ciabatta stage 12 + 4 XLR in metal - 30 meters



16-channel XLR, 12 + 4 XLR, length: 30 m Color: Black, flexible and robust outer sheath robust cable reel with brake.

Cod.:SP6810 520,80 €

3.5mm male-male stereo jack cable - High quality



3.5mm male-to-male stereo jack cable -High quality Cable length: 90cm Golden jack connectors

Cod.:K738 1,78 €

Stereo Audio Cable | 3,5 mm male - 2x RCA male | 1.5 m | Black



Stereo Audio Cable 3.5mm Male - 2x RCA Male 1.5m - Black This stereo audio cable with 3.5mm to RCA connectors can be used to connect an MP3 player, mobile phone or other similar device to an amplifier or set of speakers. Box contents • 1x Audio cable Product Specifications Link A 3.5mm male Link B 2x RCA Male Cable type 3.5mm Color

Cod.:ND140 2,19 €

Stereo Audio Cable | 3.5mm Male - 2x RCA Male | 3.0 m | Black



Stereo Audio Cable 3.5 mm Male - 2x RCA male 3.0 m Black This stereo audio cable with connectors 3.5mm to RCA can be used to connect an MP3 player, cell phone or other similar device to an amplifier or speaker set.

Package contents 1x Audio cable Product specification Link A 3.5 mm

male_Link B 2x RCA Male Cable type

Cod.:ND150

2,70 €

Stereo Audio Cable 3.5 mm male 50cm black



Stereo Audio Cable 3.5 mm male 50cm black This stereo audio cable with connectors 3.5mm allows you to connect an MP3 player, mobile phone or other audio device similar to an amplifier or speaker set. Package contents 1x audio cable Product specifications Connection A: 3.5 mm male Link B: Mas 3.5 mm nail Cable type: 3.5 mm

Cod.:ND210 0,82 €

Stereo Audio Cable 3.5 mm male 1m Black



Stereo Audio Cable 3.5 mm
male 1m Black Product description This
stereo audio cable with connectors
3.5mm allows you to connect an MP3
player, mobile phone or other audio
device similar to an amplifier or speaker
set. Package contents Audio cable
Product specifications Link A 3.5 mm
male Link B 3.5 mm male Cable type

Cod.:ND180 1,02 €

Stereo Audio Cable | 3.5 mm male - 3.5 mm male | 10 m | Black



Stereo Audio Cable | 3.5mm Male - 3.5mm Male | 10m | Black This stereo audio cable with 3.5mm connectors allows you to connect an MP3 player, mobile phone or other similar audio device to an amplifier or set of speakers. Box contents • 1x Audio cable Product Specifications Link A 3.5mm male Link B 3.5mm male Cable type 3.5mm Color

Cod.:ND165 3,32 €

Stereo Audio Cable | 3.5 mm male - 3.5 mm male | 3.0 m | Black



Stereo Audio Cable 3.5 mm Male - 3.5 mm Male - 3.0 m - black This stereo audio cable with 3.5mm connectors allows you to connect an MP3 player, mobile phone or other similar audio device to an amplifier or set of speakers. Box contents • 1x Audio cable Product Specifications Connection A: 3.5mm Male Connection B: 3.5mm male Cable

Cod.:ND190 1,64 €

Stereo Audio Cable | 3.5 mm male - 3.5 mm male | 5.0 m | Black



5.0m 3.5mm Male - 3.5mm Male Stereo Audio Cable - Black This stereo audio cable with 3.5mm connectors allows you to connect an MP3 player, mobile phone or other similar audio device to an amplifier or set of speakers. Box contents • 1x Audio cable Product Specifications Link A 3.5mm male Link B 3.5mm male Cable type 3.5mm Color

Cod.:ND110 2,48 €

Pagina 12/143 www.maltab2b.com

Stereo Audio Cable 2x RCA male -Female 3.5 mm 0.2 m Black



Stereo Audio Cable 2x RCA male Female 3.5 mm 0.2 m Black This stereo
audio adapter cable with 3.5mm
connectors a RCA can be used to
connect an MP3 player, mobile phone or
other audio device similar to an amplifier
or speaker set. Package contents 1x
Audio cable Product specifications Link
A 2x RCA Male Link B 3.5 mm

Cod.:ND1380 1,56 €

Stereo Audio Cable | 6.35 mm male - 2x RCA male | 2.0 m | Black



This stereo audio cable with 6.35 mm connectors can be used to extend the audio connection between a keyboard, guitar or other similar devices and an amplifier or set of speakers. EAN: 5412810280957

Cod.:ND2080 3,16 €

Stereo Audio Cable 2x RCA male 1m



This stereo audio cable with RCA connectors is ideal for connecting a CD or DVD player or other audio device similar to an amplifier. EAN: 5412810281015

Cod.:ND2150 1,94 €

Stereo Audio Cable | 2x RCA male - 2x RCA female | 2.0 m | Black



This stereo audio extension cable with RCA connectors is ideal for extending an audio cable to connect from a CD or DVD player or other device similar to an amplifier. EAN: 5412810281077

Cod.:ND2570 1,89 €

Stereo Audio Cable | 2x RCA male - 2x RCA female | 10 m | Black



This stereo audio extension cable with RCA connectors is ideal for extending an audio cable to connect from a CD or DVD player or other device similar to an amplifier. EAN: 5412810281091

Cod.:ND2605 5,14 €

Stereo Audio Cable | 2x RCA male - 2x RCA male | 1.5 m | Black



Stereo Audio Cable | 2x RCA Male - 2x RCA Male | 1.5m | Black Product Description This stereo audio cable with RCA connectors is ideal for connecting a CD or DVD player or other similar audio device to an amplifier. Box contents • 1x Audio cable Product Specifications Connection A: 2x RCA Male Connection B: 2x RCA Male Cable Type: RCA Black

Cod.:ND220 1,84 €

Stereo Audio Cable 2x RCA male - 2x RCA male - 3.0 m - Black



Stereo Audio Cable 2x RCA male - 2x RCA male - 3.0 m - Black This stereo audio cable with RCA connectors is ideal for connecting a CD or DVD player or other amplifier-like audio device.

EAN: 5412810281046 CAGP24200BK30

Cod.:ND2170 2,70 €

Stereo Audio Cable | 2x RCA male - 2x RCA male | 5.0 m | Black



Stereo Audio Cable 2x RCA male - 2x RCA male 5.0 m - Black This stereo audio cable with RCA connectors is ideal for connecting a CD or DVD player or other similar audio device to an amplifier.

Box contents ? • 1x Audio cable
Product Specifications Link A 2x RCA
Male Link B 2x RCA Male Cable type
RCA Color Black Packaging Plastic bag

Cod.:ND160 3,12 €

Subwoofer cable | 2x RCA male - RCA female | 0.2 m | Black



Audio cable 2x RCA male - RCA female 0.2 m Black This audio splitter cable with RCA connectors is ideal for connecting a subwoofer to a receiver or amplifier. Product Specifications Connection To 2x RCA Male Connection B RCA Female RCA cable type Black colour Packaging Plastic bag PVC outer material Connector design - A side Straight

Cod.:ND2555 1,70 €

www.maltab2b.com Pagina 13/143

Subwoofer cable | RCA male - 2x RCA female | 0.2 m | Black



Subwoofer cable | RCA male - 2x RCA female | 0.2 m | Black Product
Description This audio splitter cable with RCA connectors is ideal for connecting a subwoofer to a receiver or an amplifier.
Product specifications Link A RCA Male Link B 2x RCA Female Cable type RCA Color Black Packaging Plastic bag External material PVC

Cod.:ND2565 1,30 €

Male RCA cable - RCA male | 2.0 m | Black



Subwoofer cable RCA male - RCA male 2m Black This audio cable with RCA connector is ideal for connecting a CD player and other similar audio devices to an amplifier. Product specification Color Black Cable design Round Outer material PVC Plating Nickel Sound type Mono Connection A RCA Male Connector design - A side Straight Connector design

Cod.:ND2560 1,44 €

Optical Audio Cable | TosLink male -TosLink male | 1.0 m | Black



Optical Audio Cable TosLink male TosLink male 1m Black Product
description This digital audio cable with
connectors Toslink is ideal for connecting
a DVD or Blu-ray player, game console
and other amplifier-like devices.
Package contents 1x Audio cable
Product specifications Link A Male
Toslink Link B Male Toslink Cable

Cod.:ND170 3,64 €

Optical Audio Cable TosLink male -TosLink male 3.0 m Black



Optical Audio Cable TosLink male TosLink male 3.0 m Black This digital
audio cable with Toslink connectors is
ideal for connecting a DVD or Blu-ray
player, a game console and other
devices similar to an amplifier.
Product specifications Connection A Male
Toslink Connection B Toslink Male Cable
type Toslink Color Black Packaging

Cod.:ND1395 5,70 €

Stereo Audio Cable | Male 3.5 mm - 2x 3.5 mm Female | 0.2 m | Black



This stereo audio splitter cable with 3.5 mm connectors can be used to connect 2 headphones to an MP3 player, a mobile phone, a tablet, a computer or other similar audio device. EAN:

5412810288137

Cod.:ND2165 3,50 €

Balanced Audio Cable | 6.35 mm Male-6.35 mm Male | 3.0 m



6.35mm Male to 6.35mm Male Balanced Audio Cable 3.0m Interconnect musical instruments, microphones, amplifiers and DJ equipment with this Nedis® 6.35 mm balanced audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc connector for a

Cod.:ND2065 7,64 €

Stereo Audio Cable | 2x 6.35 mm male - 3.5 mm male | 5.0 m | Grey



Stereo Audio Cable | 2x 6.35 mm male - 3.5 mm male | 5.0 m | Gray Product Description Connects musical instruments, microphones, amplifiers and devices for DJ with this 6.35 mm to 3.5 mm Nedis® audio cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. Features

Cod.:ND4890 13,92 €

Balanced XLR Audio Cable | 3 Pin Male XLR - 2x 3 Pin Male XLR | 1.5 m | Grey



XLR Balanced Audio Cable | 3 Pin XLR Male - 2x 3 Pin XLR Female | 1.5m | Grey Connect microphones, amplifiers and DJ equipment to each other with this Nedis® balanced XLR audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc connector for a

Cod.:ND1180 10,92 €

XLR Audio Cable | 2x Male to 3 Pin XLR-Male 3.5mm | 3.0m



XLR Audio Cable | 2x Male to 3 Pin XLR - 3.5mm Male | 3.0 m | Gray Product description Connect together musical instruments, microphones, amplifiers and DJ with this Nedis® 3.5mm XLR audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time ...

Functions Durable die-cast zinc

Cod.:ND1175 10,92 €

Pagina 14/143 www.maltab2b.com

110 Ohm DMX Digital Cable | 3 Pin XLR Male - 3 Pin XLR Female | 15 m | Grey



Connect the control units to the stage lighting with this highly flexible Nedis® digital XLR cable. Thanks to the greater resistance of 110 ohms, it is specifically designed to transfer DMX or AES-EUB. Functions Connector in die-cast zinc resistant for a connection stable Highly flexible cable for easy twisting High

resistance of 110 ohms, ideal for digital

26.42 €

Cod.:ND1185

XLR Mono Adapter | 3 Pin XLR Female - 6.35 mm Male | Black



Mono XLR - Female to 3 Pin XLR - 6.35mm Male Adapter - Black The Nedis stage product range boasts a wide range of superior quality connectors and cables. It provides a complete cabling solution covering both short and long distances. This allows you to make excellent quality studio recordings or perform on stage a breathtaking show in

Cod.:ND2655 3,34 €

3.5mm Male Stereo Audio Cable -3.5mm Male 1.5m - Black



Stereo Audio Cable 3.5 mm Male - 3.5 mm 1.5 m Male - Black This stereo audio cable with connectors 3.5mm allows you to connect an MP3 player, mobile phone or other audio device similar to an amplifier or set of speakers.

Functions Strong connector for a stable connection Package contents Product Specifications Connection A 3.5

Cod.:ND100 0,96 €

Stereo Audio Cable - 3.5mm Male - 2x RCA Male - 1.5m - Black



Stereo Audio Cable - 3.5mm Male - 2x RCA Male - 1.5m - Black This stereo audio cable with 3.5mm to RCA connectors can be used to connect an MP3 player, mobile phone or other similar device to an amplifier or set of speakers. • Durable connectors for a stable connection Box contents 1x Stereo Audio Cable Product

Cod.:ND1755 0,96 €

RCA Digital Audio Cable Male - RCA Male 3.00 m Blue



Digital Audio Cable RCA Male - RCA Male 3.00 m Blue Connect your digital audio device to an AV receiver with a digital coaxial connection.

Product Specifications Link A RCA Male

Product Specifications Link A RCA Male Link B RCA Male Cable type RCA Color Blue Packaging Blister Outer material PVC Connector design - A side Straight Length 3.00m Sound type Digital Hollow

Cod.:ND2645 14,18 €

Loudspeaker cable 2x 0.75 mm2 15.0 m Roll-up Transparent



Speaker Cable 2x 0.75 mm2 15.0 m
Roll-up Transparent Install the
connectors on this Nedis balanced audio
cable and make your own audio
connections and extension cables. This
balanced audio cable guarantees
excellent performance standards. Your
only concern is composing amazing
music! EAN 5412810312467

Cod.:ND2190 4,68 €

Speaker Cable - 2x 0.75 mm2 - 15.0 m - Roll-up - Black / Red



Speaker Cable - 2x 0.75mm2 - 15.0m - Rollable - Black/Red Install the connectors on this Nedis® balanced audio cable and make your own audio connections and extension cables. This balanced audio cable guarantees excellent performance standards. Your only concern is to compose amazing music! Product Specifications Length

Cod.:ND2155 5,68 €

Speaker Cable 2x 0,75 mm2 100 m Rollable Black/Red



Speaker Cable 2x 0,75 mm2 100 m
Rollable Black/Red Install the connectors
on this Nedis balanced audio cable and
make your own audio connections and
extension cables. This balanced audio
cable guarantees excellent performance
standards. Your only concern is to
compose amazing music! • CCA
conductor for error-free signal flow• Color

Cod.:ND1745 38,04 €

5 pin DIN male cable - 5 pin DIN male cable | 2.0 m | Black



5-pin DIN male cable - 5-pin DIN male cable | 2.0 m | Black EAN code 5412810281220 This stereo audio cable with 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other audio device similar to an amplifier.

Cod.:ND2145 3,50 €

www.maltab2b.com Pagina 15/143

Audio Cable RCA Male - RCA Male 5.00 m Black



Audio Cable RCA Male - RCA Male 5.00 m Black This audio cable with RCA connector is ideal for connecting a CD player and other audio devices similar to an amplifier. EAN:5412810191987 VLAP24100B50

Cod.:ND1720 2,06 €

Loudspeaker Cable 2 Pin Female 10m Dark Gray



Loudspeaker Cable 2 Pin Female 10m
Dark Gray Connect speakers, mixers and
amplifiers together with this Sweex
speaker cable. Specially designed for
use in the music industry, this audio
cable delivers excellent performance
every time. Functions • Durable
connector for a stable connection • Highly
flexible cable for easy twisting • Ideal for

Cod.:ND2240 14,66 €

Stereo Audio Cable 2x Male RCA - 2x Male RCA 3.0 m Gray



Stereo Audio Cable 2x Male RCA - 2x Male RCA 3.0 m Gray Connect microphones, amplifiers and DJ equipment together with this Nedis RCA stereo audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Durable die-cast zinc connector for stable connection Highly

Cod.:ND2545 9,86 €

Audio cable DIN Male DIN 5 pin - 2x RCA female 0.2 m Black



Audio cable DIN Male DIN 5 pin - 2x RCA female 0.2 m Black This stereo audio cable with 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other amplifier-like audio device. Product specification Black color Round hollow design External material PVC Audio type Stereo Nickel Plating Connection B

Cod.:ND2750 2,54 €

Audio cable DIN male DIN 5 pin - male DIN 5 pin 3.0 m Black



Audio cable DIN male DIN 5 pin - male DIN 5 pin 3.0 m Black This stereo audio cable with 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other amplifier-like audio device. Product specifications Color Black Hollow design Round External material PVC Type of Audio Stereo Nickel plating Connector design - side A

Cod.:ND2745 4,36 €

5 Pin DIN Male DIN Audio Cable - 3.5mm Male 1.0m Black



Audio cable DIN male DIN 5 pin - Male 3.5 mm 1.0 m Black This stereo audio cable with 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other amplifier-like audio device. Product specifications Color Black Round hollow design External material PVC Audio type Stereo Nickel Plating Connector

Cod.:ND2735 1,76 €

Stereo Audio Cable 2x RCA male - 2x RCA male 2m Black



Stereo Audio Cable 2x RCA male - 2x RCA male 2m Black This stereo audio cable with RCA connectors is ideal for connecting a CD or DVD player or other amplifier-like audio device. Product specifications Color Black Round hollow design External material PVC Audio type Stereo Nickel Plating Connector design - side A Straight Connector

Cod.:ND2785 2,86 €

Stereo Audio Adapter 3.5mm Male - 6.35mm Female 10pcs Black



Stereo Audio Adapter 3.5mm Male 6.35mm Female 10pcs Black Color
Black External material PVC Audio
Type Stereo Nickel Plating 3.5 mm
adapter type 3.5 mm Male A
connection Connection B 6.35 mm
Female Packaging Plastic bag
Straight tab design Connection A
& mp; B 3.5 mm Male - 6.35 mm Female

Cod.:ND2775 1,86 €

Speaker Connector Male 4 pin Loudspeaker 25pcs Black



Male Speaker Connector 4 pin
Loudspeaker 25 pieces Black Color
Black Nickel Plating Packaging Bulk
products Connector design - side A
Straight Male contacts / female Male
Connection To 4 Pin Male Speaker
PVC materials Connector type
Speaker 4-Pin Content 25 Pcs
Connection A & Connector Male

Cod.:ND2760 48,18 €

Pagina 16/143 www.maltab2b.com

Loudspeaker Cable 2x 2.50 mm2 15m Roll-up Black / Red



Loudspeaker Cable 2x 2.50 mm2 15m Roll-up Black / Red Install the connectors on this Nedis balanced audio cable and make your own audio connections and extension cables. This balanced audio cable guarantees excellent performance standards. Your only concern is composing amazing music! Product Specifications Cable type Speaker

Cod.:ND2755 20,50 €

Loudspeaker cable 2x 0.35 mm2 100 m Roll-up White



Loudspeaker cable 2x 0.35 mm2 100 m Roll-up White Install the connectors on this Nedis® balanced audio cable and make your own audio connections and extension cables. This balanced audio cable guarantees excellent performance standards. Your only concern is composing amazing music! Product Specifications White color Conductor

Cod.:ND2770 21,64 €

Stereo Audio Adapter 3.5mm Male - 2x Female RCA 10pcs Black



Stereo Audio Adapter 3.5mm Male - 2x
Female RCA 10pcs Black Features
Color Black External material PVC
Audio type Stereo Nickel Plating 3.5
mm adapter type 3.5 mm A Male
Connection mm Connection B 2x RCA
Female Packaging Plastic bag Straight
card design Connection A & Description of the color of the col

Cod.:ND2765 3,90 €

Loudspeaker Cable 2x 1.50 mm2 15m Roll-up White



Speaker Cable 2x 1.50 mm2 15m
Roll-up White Install the connectors on
this Nedis balanced audio cable and
make your own audio connections and
extension cables. This balanced audio
cable guarantees excellent performance
standards. Product specifications
Color Black Blister packaging External
material PVC Audio type Stereo Nickel

Cod.:ND2810 10,62 €

2 Pin Female Loudspeaker Cable - 2 Pin Female Loudspeaker Cable 1.5m Dark Gray



2 Pin Female Speaker Cable - 2 Pin Female Speaker Cable 1.5m Dark Gray Connect speakers, mixers and amplifiers together with this Sweex speaker cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features Durable connector for a stable connection Highly flexible cable for easy

Cod.:ND9030 2,94 €

Stereo Audio Cavo Maschio da 3.5 mm - Maschio da 3.5 mm 3m Bianco



Stereo Audio Cable 3.5 mm Male - 3.5 mm Male 3m White This 3.5mm male to 3.5mm male stereo audio cable has a length of 3m Product specification Color White Cable design Round External material PVC Sound type Stereo Plating Nickel Connection A 3.5mm Male Connector design - A side Straight Connector design - B side Straight

Cod.:ND3105 4,34 €

Stereo Audio Cable | 3.5mm Male - 3.5mm Male | 2m | Black



Stereo Audio Cable | 3.5mm Male - 3.5mm Male | 2m | Black This stereo audio cable with 3.5mm connectors allows you to connect an MP3 player, mobile phone or other audio device similar to an amplifier or speaker set. Product specifications Color Hollow design Round Outer material PVC Audio type Stereo Link A 3.5 mm

Cod.:ND1132 1,86 €

Balanced XLR Audio Cable | 3 Pin XLR Male - 3 Pin XLR Female | 0.5 m | Grey



Balanced XLR Audio Cable | 3 Pin XLR Male - 3 Pin XLR Female | 0.5 m | Gray Connect microphones, amplifiers and DJ equipment together with this Nedis balanced XLR audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Zinc die-cast connector strong for a stable connection

Cod.:ND204 5,68 €

Audio cable DIN male to 5 pin - 2x RCA male 1m Black



Audio cable DIN male 5 pin - 2x RCA male 1m Black This stereo audio cable with 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other amplifier-like audio device. Product specification Color Black Hollow design Round Audio type Stereo Plating Nickel External material PVC Diameter 5.2 x 2.6 mm Connector

Cod.:ND2262 2,70 €

www.maltab2b.com Pagina 17/143

Balanced XLR Female to 3 Pin XLR - Male 6.35mm Audio Cable



Balanced XLR Female to 3 Pin XLR
Audio Cable - 6.35 mm Male Connect
microphones, amplifiers and DJ
equipment together with this Nedis
balanced 6.35mm XLR audio cable.
Specially designed for use in the music
industry, this audio cable delivers
excellent performance every time.
Features Durable die-cast zinc

Cod.:ND3162 7,80 €

Audio Cable XLR 2x Male to 3 Pin XLR - 2x Male RCA 1.5 m Gray



Audio Cable XLR 2x Male to 3 Pin XLR - 2x Male RCA 1.5 m Gray Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis® XLR to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Durable die-cast zinc connector for stable

Cod.:ND2292 9.64 €

Digital DMX Cable 110 Ohm Male to 3 Pin XLR - Female to 3 Pin XLR 5m Gray



Digital DMX Cable 110 Ohm Male to 3
Pin XLR - Female to 3 Pin XLR 5m Gray
Connect control units to stage lighting
with this highly flexible Nedis® digital
XLR cable. Thanks to the increased
resistance of 110 ohms, it is specifically
designed to transfer DMX or AES-EUB.

Durable die-cast zinc connector for a
stable connection • Highly flexible cable

Cod.:ND2227 13,46 €

Audio Cable XLR 2x Male to 3 Pin XLR 2x Male RCA 3m Gray



Audio Cable XLR 2x Male to 3 Pin XLR 2x Male RCA 3m Gray Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis® XLR to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Zinc connector Durable die-cast for a stable connection

Cod.:ND3270 10,48 €

AV Cable 3.5mm AV Male 3.5mm-AV Male 2.0m Black



AV Cable 3.5mm AV Male to 3.5mm AV Male 2.0m Black This cable with 3.5 mm jack connectors is suitable for connecting devices such as video cameras to the TV. Product specification Color Black Hollow design Round Material external PVC Plating Nickel Link to A 3.5 mm male Conductor material CCS Packaging Plastic bag Cable

Cod.:ND3540 3,16 €

Stereo Audio Cable 3.5mm Male-3.5mm Female 3m Black



Stereo Audio Cable 3.5mm Male-3.5mm
Female 3m Black This stereo audio
cable with 3.5mm connectors can be
used to extend the connection audio
between an MP3 player, mobile phone or
other similar device and an amplifier or
set of speakers. Product specification
Color Black Hollow design Round
Outer material PVC Audio type

Cod.:ND3566 2,68 €

Stereo Audio Cable 3mm Male-2xRCA Male 1m Black



Stereo Audio Cable Male 3mm-2xRCA male 1m Black This stereo audio cable with 3.5mm to RCA connectors can be used to connect an MP3 player, mobile phone or other similar device to an amplifier or speaker set. Product specifications Color Black Hollow design Round Outer material PVC Plating Link A 3.5 mm male

Cod.:ND3570 1,96 €

Stereo Audio Cable with Volume Control 3.5mm Male to 3.5mm Female 1m Black



Stereo audio cable with volume control 3.5mm Male-Female 1m Black Extension cable for connecting earphones to a portable audio device and for controlling the volume of music. Product specification Color Black Hollow design Round Audio type Stereo External material PVC Plating Nickel Link A 3.5mm Male Link B 3.5

Cod.:ND3578 4,92 €

5 Pin DIN Male Cable-5 Pin Male DIN Cable 1m



Male 5-pin DIN cable-Male 5-pin DIN cable 1m This stereo audio cable with 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other amplifier-like audio device. Product specifications Color Black Hollow design Round Outer material PVC Audio type Stereo Connector design - side A Straight Connector

Cod.:ND3668 2,16 €

Pagina 18/143 www.maltab2b.com

Audio cable Cable male DIN to 5 pin-4x RCA female 0.2m Black



Audio cable Male cable DIN 5 pin-4x RCA female 0.2m Black This stereo audio cable with 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other amplifier-like audio device. Product specifications Color Black Hollow design Round Outer material PVC Audio type Stereo Plating Nickel Connector design - side

Cod.:ND3678 3,36 €

Stereo Audio Cable 3.5mm Male-3.5mm Male 1m Red



Stereo Audio Cable 3.5mm Male to
3.5mm Male 1m Red Stereo audio cable
with 3.5 mm jack Product
specifications Color Red Hollow
design Round Audio type Stereo
Link A 3.5 mm male Connector design
- side A Straight Connector design
side B Straight Conductor material
CCS Link B 3.5 mm male Diameter

Cod.:ND3680 2,20 €

Stereo Audio Cable 3.5mm Male-3.5mm Female 1m Anthracite



Stereo Audio Cable 3.5mm Male-3.5mm
Female 1m Anthracite Features 24k
gold-plated contacts for optimal sound
transmission Flexible cable clamp to
prevent cable breakage Durable die-cast
connectors, specially designed for
intensive use Shielded cable for
reduction interference and clear sound
Product specification Packaging

Cod.:ND3694 5,70 €

Stereo Audio Cable 3.5mm Male-3.5mm Male 2m Anthracite



Stereo Audio Cable 3.5mm Male to 3.5mm Male 2m Anthracite Cable to connect a smartphone or tablet to the home cinema or car stereo for a stereo audio experience. Features 24k gold-plated contacts for optimal sound transmission Flexible cable clamp to prevent cable breakage Durable die-cast connectors, specially designed for

Cod.:ND3696 7,14 €

Stereo Audio Cable 3.5mm Male-Female 6.35mm 0.2m Black



3.5mm Male to 6.35mm Female Stereo
Audio Cable 0.2m Black This stereo
adapter cable lets you connect
headphones with a 6.35mm plug to audio
devices that have a 3.5mm connection.
Product Specifications Color Black
Hollow design Round Outer material PVC
Sound type Stereo Plating Nickel Link A

3.5mm male Link B 6.35mm Female

Cod.:ND3780

2.04 €

Stereo Audio Cable 3.5mm Male to 3.5mm Female 10m



Stereo Audio Cable 3.5mm Male to 3.5mm Female 10m This stereo audio cable with 3.5mm connectors can be used to extend the audio connection between an MP3 player, mobile phone or other similar device and an amplifier or speaker set. Product specifications Color Black Hollow design Round Outer material PVC Audio type

Cod.:ND3816 3,12 €

Stereo Audio Cable 2.5mm Male to 2.5mm Male 1m



Stereo Audio Cable 2.5mm Male to
2.5mm Male 1m This stereo audio cable
with 2.5mm connectors is ideal for
connecting an MP3 player or other similar
audio device to an amplifier or set of
speakers. Product Specifications Black
colour Round hollow design PVC outer
material Audio type Stereo Nickel plating
Connection A Male 2.5 mm Connector

Cod.:ND3818 1,74 €

Stereo Audio Cable 3.5mm Male-2x RCA Male 2m



Stereo Audio Cable 3.5mm Male-2x RCA male 2m This stereo audio cable with 3.5mm to RCA connectors can be used to connect an MP3 player, mobile phone or other similar device to an amplifier or speaker set. Product specifications Color Black Outer material PVC Audio type Stereo Plating Nickel Link A 3.5 mm male Connector design -

Cod.:ND3832 2,40 €

DIN Audio Cable 3.5mm 3.5mm Male to 5 Pin DIN Male Cable 2m



Audio cable DIN Male cable DIN 5 pin to Male 3.5mm 2m This stereo audio cable with 5-pin DIN connectors is ideal for connecting a cassette player, CD player or other amplifier-like audio device. Product specifications Color Black Hollow design Round Outer material PVC Plating Nickel Connector design - side B Straight Conductor material

Cod.:ND3826 2,92 €

www.maltab2b.com Pagina 19/143

Stereo Audio Cable 6.35mm Male-6.35mm Male 2m



Stereo Audio Cable 6.35mm Male-Male 6.35mm 2m This stereo audio cable with 6.35mm connectors is ideal for connecting a keyboard, guitar and other similar musical instrument to an amplifier or speaker set. Product specifications Color Black Design cable Round Outer material PVC Audio type Stereo Plating Nickel Link A 6.35

Cod.:ND3948 3,58 €

3.5mm Jack Mono Male Connector pack of 25 pieces



3.5mm Jack Mono Male Connector pack of 25 Product specification Color Silver Materials Metal Plating Packaging Plastic bag Link A 3.5 mm male Design connect re - side A Straight Male / female contacts Male Connector type 3.5 mm Diameter 3.8 mm Content 25 Pcs Connection A & Supplier Supplier

Cod.:ND4012 13,36 €

Stereo Audio Cable 3.5mm Male-2x RCA Male 10m



Stereo Audio Cable 3.5mm Male-2x RCA Male 10m This stereo audio cable with 3.5mm to RCA connectors can be used to connect an MP3 player, mobile phone or other similar device to an amplifier or speaker set. Product Specifications Black colour Round hollow design PVC outer material Audio type Stereo Nickel plating 3.5 mm Male A Connection

Cod.:ND4304 4,72 €

Loudspeaker Cable 2x 1.50 mm2 15.0m Roll-up Black / Red



Speaker Cable 2x 1,50 mm2 15,0m
Roll-up Black / Red Install the
connectors on this Nedis audio cable and
make your own audio connections and
extension cables. This audio cable
guarantees excellent performance
standards. Your only concern is
composing amazing music! Product
specifications Type of cable Speaker

Cod.:ND4378 10,62 €

6,35mm 5m XLR Male to 3 Pin XLR-Male Balanced Audio Cable



Audio Cable XLR Male to 3 Pin XLR-Male 6,35mm 5m Connect microphones, amplifiers and DJ equipment together with this Nedis® balanced 6.35mm XLR audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features Durable die-cast zinc

Cod.:ND4380 11,78 €

Stereo Audio Cable 3.5mm Slim Male to 3.5mm Male Slim 1m White



Stereo Audio Cable 3.5mm Male to 3.5mm Thin Male 1m White Stereo audio cable with 3.5 mm jack Product specification Color White Hollow design Round External material PVC Audio type Stereo Plating Nickel Link A 3.5 mm male Connector design - side A Straight Connector design - side B Straight Conductor

Cod.:ND4496 3,18 €

Audio Cable XLR Male to 3 Pin XLR-2x Male RCA 1.5m Gray



Audio Cable XLR Male to 3 Pin XLR-2x Male RCA 1.5m Gray Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis XLR to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features Durable die-cast zinc connector for a

Cod.:ND4554 9,00 €

Unbalanced XLR Female to 3 Pin XLR-Male Audio Cable 6.35mm 1.5m



6.35mm 1.5m 3 Pin XLR-Male XLR
Female to Unbalanced Audio Cable
Connect microphones, amplifiers and DJ
equipment together with this Nedis®
unbalanced 6.35mm XLR audio cable.
Specially designed for use in the music
industry, this audio cable delivers
excellent performance every time.
Features • Durable die-cast zinc

Cod.:ND4564 8,38 €

Unbalanced Audio Cable 6.35mm Male to 6.35mm Male 3m



Unbalanced Audio Cable 6.35mm Male to 6.35mm Male 3m Connect musical instruments and microphones together with this highly flexible unbalanced 6.35mm Nedis® audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features • Durable die-cast zinc connector for a

Cod.:ND4584 5,80 €

Pagina 20/143 www.maltab2b.com

Optical Audio Cable TosLink male to TosLink male 5m



Optical Audio Cable TosLink male to TosLink male 5m This digital audio cable with Toslink connectors is ideal for connecting a DVD or Blu-ray player, game console and other amplifier-like devices. Product Specs Color Black Hollow design Round Outer material PVC Connector design - side A Straight Connector design - side B

Cod.:ND4576

9,90€

3.5mm Male-2x RCA Male Stereo Audio Cable 5m



Stereo Audio Cable 3.5mm Male-2x RCA
Male 5m This stereo audio cable with
3.5mm to RCA connectors can be used
to connect an MP3 player, mobile phone
or other similar device to an amplifier or
set of speakers. Product
Specifications Color Black Hollow design
Round Outer material PVC Sound type
Stereo Plating Nickel Link A 3.5mm male

Cod.:ND4606 3,90 €

Headphone Audio Cable 3.5mm Male-2x 3.5mm Female 0.2m



Audio Cable Headphone Male 3.5mm-2x 3.5mm Female 0.2m This Nedis splitter cable is the perfect solution for connecting headphones and earphones with separate audio and microphone connectors for modern PCs and notebooks with single audio device port.

Product specifications Color Black External material PVC

Cod.:ND2593 2,22 €

Balanced Audio Cable 6.35mm Male to 6.35mm Male 1.5m



Balanced Audio Cable 6.35mm
Male-Male 6.35mm 1.5m Connect
musical instruments, microphones,
amplifiers and DJ equipment together
with this Nedis 6.35mm balanced audio
cable. Specially designed for use in the
music industry, this audio cable delivers
excellent performance every time.
Durable die-cast zinc connector for stable

Cod.:ND4906 7,80 €

Balanced XLR Audio Cable 2x Male to 3 Pin XLR-Female to 3 Pin XLR 1.5m



Balanced XLR Audio Cable 2x Male to 3 Pin XLR-Female to 3 Pin XLR 1.5m Connect microphones, amplifiers and DJ equipment together with this Nedis® balanced XLR audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time.

Connector in Durable die-cast zinc for a

Cod.:ND4988 10,48 €

Balanced XLR Male to 3 Pin XLR-Male 6.35mm Audio Cable 1.5m



Balanced XLR Male to 3 Pin XLR-Male 6.35mm Audio Cable 1.5m Interconnect microphones, amplifiers and DJ equipment with this Nedis® balanced XLR to 6.35 mm audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. • Heavy duty die-cast zinc connector for a stable

Cod.:ND4986 7,80 €

6.35mm XLR Male to 3 Pin XLR-Male Balanced Audio Cable 3m



Audio Cable XLR Male to 3 Pin XLR-Male 6.35mm 3m Connect microphones, amplifiers and DJ equipment together with this Nedis balanced 6.35mm XLR audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Durable die-cast zinc connector for stable

Cod.:ND4984 8,94 €

Balanced XLR Female to 3 Pin XLR-Male 3.5mm Audio Cable 1m



Balanced XLR Female to 3 Pin XLR-Male 3.5mm Audio Cable 1m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis 3.5mm XLR audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Durable

Cod.:ND4982 7,30 €

3m XLR Male to 3 Pin XLR-Male RCA Audio Cable



Audio Cable XLR Male to 3 Pin XLR-Male RCA 3m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis XLR to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features Durable die-cast zinc connector for a

Cod.:ND4990 9,21 €

www.maltab2b.com Pagina 21/143

Audio cable XLR Male to 3 pin XLR-Male RCA 1.5m



Audio Cable XLR Male to 3 pin XLR-Male RCA 1.5m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis XLR to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features Durable die-cast zinc connector for a

Cod.:ND4994 6,98 €

3m XLR Male to 3 Pin XLR-2x Male RCA Audio Cable



Audio Cable XLR Male to 3 Pin XLR-2x Male RCA 3m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis XLR to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Durable die-cast zinc connector for stable

Cod.:ND4996 9.78 €

Balanced XLR Male to 3 Pin XLR-Female to 3 Pin XLR Audio Cable



Balanced XLR Male to 3 Pin XLR-Female to 3 Pin XLR Audio Cable Connect microphones, amplifiers and DJ equipment together with this Nedis© balanced XLR audio cable.Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features Durable die-cast zinc connector for a

Cod.:ND4998 8,14 €

Audio Cable XLR Male to 3 Pin XLR-Male 3.5mm 3m



XLR Male to 3 Pin XLR-Male 3.5mm
Audio Cable 3m Connect musical
instruments, microphones, amplifiers and
DJ equipment to one another with this
Nedis® XLR to 3.5 mm audio
cable. Designed specifically for use in the
music industry, this audio cable delivers
excellent performance every time.
Characteristics • Heavy duty die-cast zinc

Cod.:ND5000 8,82 €

Digital DMX Cable from 110 Ohm Male to 3 Pin XLR-Female to 3 Pin XLR 3m



Digital DMX Cable 110 Ohm Male to 3
Pin XLR-Female to 3 Pin XLR 3m
Connect control units to stage lighting
with this highly flexible Nedis digital XLR
cable. Thanks to the increased
resistance of 110 ohm, it is specifically
designed to transfer DMX or AES-EUB.
Durable die-cast zinc connector for stable
connection Highly flexible cable for easy

Cod.:ND5002 10,06 €

XLR Single cable XLR 3p (Female) - RCA Male 1.5 m Sweex



XLR Single cable XLR 3p (Female) RCA Male 1.5 m Sweex Connect
musical instruments, microphones,
amplifiers and DJ equipment together
with this Sweex XLR to RCA audio cable.
Designed specifically for use in the
music industry, this cable audio delivers
excellent performance every time.
Features Durable die-cast zinc

Cod.:SX572 2,76 €

3.5mm male stereo audio cable 1m anthracite



3.5mm male stereo audio cable 1m anthracite Cable to connect a smartphone or tablet to your home cinema or car stereo for a stereo audio experience. Features 24k hard gold plated contacts, for excellent corrosion protection resulting in durability of performance Die-cast metal alloy connectors with bright chrome shielding

Cod.:ND8035 11,36 €

Speaker Cable 2x 1.50mm² 25m



Speaker Cable 2x 1,50mm² 25m Install the connectors on this Nedis audio cable and make your own audio connections and extension cables. This audio cable guarantees excellent performance standards. Your only concern is composing amazing music! Features CCA conductor for error-free signal flow Colored line on the side of the cable

Cod.:ND6358 16,78 €

Stereo cable 2x XLR 3-Pin Female - 2x RCA Male 3m



Stereo Cable 2x XLR 3-Pin Female - 2x RCA Male 3m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Sweex XLR to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features Strong die-cast zinc connector for a

Cod.:ND8065 12,14 €

Pagina 22/143 www.maltab2b.com

6,35mm Mono Male Speaker Cable 3m



6,35mm 3m Mono Male Speaker Cable
Connect musical instruments,
microphones, amplifiers and DJ
equipment with this 6.35mm mono
speaker cable. Specially designed for
use in the music industry, this audio
cable delivers excellent performance
every time. Features Durable die-cast
zinc connector for stable connection

Cod.:ND8080 10,26 €

Balanced XLR Audio Cable 2x Male to 3 Pin - 2x Female to 3 Pin



Balanced XLR Audio Cable 2x Male to 3
Pin - 2x Female to 3 Pin Connect
microphones, amplifiers and DJ
equipment together with this balanced
XLR audio cable. Specially designed for
use in the music industry, this audio
cable delivers excellent performance
every time. Features • Durable die-cast
zinc connector for a stable connection •

Cod.:ND8055 17,68 €

Toslink Male Digital Audio Cable 2m Anthracite



Digital Audio Cable Toslink Male 2m
Anthracite Optimized optical fiber for
clean digital signal transfer and crystal
clear sound. General information
Connectors in mother of pearl metal with
internal metal housing External cable
jacket with high flexibility Compact black
anti-reflective coating. Product
specifications Outer material PVC

Cod.:ND8067 10,08 €

Stereo Audio Cable 2x RCA Male - 2x RCA Female 1m black



Stereo Audio Cable 2x RCA Male - 2x RCA Female 1m black This stereo audio extension cable with RCA connectors is ideal for extending an audio cable for connection from a CD or DVD player or other amplifier-like device.

Product specifications Color Black Packaging Blister Hollow design Round Outer material PVC Audio

Cod.:ND6416 3,36 €

Male 3.5 mm stereo audio cable 1.50m black



Male 3.5 mm stereo audio cable 1.50m black This stereo audio cable with 3.5mm connectors is ideal for connecting an MP3 player, mobile phone and other similar audio devices to an amplifier or set of speakers. Product Specifications Black colour Blister pack Round hollow design PVC outer material Audio type Stereo Nickel plating 3.5 mm Male A

Cod.:ND9530 0,80 €

Single cable XLR 3pin female-RCA Male 3m Sweex



Single cable XLR 3pin female-RCA Male 3m Sweex Link together musical instruments, microphones, amplifiers and equipment for DJs with this Sweex XLR to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Features Strong die-cast zinc connector for a

Cod.:ND9620 2,06 €

Loudspeaker Cable 1,5 mm² Female to 2 Pin Loudspeaker 5m



Loudspeaker Cable 1,5 mm² Female to 2
Pin Loudspeaker 5m Connect speakers,
mixers and amplifiers together with this
Nedis® speaker cable. Specially
designed for use in the music industry,
this audio cable delivers excellent
performance every time. Functions •
Durable connector for a stable
connection • Highly flexible cable for easy

Cod.:ND9625 5,00 €

Sweex 2XLR 3-Pin Male-2XLR 3-Pin Female Balanced Stereo Cable 1.5m



Sweex 2XLR 3-Pin Male-2XLR 3-Pin Female Balanced Stereo Cable 1.5m Connect microphones, amplifiers and DJ equipment together with this Sweex balanced XLR audio cable. Specially designed to be used in the music industry, this audio cable delivers excellent performance every time. Features • Durable die-cast zinc

Cod.:ND9655

Audio cable Jack audio 3.5mm-2xJack audio 3.5mm female 34cm black



Audio cable 3.5mm audio jack-2x 3.5mm audio jack female 34cm black Features EAN code: 8067538011207 Vendor code: 01120 Color: black Connector A: 3.5mm male audio jack Connector B: 2x 3.5mm female audio jack Length: 34cm Golden contacts

Cod.:WB576 2,06 €

www.maltab2b.com Pagina 23/143

12,28 €

Sweex 3 pin XLR male - 2x RCA male 10m stereo audio cable



Sweex 10m XLR 3 pin male - 2x RCA male stereo audio cable Connect musical instruments, microphones, amplifiers and DJ equipment with this Sweex XLR-RCA audio cable. The audio cable is designed specifically for use in the music industry, delivering excellent product performance time after time. Characteristics Conductor material: copper Connection

Cod.:WB1100

10.96 €

7,96€

13,60 €

100m gray Balanced audio cable reel 2x (2x 0.16 mm²)



100m gray Balanced audio cable reel 2x (2x 0.16 mm²) Assemble the jack and XLR connectors to this Nedis balanced audio cable and DIY your own audio connections and extension cables.

With a durable shield that protects against all types of interference, such as electromagnetic fields, this balanced audio cable guarantees excellent levels

Cod.:ND6904

100,89 €

Stereo XLR 3p (M) - 2x RCA Male 3m Dark Gray cable



Stereo Cable XLR 3p (M) - 2x RCA Male 3m Dark Gray Connect musical instruments, microphones, amplifiers and DJ equipment together with this Sweex XLR to RCA audio cable. Specially designed to be used in the music industry, this audio cable delivers excellent performance every time. Functions Durable die-cast zinc

Cod.:WB1200

5.96 €

Stereo XLR 3p (M) - 2x RCA Male 5m Dark Gray cable



Stereo Cable XLR 3p (M) - 2x RCA Male 5m Dark Grey Interconnect musical instruments, microphones, amplifiers and DJ equipment with this Sweex XLR to RCA audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc connector for a stable

Cod.:WB1150

1.5m optical audio cable with Philips adapter



1.5m optical audio cable with Philips adapter Philips SWA2522W / 10 fiber optic This cable allows you to get the best out of your audio devices. The cable provides the best connection for the transfer of audio signals between components as the conductor material of the cable is optical fiber. The digital information is transferred between

Cod.:WB1540

3,96 €

Mono-Audio Cable 6.35mm Male 15cm 6 pieces various colors



Mono-Audio Cable 6.35mm Male 15cm 6 pieces various colors Connect musical instruments and microphones together with this highly flexible unbalanced 6.35mm audio cable from Sweex.

Designed specifically for use in the music industry, this audio cable delivers excellent performance every time.

Functions Durable die-cast zinc

Cod.:WB1580

3,96 €

Audio cable canvas Jack male-male Mono 6.3mm 5m blue



Audio cable Jack male to male Mono 6.3mm 5m blue Mono linear cable with Jack connectors for musical instruments and audio equipment. This high quality professional audio cable is equipped with straight type 6.3mm mono metal Jack connectors. Features• Jack 6.35 mm audio cable• Jack 6.35 mm Mono connector• Length: 5 mt.

Cod.:MIC135

Audio cable canvas Jack male-male Mono 6.3mm 5m yellow / brown



Audio cable Jack male to male Mono 6.3mm 5m yellow/brown Mono linear cable with Jack connectors for musical instruments and audio equipment. This high quality professional audio cable is equipped with straight type 6.3mm mono metal Jack connectors. Features• Jack 6.35 mm audio cable• Jack 6.35 mm Mono connector• Length: 5 mt.

Cod.:MIC300

13,60 €

20cm female gold plated Stereo audio cable 2x RCA male to RCA



20cm female gold plated Stereo audio cable 2xRCA male to RCA Cable to connect a subwoofer to a home cinema system to intensify the bass. Functions 24k gold-plated contacts for optimal sound transmission Flexible strain relief to prevent wire breakage Durable die-cast connectors, specially designed for heavy use Shielded cable for

Cod.:ND1200

7,26 €

Pagina 24/143 www.maltab2b.com

3 pin male to RCA male XLR audio cable Sweex



3 pin male to RCA male XLR audio cable Sweex Sweex audio cable with which you can connect a device with RCA output, for example a mixer or an amplifier (power), to a device, for example an amplifier or a speaker (active), with 3-pin XLR input. This flexible signal cable is equipped with durable and robust connectors and

Cod.:SX527 5,60 €

5m 3 pin XLR female - RCA male audio cable Sweex



5m 3 pin XLR female - RCA male audio cable Sweex Sweex audio cable with which you can connect a device with 3-pin XLR output, such as a mixer or (power) amplifier, to a device, such as an amplifier or speaker (active), with RCA input. This flexible signal cable is equipped with durable and robust connectors and ensures reliable and

Cod.:SX457 3,96 €

Digital Audio Cable Toslink Male -Toslink Male 2m Anthracite Profigold



Digital Audio Cable Toslink Male Toslink Male 2m Anthracite Profigold
Fiber optic enhanced for clear digital
signal transfers and crystal clear sound.
Information general Medical grade
glass fiber conductors, for the least
possible signal loss Non-reflective
conductive coating coated in solid black
for maximum protection against the

Cod.:WB2184 7,60 €

Digital Audio Cable Toslink Male 3m Blue Bandridge



Digital Audio Cable Toslink Male 3m
Blue Bandridge Connect the digital
audio device to an AV receiver via a TOS
link. Product specifications Blister
packaging Round hollow design PVC
outer material Connector design - side A
Straight Connector design - side B
Straight Connection B Toslink Male
Link To Male Toslink Optical Fiber

Cod.:WB1368 3,96 €

6.35mm-USB mono audio cable 3m



Mono audio cable 6.35mm audio jack-USB 3m Record the great sounds of your electric guitar to your PC or laptop with this high quality cable. The cable is plug and play with no additional drivers or installation required. With its 3m cable length, this cable is great for both home and studio installations. Connections 6.35mm male jack USB male

Cod.:WB1622 16,96 €

2m USB-MIDI audio cable



USB-MIDI audio cable 2m Provides one MIDI in port and one MIDI out port, with each MIDI port supporting 16 MIDI channels. LEDs indicate power on, MIDI in and MIDI out. Make music recording by connecting a musical keyboard to your computer with the USB MIDI input / output cable. The latest version with a built-in driver USB powered plug & mp;

Cod.:WB1869 11,96 €

Nedis 5m nickel-plated stereo audio cable 2x male RCA



Stereo audio cable 2x male RCA nickel plated 5m Nedis Link between their microphones, amplifiers and DJ equipment with this Nedis® RCA stereo audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Strong die-cast zinc connector for a stable connection Highly flexible cable

Cod.:ND1468 13,18 €

Audio cable stereo audio jack 6.35mm / 2 RCA 1.5m gray



Audio cable stereo jack 6.35mm / 2 RCA 1.5m gray Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis® 6.35mm to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions Durable die-cast zinc connector for stable

Cod.:ND6575 8,58 €

Loudspeaker cable 2x 0.35 mm² CCA 100m coil



Speaker Cable 2x 0.35 mm² CCA 100m reel Install the connectors on this Nedis® audio cable and make your own audio connections and extension cables. This balanced audio cable guarantees excellent performance standards. Your only concern is composing amazing music! Product specification Hollow design Round cable mantle material

Cod.:ND2228 16,54 €

www.maltab2b.com Pagina 25/143

Double Shielded RCA Male-2 RCA Female Audio Adapter Cable



Double shielded RCA male-2 RCA female audio adapter cable RCA plug 2 RCA sockets (left / right audio) for the adaptation of mono and stereo devices or for signal combination high quality OFC cable with gold contact surfaces Connections Connection, type: RCA plug Connection 2, type: 2 RCA sockets (left / right audio) Cable Length: 20cm

Cod.:F1600 1,96 €

Double Shielded RCA Female-2 RCA Male Audio Adapter Cable



Double shielded RCA female-2 RCA male audio adapter cable RCA socket & RCA plug (left / right audio) for the adaptation of mono and stereo devices or for signal distribution high quality OFC cable coaxial cable structure with gold contact surfaces Connections Connection, type: RCA socket Connection 2, type: 2 RCA plug

Cod.:F1580 2,10 €

5m Double Shielded Car HiFi Stereo RCA Audio Cable



RCA HiFi Double Shielded Car Stereo Audio Cable 5m for connecting devices equipped with stereo RCA connectors dedicated to audio applications equipped with control line for amplifiers coaxial structure, with control line with gold contact surfaces Vendor code: 50175 EAN code: 4040849501753 Brand: Goobay Conne ssions Link, type: 2

Cod.:F1670 8,92 €

Stereo audio cable 2x 6.35mm-3.5mm male 3m



Stereo audio cable 2x 6,35mm-3.5mm male 3m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis® 6.35mm to 3.5mm audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions Durable die-cast zinc connector for stable

Cod.:ND2436 11,14 €


Stereo audio cable 2x 6.35mm-3.5mm male 1.5m



Stereo audio cable 2x 6,35mm-3.5mm male 1.5m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis® 6.35mm to 3.5mm audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions Durable die-cast zinc connector for stable

Cod.:ND2253 12,28 €

100-meter skein mini microphone cable 1 X 008 Black



Mm 3 Color Black Skein 100mt

Cod.:SP013 28,00 €

XLR Cannon female to Jack 6.35 male 1.5 meters Mono cable - White / Fuchsia



XLR cable Cannon female to Jack 6.35 male 1.5 meters Mono-White / Fuchsia The XLR connector, also called 'Cannon', is a professional standard connector for transmitting analog signals. It improves the signal quality by having the signal being balanced. Features • Cannon XLR cable to 6.35 mmJack • 6.35 mm Mono Jack connector• Length: 1.5 mt.

Cod.:SP032 6,20 €

Stereo audio cable 2x 6.35mm male-2x male RCA 1.5m



Stereo audio cable 2x 6.35mm male-2x male RCA 1.5m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis® 6.35mm to RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc connector for a

Cod.:ND9166

3.5mm male -2x male RCA stereo audio cable 3m



3.5mm male -2x male RCA stereo audio cable 3m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis®
3.5mm to 2x RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc connector for a

Cod.:ND1872 10,62 €

Pagina 26/143 www.maltab2b.com

10,60€

3.5mm male-2x male RCA stereo audio cable 5m



3.5mm male-2x male RCA stereo audio cable 5m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis®
3.5mm to 2x RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc connector for a

Cod.:ND9081 12,78 €


3.5mm male-2x male RCA stereo audio cable 1.5m



3.5mm male-2x male RCA stereo audio cable 1.5m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis® 3.5mm to 2x RCA audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc connector for a

Cod.:ND9074 8,88 €

Loudspeaker cable 2x0,75mm² 10m coil



Loudspeaker cable 2x0,75mm² 10m coil Roll of 10 m, section 2 x 0.75 mm² For easy wiring of hi-fi systems, home cinema systems, speakers, receivers, amplifiers and power amplifiers Combined with modern hi-fi audio systems, the speaker cable creates an incomparable musical experience in the highest sound quality High-quality

Cod.:WB301 3.68 €

Speaker Cable 2x4mm² CCA 15m



Speaker Cable 2x4mm² CCA 15m Install the connectors on this Nedis® audio cable and make your own audio connections and extension cables. This audio cable guarantees excellent performance standards. Your only concern is to compose amazing music! Product Specifications Hollow design Round cable jacket material PVC Cable

Cod.:ND5955 23,28 €

Stereo audio cable 6.35mm - 3.5mm male 1.5m



Stereo audio cable 6.35mm - 3.5mm male 1.5m Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis® 6.35mm to 3.5mm audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc connector for a

Cod.:ND8058 8,82 €

Stereo audio cable 2x 6.35mm male - 2x RCA male Nickel plated 3m



Stereo audio cable 2x 6.35mm male - 2x RCA male Nickel plated 3m Interconnect musical instruments, microphones, amplifiers and DJ equipment with this Nedis® 6.35 mm to RCA audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc

Cod.:ND6905

13,18 €

Speaker Cable 2x 0.50 mm² CCA 100m



Speaker Cable 2x 0.50 mm² CCA 100m Install the connectors on this Nedis® audio cable and make your own audio connections and extension cables. This audio cable guarantees excellent performance standards. Your only concern is to compose amazing music! Product Specifications Hollow design Round cable jacket material PVC Color

Cod.:ND5926 21,12 €

Balanced XLR 3 pin male to female audio cable 10m



Balanced XLR 3 pin male to female audio cable 10m Connect microphones, amplifiers and DJ equipment together with this Nedis® balanced XLR audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time. Functions • Durable die-cast zinc

connector for a stable connection • Highly

Cod.:ND1975 22,32 €

3-pin male-female XLR balanced audio cable 5m



3-pin male-female XLR balanced audio cable 5m Connect microphones, amplifiers and DJ equipment together with this Nedis® balanced XLR audio cable. Specially designed for use in the music industry, this audio cable delivers excellent performance every time.

Functions • Durable die-cast zinc connector for a stable connection • Highly

Cod.:ND2943 11,98 €

www.maltab2b.com Pagina 27/143

2xRCA male-male stereo audio cable 1.5m



2xRCA male-male stereo audio cable
1.5m Connect microphones, amplifiers
and DJ equipment together with this
Nedis RCA stereo audio cable. Specially
designed for use in the music industry,
this audio cable delivers excellent
performance every time. Functions •
Durable die-cast zinc connector for a
stable connection • Highly flexible cable

Cod.:ND1453 9,48 €

Stereo audio cable 2x 6.35mm male - 2x RCA male 5m



Stereo audio cable 2x 6.35mm male - 2x RCA male 5m Interconnect musical instruments, microphones, amplifiers and DJ equipment with this Nedis 6.35mm to RCA audio cable. Specifically designed for use in the music industry, this audio cable delivers excellent performance every time. • Heavy duty die-cast zinc connector for a stable connection • Highly

Cod.:ND9554 15,42 €

DMX XLR 3-pin male to female adapter cable 20m



DMX XLR 3-pin male to female adapter cable 20m Connect control units to stage lighting with this highly flexible digital XLR cable from Nedis. Thanks to the higher resistance of 110 ohms, it is specifically designed to transfer DMX or AES-EUB.

Durable die-cast zinc connector for a stable connection • Highly flexible cable for easy twisting • High resistance of 110

Cod.:ND9630 32,00 €

1m XLR 3 pin digital DMX cable



1m XLR 3 pin digital DMX cable Connect controllers to stage lighting with this highly flexible digital XLR cable. • Durable plastic connector for stable connection• Highly flexible cable for easy twisting• Locking device to prevent accidental disconnection Product Specifications Hollow design Round Outer material PVC Conductive material

Cod.:SP6181 5,60 €

Stereo Audio Cable 3.5mm Male-2xRCA Male 3m Anthracite



Stereo Audio Cable 3.5mm Male-2xRCA
Male 3m Anthracite Cable to connect a
smartphone or tablet to your home
cinema system for a stereo audio
experience. Characteristics • 24k
gold-plated contacts for optimal sound
transmission• Flexible strain relief to
prevent cable breakage• Durable die-cast
connectors, specially designed for

Cod.:ND3690 8.98 €

Speaker cable 2x0.75mm² 100m hank



Speaker cable 2x0.75mm² 100m hank Install the connectors on this Nedis audio cable and make your own audio connections and extension cables. This audio cable guarantees excellent performance standards. Your only concern is composing amazing music! • CCA conductor for error-free signal flow• Colored line on the side of the cable

Cod.:ND4522 35,20 €

Jack M/M Mono 6.3mm Cable 1.5 meters - Blue/Black



Jack M/M Mono 6.3mm Cable 1.5 meters
- Blue/Black Noiseless mono linear cable
with Jack connectors for musical
instruments and audio equipment. This
high quality professional audio cable is
equipped with straight type 6.3mm mono
metal Jack connectors. Cable length:
1.5 meters Connectors: Jack 6.3mm
male/Jack 6.3mm male

Cod.:CA510 5,82 €

Speaker cable 2x1.50mm² 25m



Speaker cable 2x1.50mm² 25m Install the connectors on this Nedis audio cable and make your own audio connections and extension cables. This audio cable guarantees excellent performance standards. Your only concern is composing amazing music! • CCA conductor for error-free signal flow • Colored line on the side of the cable

Cod.:ND4753 11,96 €

Stereo Audio Cable 3.5 mm Male - 2x RCA Male 1.5m Dark Gray



Stereo Audio Cable 3.5 mm Male - 2x RCA Male 1.5m Dark Gray Connect musical instruments, microphones, amplifiers and DJ equipment together with this Sweex 3.5mm to 2x RCA audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. Sweex audio cable with which it is

Cod.:SX180 8,40 €

Pagina 28/143 www.maltab2b.com

XLR Stereo Cable 2x 3 Pin Male -Female 3m Dark Grey



XLR Stereo Cable 2x 3 Pin Male Female 3m Dark Grey Connect
microphones, amplifiers and DJ
equipment to each other with this Sweex
balanced XLR audio cable. Designed
specifically for use in the music industry,
this audio cable delivers excellent
performance every time. • Durable
die-cast zinc connector for a stable

Cod.:SX330 12,70 €

Stereo Audio Cable 6.35mm Male - Male 5m Dark Grey



Stereo Audio Cable 6.35mm Male - Male 5m Dark Grey Connect musical instruments, microphones, amplifiers and DJ equipment together with this Nedis 6.35mm balanced audio cable. Designed specifically for use in the music industry, this audio cable delivers excellent performance every time. • Durable die-cast zinc connector for a stable

Cod.:SX310 9,78 €

3.5mm male stereo audio cable 2m anthracite



3.5mm male stereo audio cable 2m anthracite Cable to connect a smartphone or tablet to your home cinema system or car stereo for a stereo audio experience. Characteristics • 24k hard gold plated contacts, for excellent corrosion protection resulting in long-lasting performance • Die-cast metal alloy connectors with polished chrome

Cod.:ND8042 6,94 €

TosLink Male optical audio cable 1m



TosLink Male optical audio cable 1m Cable to connect a DVD player, Blu-ray player or set-up box to your home cinema system for a digital surround sound experience. • Fiber optic cable for 5.1 and 7.1 digital audio transmission • Flexible strain relief to prevent cable breakage • Durable die-cast connectors, specially designed for intensive use •

Cod.:ND7073 5,73 €

Subwoofer cable 2 RCA male - RCA female 20cm



Subwoofer cable 2 RCA male - RCA female 20cm High-performance audio interconnects Choose quality. Fabritallic Nedis audio cables are the best in the industry. The priority of the series is to convey emotions in music and with this refined design to demonstrate that these cables are ready for the future, match perfectly with audio equipment and offer

Cod.:ND6161 10,98 €

Subwoofer cable RCA Male - 2 RCA Female 20cm



Subwoofer cable RCA Male - 2 RCA Female 20cm High-performance audio interconnects Choose quality. Fabritallic Nedis audio cables are the best in the industry. The priority of the series is to convey emotions in music and with this refined design to demonstrate that these cables are ready for the future, match perfectly with audio equipment and offer

Cod.:ND7089 10,98 €

Stereo audio cable 3.5mm audio jack 1m white



Stereo audio cable 3.5mm audio jack 1m white Characteristics Model: JA004 Connector: 3.5mm stereo Length: 1m PVC outer material + enamelled copper wire core Liquid resistant

Cod.:N040 0,96 €

Cable kit and accessories for car system wiring



Cable and accessory kit Comes with all cables and accessories for easy amplifier and subwoofer installation. High power and good performance. With a fuse holder to protect the sound system from damage by overload current. Low noise and distortion. Kit Contents Power cables 5 mt 5 mt RCA / RCA cables Fuse holder Faston for

Cod.:P606 9,46 €

100A 12-24V DC fuse switch for Car Audio



100A 12-24V DC fuse switch for Car Audio Supports 8/10/12 AWG Cable diameter: 4mm Dimensions: 98x42x38mm

Cod.:SP133 8,48 €

www.maltab2b.com Pagina 29/143

Couple of 100W 4 Ohm 3 way speakers



Couple of 100W 4 Ohm 3 way speakers Installation: Built-in Form: Oval Oval size: 237 x 163mm Depth of installation: 84mm Frequency range: 35 -22000 Hz Active / passive: coaxial Impedance: 4 Ohm Efficiency: 91 dB Maximum power: 250W Power: 100W Color: Black / Gray Protection grid included

Cod.:SP6944 25,20 €

Fuse holder in line for cars



In-line fuse holder for pre-lamellar fuse car Amperage: 15A Color: red

Cod.:T292 1.22 €

BA690-4L 2200W car amplifier max



Car amplifier BA690-4L 2200W max Features Channels: 4 channels RMS POWER OUTPUT 2200W max S / N Ratio 90dB Frequency response 10Hz-40KHz + -1dB Total harmonic distortion 0.02 Bass boost 12dB Speaker impedence 2-16Ohm Dimensions 330x245x53mm

Cod.:SP1045 102,90 €

0.15m ISO JVC Adapter Cable



JVC ISO Adapter Cable 0.15m Connect your car stereo JVC with this JVC Nedis 16 pin ISO cable. Product specifications Usage Vehicles Anime CCA Template ISO car cables Connector type Straight Link B 2x Auto Connector Version Adapter cable Link A Radio Connector Suitable for JVC Cable length 0.2 m Connection

Cod.:ND2295 5,86 €

Pair of car speakers 20W max 4 Ohm



Pair of car speakers 20W max 4 Ohm Pair of car speakers with a maximum power of 20W and an impedance of 4 Ohm. With an oblique design, they give a touch of sportiness and class to the interior of the 'auto. Features Maximum power: 20W Impedance: 4 Ohm Width (including empty areas, given the obliqueness): 11cm Height:

Cod.:SP919 8,20 €

Flat car subwoofer 8 "100W USB / SD / BLUETOOTH



WEB

Flat car subwoofer 8 "100W USB / SD / BLUETOOTH Two-way amplified subwoofer, consisting of an 8 "speaker and a tweeter, thanks to which you can increase the volume of the entire frequency range of your car radio or stereo. The device works on both 12-24V (For use in a car, camper or boat) and 220V (For home use). Equipped with

Cod.:SUB8 60,90 €

Pair of car speakers 180W max 4 Ohm AUDIOBLACK Elegance



Pair of car speakers 180W max 4 Ohm AUDIOBLACK Elegance Features Reel size: 1 " Magnet size: 80x12mm Impedance: 4 ohms Supporting structure: iron Cone: Polypropylene RMS power: 70W Max: 180W Sensitivity: 92 dB Frequency response: 55Hz -20KHz

Cod.:SP6112 26,88 €

4x60W car stereo with Bluetooth USB SD Handsfree



4x60W car stereo with Bluetooth USB SD Handsfree Car stereo with high quality digital stereo, which can search channels fully automatically and preset 18 radio stations (radio frequency: 87.5-108MHz). Bluetooth and microphone allow you to answer calls, listen to music and multimedia sounds from devices with Bluetooth function.

Cod.:SP130 32,28 €

Kenwood 16 Pin ISO Cable Radio Connector-2x Car Connector 0.15m



Kenwood 16 Pin ISO Cable Radio Connector-2x Car Connector 0.15m Product Specifications Vehicle use CCA anime Model ISO cables for cars Straight connector type Connection B 2x Auto Connector Version Adapter cable Connection To Radio Connector Suitable for Kenwood Various color Connection A & English Radio Connector - 2x Auto

Cod.:ND5402 4,10 €

Pagina 30/143 www.maltab2b.com

ISO Standard cable Radio connector-2x Car connector 0.15m



Standard ISO cable Radio connector-2x
Car connector 0,15m Universal cable
for car radio Product specifications
Anime CCA Model ISO car cables
Connector type Straight Link B 2x
Auto Connector Version Adapter cable
Link A Radio Connector Suitable for
Standard Color Various Connection A
& Emp; B Radio Connector - 2x Auto

Cod.:ND5404 4,88 €

Ford ISO adapter cable 0.15m



Ford ISO Adapter Cable 0,15m
Connect your car stereo with this Nedis
ISO cable for Ford. Features Suitable
for Ford Product specifications
Usage Cars Anime CCA Template
ISO Car Cables Type connector
Straight Link B 2x Auto Connector
Version Adapter cable Suitable for
Ford Color Various Connection A

Cod.:ND6342 4,68 €

Amplified car subwoofer 8 "- 70W



Car powered subwoofer 8 "- 70W
Features Power: 70W MAX power:
480W Frequency range: 20Hz-20kHz
Sensitivity: 90dB Voltage: DC 12V
Speaker size: 8 " Impedance: 4 Ohm
Mounting cables included

Cod.:C8SUB 109,20 €

10 "- 120W powered car subwoofer



Car powered subwoofer 10 "- 120W Features Power: 120W MAX Power: 600W Frequency range: 20Hz-20kHz Sensitivity: 90dB Voltage: DC 12V Speaker size: 10 " Impedance: 4 Ohm Mounting cables included Height: about 29cm Width: about 42cm Upper base: about 15cm

Cod.:CT10SUB 134,40 €

Bluetooth receiver with audio jack connector and microSD input



Bluetooth receiver with audio jack connector and microSD input Features Model: BT-X6 Bluetooth receiver that ensures up to 8 hours of playback 3.5mm audio jack connection microSD card reader charging included Charging via USB-microUSB cable Can be used in cars or other audio devices that have a 3.5mm audio input The

Cod.:WB712 5.98 €

Bluetooth receiver with audio jack connector



Bluetooth receiver with audio jack connector Features Model: B09
3.5mm jack audio connector
USB-microUSB charging cable included
Bluetooth V4.1 Transmission frequency:
2.4 GHz Transmission distance: up to
10m G 3.5mm I / O female plug DC 5V power supply Charging time About 30 min Working time about 4 hours Size:

Cod.:WB750 4,98 €

2-way crossover filter 120W WEAH-2001



120W WEAH-2001 2-way crossover filter Characteristics Maximum power: 120W Frequency response: low 45HZ, high 20KHZ Applicable impedance: 2/4/6 ohms Applicable audio: car audio modification Dimensions: 120 x 65 x 33mm Net weight: 154G Non-inductive capacitor: 100V 1.5uf (two parallel)

Cod.:SP6113 13,60 €

Car audio kit 2-way tweeter / woofer / 450W filters system







Kit Car audio 2-way system tweeter / woofer / 450W filters 2-way audio system for audio systems consisting of: 2 woofers, 2 tweeters and 2 2-way crossover filters. Screws and tweeter cables included. Woofer features Model: IP-SC600 EAN code: 6009818860329 Peak power: 450W Impedance: 4 Ohm Frequency range:

Cod.:SP033 69,32 €

Lepy LP268 DC12V 2x20W FM / MP3 Power Audio Amplifier



Lepy LP268 DC12V 2x20W FM / MP3
Audio Power Amplifier Features
Model: LP268 Brand: Lepy Power
supply: DC12V-15V (power supply not
included) Current: greater than or equal
to 2A Impedance: 4-8 Ohm Nominal
frequency: 20HZ-20KHZ Ingrewssi
audio: 3.5mm RCA / AUX Shell
material: aluminum alloy RMS

Cod.:WB2364 29,60 €

www.maltab2b.com Pagina 31/143

Audio power amplifier DC12V 2x20W FM / MP3 Lepy LP-A6



Lepy LP-A6 DC12V 2x20W MP3 audio power amplifier Characteristics Brand: Lepy Model: LP-A6 RMS power: 2x20W Impedance: 4-8 ohms Signal to Noise Ratio: 75dB Input Impedance: 47KOhm Input sensitivity: 270mV Functions: MP3 player Design:Mini Compatible with: mobile phone, MP3, MP4, PC Sound Type: Stereo

Cod.:WB1667

25.60 €

DC12V 2x20W AK170 Digital Power **Audio Amplifier**



Digital audio amplifier DC12V 2x20W AK170 This is of a mini 2-channel speaker power amplifier. Supports AC / DC 12V power supply, suitable for home and car use. Output for left and right channel, nominal power 20 W + 20 W.

Features Power supply: DC12V (power supply not included) Rated power: 20 W + 20 W. Load impedance:

Cod.:WB1654

19.96 €

HiFi power amplifier class D DC12-24V Bluetooth 2x50W Lepy LP3116



HiFi power amplifier class D DC12-24V Bluetooth 2x50W Lepy LP3116 Features Brand: LEPY Model: LP3116 Class D Supply voltage: DC 12-24V / AC supply: 100-240 VAC 60 / 50 Hz Power supply included Audio cable Male to RCA L / R male audio jack included DC output: DC19V; 3A Power:= 2A. Maximum output voltage:

Cod.:WB1469

99.80 €

Stereo amplifier Booster 2.1 15Wx2 + 20Wx1 Lepy LP838



Stereo amplifier Booster 2.1 15Wx2 + 20Wx1 Lepy LP838 Features Model: LP838 Brand: Lepy Power supply: DC12V-14.4V (power supply not included) Current: greater than or equal to 3A Impedance: 4-8 Ohm Nominal frequency: 20HZ-20KHZ Ingrewssi audio: RCA / AUX Shell material: Power: RMS 15W aluminum alloy

Cod.:WB1628

29,60 €

Car Radio 50Wx4 1.8DIN AM / FM CD / MP3 Player Adjustable Color Display **Grundig CL-2300VW**



Car stereo 50Wx4 1.8DIN AM / FM CD / MP3 player Grundig CL-2300VW adjustable color display The Grundig CL-2300 VW is a reliable car stereo in 1.8-DIN format, pre-assembled for installation in a dashboard. In terms of functionality, it mainly focuses on the most commonly requested functions: radio and CD. In addition to that, it can

Cod.:V2094

68,00€

Pair of 6.5" 3-way 600W 4 Ohm coaxial car speakers with grille



Pair of 6.5" 3-way 600W 4 Ohm coaxial car speakers with grille Characteristics Diametro: 16.5cm Size: 6.5" Diamentro midrange: 40mm Tweeter: 15mm Impedance: 4 ohms Sensitivity: 93dB Frequency Response: 70-22Khz Peak power: 600W Model: TB-1642 Diffuser material: polypropylene with anamide fibers

Cod.:SP528 32,96 €

150W 2-way crossover filter



150W 2-way crossover filter Characteristics Board size: 9.5x7cm Dimensions with stand: 11.5x9cm Terminal Block Connections: IN+ IN-/ +3dB 0dB -3dB / TW- / WF+ WF-Terminal block with 8 connections

Cod.:SP6058

FL-401 4" 60W 4 Ohm dual cone loudspeaker



FL-401 4" 60W 4 Ohm dual cone loudspeaker Characteristics Model: FL-401 Maximum output power: 60 Watts RMS Power: 30 Watts Impedance: 4 ohms (ohms) Frequency Response: 90Hz-20kHz Frame material: steel

Cod.:SP680 5,96 €

RCA plug adapter with 2-pin screw terminals



RCA plug adapter with 2-pin screw terminals screw fixing for fast wiring with stripped cable terminations usable for hobby, alarm technology, audiovisual sector or test execution contact distance: 5 mm Characteristics Connection, type: RCA plug Connection 2, type: 2pin terminal Packaging Type: Bulk Marking: CE Supplier code: 76740 EAN:

Cod.:Z942 0,66€

Pagina 32/143 www.maltab2b.com

24,96 €

XLR Female Cannon to Audio Adapter 6.35mm Male Stereo



The XLR connector, also called Cannon, is a professional standard connector for the transmission of analog signals. Improves the quality signal thanks to the signal that is balanced.

Stereo adapter for Cannon XLR connections Connections: XLR Female 3 P 6.35 Jack Stereo male

Cod.:Q990 2,18 €

3.5mm Stereo 1M / 2F Audio Adapter



3.5mm Stereo 1M / 2F Audio Adapter Connections - 1x Audio 3.5mm Stereo Male - 2x Audio 3.5mm Stereo Female

Cod.:9990 0,22 €

Single RCA Mono dual RCA Stereo signal splitter



Adapter connector to split the signal from single RCA Mono to double RCA Stereo or vice versa Version with a Male connector and 2 Female connectors Gold-plated contacts Brand: Monster

Cod.:90510 5,26 €

Signal splitter from single RCA Mono to Dual 90 ° Stereo RCA



Adapter connector to double the signal from a single RCA Mono to dual RCA Stereo 90 ° or vice versa Version with a male connector and 2 female connectors

Golden contacts

Cod.:90505 4,36 €

Single RCA Mono dual RCA Stereo signal splitter



Adapter connector to split the signal from a single RCA Mono to double RCA Stereo or vice versa Version with a male connector and 2 female connectors Golden contacts Brand: Monster

Cod.:90290 9,22 €

3.5mm stereo jack to 6.3mm stereo plug adapter - metal



Adapter Jack plug 3.5mm stereo socket 6.3mm stereo Metal body

Cod.:Q955 0,60 €

Jack plug adapter 3.5mm stereo 6.3mm stereo jack - gold plated



Jack Adapter 3.5mm stereo plug 6.3mm stereo jack Golden body

Cod.:Q968 0,38 €

Male RCA adapter - F female



- Nickel-plated brass body, delrin insulation.

Cod.:Q980 0,46 €

RCA Male Audio Adapter with 2 3.5mm jacks



RCA Audio Adapter Male to 2 3.5mm jack

Cod.:Q822 0,18 €

www.maltab2b.com Pagina 33/143

Male RCA adapter - F female with Teflon insulation



Male RCA adapter - F female with Teflon insulation Nickel-plated brass body, teflon insulation.

Cod.:Q824 0,18 €

Female F adapter - female RCA



Female F adapter - female RCA - Body in nickel-plated brass, delrin insulation. type: F female - RCA female

Cod.:Q830 0,42 €

Golden adapter RCA plug / 90 degree RCA socket



Angle adapter from RCA plug to RCA socket, GOLDEN. Metal sleeve, completely gilded. Complete external dimensions of the contact to be inserted: 33.0mm. (male side) and 25.0mm. (female side). 90 degree angle. Product for installations in difficult rooms to reach with a standard RCA connector.

Cod.:90315 2,06 €

White RCA connector for CS



White RCA connector for CS

Cod.:SP830 0,06 €

Golden RCA Connector Female Panel - Black



Golden RCA Connector Female from panel - Black Mounting hole : 3 / 8 " of diameter, washers included Ground lug and golden nut Measurements bushing 5 / 16 " Color: Black

Cod.:C1087 1,88 €

Golden RCA Connector Female Panel - Red



Golden RCA Connector Female from panel - Red Mounting hole : 3 / 8" of diameter, washers included Ground lug and golden nut Measurements bushing 5 / 16 " Color: Red

Cod.:C1011 1,88 €

Male RCA adapter - F male



Body in nickel-plated brass, delrin insulation.

Cod.:Q817 1,48 €

Audio Adapter 2 RCA Male to 1 RCA Female



Product Description Audio Adapter Connections 2 RCA Male 1 RCA Female

Cod.:L293 0,38 €

4-pole flying Speakon socket



4-pole flying Speakon socket Withstands up to 30A RMS For cable from 6 to 10mm

Cod.:7518 0,48 €

Pagina 34/143 www.maltab2b.com

Adapter from RCA socket to screw terminals



Adapter from RCA socket to screw terminals Screw terminals 2 poles Nickel-plated contacts PVC body

Cod.:Z318 0,50 €

6.3mm mono 90 degree Jack connector - black



Jack Connector 6.3mm mono 90 degrees - black Gold-plated contacts for welding Dimensions: 45x50x15mm

Cod.:Q971 1,62 €

Metal 6.3mm mono Jack connector - red



Connector metal 6.3mm mono metal Solder connection Color: red

Cod.:Q712 3,02 €

Metal 6.3mm mono Jack connector - yellow



Connector metal 6.3mm mono metal Solder connection Color: yellow

Cod.:Q807 3,02 €

Single metal 6.3mm Jack connector



Connector metal 6.3mm mono metal Solder connection

Cod.:Q761 2,92 €

6.3mm mono jack 90 degree connector - red



Connector Jack 6.3mm mono 90 degrees - red Gold-plated contacts for welding Dimensions: 46x48x13mm

Cod.:Q730 3,72 €

RCA PLUG / 2 RCA PLUG ADAPTER



RCA PLUG / 2 RCA PLUG ADAPTER

Cod.:9155 1,14 €

RCA connector for CS Orange



RCA connector for CS Orange The photo is purely in dicative .

Cod.:SP938 0,06 €

4-pole male BF panel connector for microphone



4-pole panel connector for low frequency CB microphone cable Body: in nickel-plated brass Insulation: Bakelite

Cod.:9700 2,19 €

www.maltab2b.com Pagina 35/143

6.3mm mono-green Jack connector



Connector Jack 6.3mm mono - green Connection to weld

Cod.:40078 3,40 €

Mono-red 6.3mm Jack connector



Jack Connector 6.3mm mono - red Connection to weld

Cod.:40068 3,40 €

Mono-yellow 6.3mm Jack connector



Jack Connector 6.3mm mono - yellow Connection to weld

Cod.:40128 3,40 €

2-pole spring terminal block with speakon for acoustic speakers



2-pole spring terminal block with female speakon for acoustic speakers
Dimensions: 80x80x50mm

2-pole terminal block with 2 speakon for acoustic speakers



2-pole terminal block with 2 female speakon for loudspeakers Dimensions: 122x97x40mm

Panel with speakon and jack 6.3mm



Panel with speakon and jack 6.3mm Dimensions: 124x172x50mm Color: black

Cod.:SP6010 2,38 €

Cod.:SP145 3,52 €

Cod.:SP295 2,38 €

Female RCA adapter - 2 female RCA



RCA socket to double RCA socket Female RCA Connection Connection B 2x RCA Female Black colour Type of RCA adapter Packaging Bulk products PVC outer material Audio type Mono Right card design Nickel plating EAN: 5412810174652

Cod.:9986 0,15 €

4p speakon chassis mount



4p speakon chassis mount Description Color Black Type of connector Speakon Housing male/female Female Packaging Bulk product Design connettore - lato A Straight Materials PVC Number of connector 1 Plating Nichel EAN: 5412810174720

Cod.:1162 2,80 €

Speakon female connector for panel mounting



Panel mount female Speakon connector with 4 solder terminal Mounting holes diameter: 3mm Depth: 35mm Dimensions: 40x40mm Perfect for connecting any high power speaker such as stage monitor, subwoofer, etc. Features Black colour Connector Type 4-Pin Speaker Packaging Bulk products Gender Female Connector Design - Side

Cod.:1260 1,98 €

Pagina 36/143 www.maltab2b.com

XLR MALE ADAPTER - UNBALANCED MALE JACK



Male XLR Adapter - Unbalanced Male Jack EAN: 5412810147335 Connection A XLR 3p (M) 6.35mm male B connection Silver colour XLR adapter type Packaging Plastic bag Outer material Zinc alloy / PVC Audio type Mono Right card design Nickel plating

Cod.:1218 0,98 €

Audio Adapter 3.5mm Male to 6.3mm Stereo Female



Audio Adapter 3.5mm Male to 6.3mm Stereo Female Connections - 3.5mm Male - 6.3mm Female Stereo

Cod.:Q813 0,60 €

Speakon 4-pole plug 90 degrees



Speakon 4-pole flying plug 9Contact rating: 30ARMS Contact resistance: <= 3mOhms Operating voltage: 250V (music signal) For cable from 6 to 10mm 0 degrees

Cod.:1265 1,62 €

Screw terminal block for speakers with banana input - gold-plated contacts



Screw terminal block for speakers with banana input - gold-plated contacts Features Plastic screw caps for 4mm banana plug External part dimensions: 30x20x14mm

Cod.:1275 1,28 €

Speakon 8-pole male connector



Speakon connectors for professional speaker connection. Sturdy version, with lock, protected against accidental contact, clamp-type cable glands. Maximum contact power: 30ARMS Contact resistance:3mOhm Operating voltage: 250V (effective signal)
Self-extinguishing according to: UL- 94V0 Speakon male connector, 8-pole screw

Cod.:SP255 4,88 €

Double connector with banana plug and wire clamps - red



Double connector with 4mm banana plug and wire clamps Gold contacts Red

Cod.:1950 2,98 €

4-pole female BF connector for microphone



4-pole socket for low frequency CB microphone cable Body: in nickel-plated brass Insulation: Bakelite

Cod.:7512 1,04 €

Antenna Adapter RCA Male - F Female Silver



Antenna Adapter RCA Male - F Female Silver F socket to RCA plug Link A RCA Male Link B F Female Color Silver Adapter type F Packaging Bulk products External material Metal Plating Nickel EAN 5 412810174157

Cod.:91272 0,32 €

Adapter BNC RCA Male - BNC Female Silver



Adapter BNC RCA Male - BNC Female Silver BNC adapter, BNC socket - phono plug EAN: 5412810112425

Cod.:9988 0,36 €

www.maltab2b.com Pagina 37/143

3-Pin Male Metal Silver XLR Connector



XLR 3-Pin Male Metal Silver Connector Color Silver Connector type XLR 3-Pin Plating Nickel EAN:5412810024612

Cod.:ND1115 1,58 €

Audio Adapter 2x RCA Female - 2x **RCA Female - Black**



Adapter 2x RCA female to 2x RCA female with gold contacts. EAN: 5412810151868 Product specifications Link A 2x RCA Female Link B 2x RCA Female Color Black Adapter type RCA Packaging Blister External material PVC Type of audio Stereo Design sheet Law Plating Gold

Cod.:A1410 0.94€

XLR 3-Pin Female Metal Silver Connector



XLR 3-Pin Female Metal Silver Connector Color Silver Connector type XLR 3-Pin Plating Nickel EAN:5412810174041

Cod.:ND1125 1,90€

XLR XLR 3p (M) - RCA Male Silver Adapter



Link A XLR 3p (Male) Link B RCA Male Color Silver Outer material in Zinc Alloy/PVC Sound type Mono Plating Nickel EAN code: 5412810175017

Cod.:ND1095

Stereo Audio Jack 6.35mm Connector Kit - male and female



6.3mm male stereo connector - 6.3mm female stereo connector. EAN: 8717587017117

DIN 6-pole connector for panel



DIN connector 6 poles per panel

2,62 € Cod.:A1140 2,06€ Cod.:30148

4-pole flying Speakon plug - Large



4-pole flying Speakon plug - Large Color Black Connector type 4-Pin Speaker Packaging Bulk products Genre Male Design connector - side A Straight Materials PVC Diameter 8.0 mm Plating Nickel

Cod.:SP426 1,84 €

Blister 20 Speakon 4-pole male connectors - 4 colors



Blister 20 Speakon 4-pole male connectors - 4 colors Colors: Blue, Orange, Green, Yellow

Cod.:SP955 37,80 €

XLR MALE ADAPTER - UNBALANCED MALE JACK

0,60€



XLR male adapter - unbalanced male jack EAN: 5412810147335 Link A XLR 3p (M) Link B Jack 6.35mm Color Silver Adapter type XLR Packaging Plastic bag External material Zinc / PVC alloy Type of audio Mono Design card Right Plating Nickel

Cod.:A5020 2,06€

Pagina 38/143 www.maltab2b.com

XLR XLR 3p adapter (F) - RCA Female Silver



XLR XLR 3p adapter (F) - RCA Female Silver Link A XLR 3p (F) Link B RCA Female Color Silver Adapter type XLR Packaging Bulk products External material in Zinc Alloy / PVC Plating Nickel Type of audio Mono

Cod.:A5008 2,06 €

3-pole XLR male connector for panel mounting





3-pole XLR male connector for panel Hole diameter: 15mm

Cod.:B2197 1,90 €

Kit 4 golden banana connectors - red and black



Kit 4 golden banana connectors - red and black

Cod.:A3069 2,48 €

Mono-Audio RCA Male - 3.5 mm Female Black Adapter



RCA Male - 3.5 mm Female Mono-Audio
Adapter Black RCA Male - 3.5 mm
Female Mono-Audio Adapter Black
Product Specifications Link A RCA Male
Link B 3.5mm Female Color Black
Adapter type RCA Packaging Bulk
products Outer material PVC Sound type
Mono Plating Nickel
EAN:5412810174966

Cod.:ND1375 0,36 €

Stereo Audio Adapter 6.35 mm Male - 2x 3.5 mm Female Black



Stereo Audio Adapter 6.35 mm Male - 2x 3.5 mm Female Black Stereo Audio Adapter 6.35 mm Male - 2x 3.5 mm Female Black Product specifications Link A 6.35 mm Male Link B 2x 3.5 mm Female Color Black Adapter type 6.35 mm Packaging Bulk products External material PVC Audio type Stereo Plating Nickel EAN:

Cod.:ND1385 6,10 €

90 ° RCA Male Stereo Audio Angle Adapter - RCA Female Black



90 ° RCA Male Stereo Audio Angle Adapter - RCA Female Black Product Description Stereo Audio Adapter 90 ° Angle RCA Male - RCA Female Black Product specifications Link A RCA Male Link B RCA Female Color Black Adapter type RCA Packaging Bulk products External material PVC Type of audio Mono Design sheet

Cod.:ND1685 1,00 €

Mono connector 6.35 mm Male PVC Black



Monoconnector 6.35 mm Male PVC
Black Monoconnector 6.35 mm Male
PVC Black Product Specifications Black
colour Connector Type: 6.35mm
Packaging: Bulk products Male/female
contacts: Male Connector design - side
A: Straight Materials: PVC Diameter:
5.8mm Number: 5 u. Plating: Nickel
EAN:5412810174515

Cod.:ND1075 0,38 €

2x RCA Stereo Audio Adapter Female -2x RCA Female Black



This coupler is ideal for connecting two RCA stereo audio cables. EAN: 5412810214099

Cod.:ND1850 1,86 €

Speakon STX 4P silver steering wheel socket



Extremely robust metal housing for applications in exposed and difficult environments. Thanks to the watertight seal, IP 54 (in the state of graft). High charge current

Cod.:SP311 7,80 €

www.maltab2b.com Pagina 39/143

XLR female to RCA male adapter



XLR female to RCA male adapter

Cod.:1518 1,36 €

Lugs with GOLD forked socket - Red



Lugs with forked socket GOLD - Red
For electrical connection of speaker
cables, cable diameter up to 4 mm²,
gold-plated The spade terminals ensure
optimal contact and low contact
resistance, the terminals can be either
screwable or weldable. Dimensions of
external fork: 13mm Dimensions of inner
fork: 9mm

Cod.:A1190 1,84 €

Lugs with GOLD forked socket - Black



Lugs with fork plug GOLD - Black For electrical connection of speaker cables, cable diameter up to 4 mm², gold-plated The spade terminals ensure optimal contact and low contact resistance, the terminals can be either screwable or weldable. Dimensions of external fork: 13mm Dimensions of inner fork: 9mm

Cod.:A1200 1,84 €

Male 3-Pin XLR connector Nickel-plated Black



XLR 3-Pin Male Nickel Plated Connector Cable Entry Diameter 5mm Black The Nedis stage product range boasts a wide range of superior quality connectors and cables. It provides a complete cabling solution covering both short and long distances. This allows you to make excellent quality studio recordings or perform on stage a breathtaking show in

Cod.:ND4894 2,10 €

3-Pin XLR connector Female Black nickel-plated



The Sweex stage product range boasts a wide range of superior quality connectors and cables. It provides a complete wiring solution that covers both short and long distances. This allows you to make excellent quality studio recordings or perform on stage in a breathtaking show in any situation that comes to mind.

Connect musical instruments,

Cod.:SX550 2,40 €

Male 3-Pin XLR connector Nickel-plated Black



The Sweex stage product range boasts a wide range of superior quality connectors and cables. It provides a complete wiring solution that covers both short and long distances. This allows you to make excellent quality studio recordings or perform on stage in a breathtaking show in any situation that comes to mind.

Connect musical instruments,

Cod.:ND9040 1,00 €

6.35 mm nickel-plated black connector



Monoconnector 6.35 mm nickel plated Black The Sweex range of stage products boasts a wide range of superior quality connectors and cables. It provides a complete cabling solution covering both short and long distances. This allows you to make excellent quality studio recordings or perform on stage a breathtaking show in any situation you

Cod.:SX410 2,40 €

Speaker Cable 2 Pin Female Speaker -2 Pin Female Speaker 20.0 m Dark Grav



Connect speakers, mixers and amplifiers together with this Sweex speaker cable. Designed specifically for use in the music industry, this audio cable offers excellent performance every time. EAN: 8717534024625

Cod.:SX555 38,28 €

4mm male banana connector - red



4mm male banana connector - red Equipped with fixing screw for the cable.

Cod.:9107 0,28 €

Pagina 40/143 www.maltab2b.com

4mm Male Banana Connector - Black



4mm Male Banana Connector - Black Equipped with fixing screw for the cable.

Cod.:8654 0,28€

RCA horizontal stereo female connector for PCB - black



Horizontal RCA stereo female connector 27x15x25mm

Cod.:CA317 0,22€

XLR XLR 3p Female Adapter - XLR 3p **Female**



XLR XLR 3p Female - XLR 3p Female adapter Brand: Jiasound Model: ZH-7

Cod.:SP650 7,80 €

3-pole XLR adapter Male - 6.3 mm stereo jack



3-pin XLR adapter Male - 6.3 mm stereo jack Brand: Jiasound Model: ZH -9

Cod.:SP652

Female XLR 3-pole adapter - 6.3 mm stereo jack



3-pin female XLR adapter - 6.3 mm stereo jack Brand: Jiasound Model: ZH -10

3-pole XLR adapter Male - RCA Female



3-pin XLR adapter Male - RCA Female Brand: Jiasound Model: ZH-4

7,80 € Cod.:SP654 7,80 € Cod.:SP656 7,80 €

1U 16-bit 12F / 4M XLR audio patch panel



1U 16-bit audio and video Cabinet Panel Adapters: 12 XLR Female + 4 XLR Male Brand: Jiasound Model: 1U-16D

Cod.:SP658 56,70€

RCA Digital Audio Cable Male - RCA Male 2.50 m Dark Gray



Digital Audio Cable RCA Male - RCA Male 2.50 m Dark Grey Digital coaxial cable with 24K gold plated plugs for digital and analog A/V signals. Suitable for connecting DVD, CD, MD and MP3 players. General informations • Cable: double shielded 75 Ohm • Black colour • Cable length: 2.50 m • Plugs: 1xRCA <-> 1xRCA with gold plated pearl

Cod.:ND2025 14,22 €

High Speed HDMI with HDMI Female Ethernet Adapter - HDMI Male Black



High Speed HDMI with HDMI Female Ethernet Adapter - HDMI Male Black Product description Femm. HDMI -Femm. HDMI with 24K gold contacts Thanks to this coupler you can connect to each other two HDMI cables. This way you will have much longer HDMI. Remember, however, that this cannot be reproduced in an unlimited

Cod.:ND1615 11,70 €

www.maltab2b.com Pagina 41/143

Waterproof PowerCon panel plug



PowerCon Panel Socket Waterproof for mains connection up to ~ 250 V/20 A network output version contacts for earth, phase and neutral self-extinguishing according to UL94V0

Cod.:SP580 5,88 €

Red RCA connector for CS



Red RCA connector for CS

Adapter XLR 3-pole male - XLR 3-pole male coupler



XLR 3 pole male - XLR 3 pole male adapter Brand: Jiasound Model: ZH-6

Cod.:SP1020 8,82€

Female Speakon Coupler Adapter -**Female Speakon**



Female Speakon Coupler Adapter -Female Speakon Brand: Jiasound Model: ZH-1

Cod.:SP1030 5,26 €

Female Speakon Coupler Adapter -6.3mm Female Jack

0,10€

Cod.:SP648



Female Speakon Coupler Adapter -Female 6.3mm Jack Brand: Jiasound Model: ZH-2

Cod.:SP1010 6,26 €

Cassette adapter - 3.5mm stereo jack



Very useful adapter for those who own an old cassette stereo and wants to listen to music with the most modern type audio systems; ipod, mp3, but also cd players and any other device with audio jack Connector Jack 3, 5mm Color input. : Black

Cod.:Q090 0,82€

3.5mm male Jack adapter - 2x RCA stereo



stereo

3.5mm male Jack adapter - 2x RCA

Cod.:Q952 0,84€

3xRCA female connector for CS - 90 degrees



Connector 3xRCA female for CS - 90 degrees Connector colors: 1x white, 1x red, 1x yellow

Cod.:B8040 0,22€

Connector F | Male - For 7.00 mm cables | 5 pieces | Metal



F Connector - Male - For 7mm Cables 5pcs Metal This connector is suitable for creating an antenna cable. Product specifications Color Silver Connector type F-connector Packaging Blister Materials Metal Plating Nickel Connector design - A side Straight Male/female contacts Male Content 5 Pcs Diameter 7.0 mm EAN:5412810289639

Cod.:ND2395 3,50 €

Pagina 42/143 www.maltab2b.com

4-pin Male Speaker Connector Black Speaker



Speaker Connector Male 4-pin Speaker Black The Nedis® series of stage products boasts a wide range of superior quality connectors and cables. It provides a complete cabling solution covering both short and long distances. This allows you to make excellent quality studio recordings or perform on stage a breathtaking show in any situation you

Cod.:ND1345 2,20 €

3 Port AV Switch | 3x RCA Input (RWY) - 1x RCA Output (RWY) | Black



Connect game consoles, VCRs or other audio / video sources to a single TV. This compact 3-way AV selector allows you to switch between three connected devices.

EAN: 5412810296545

Cod.:ND2525 5.72 €

Mono audio adapter 3.5mm Male - 6.35mm Female 10 pieces Black



Cod.:ND1365 3.46 €

Mono audio adapter 6.35 mm Male - 3.5 mm Female 10 pieces Black



Mono audio adapter 6.35 mm Male - 3.5 mm female 10 pieces Black Mono-Audio adapter 6.35 mm Male - 3.5 mm Female Black Package contents 10x mono audio adapter Product specifications Link A 6.35 mm Male Link B 3.5 mm Female Color Black Adapter type 6.35 mm Packaging Plastic bag External material PVC Audio type

Cod.:ND1360 3,12 €

XLR adapter 3-pin XLR female - 3-pin XLR female 10 pieces Metal



XLR adapter 3-pin female XLR - 3-pin female XLR 10 pieces Metal XLR adapter 3p (F) - XLR 3p (F) Silver Package contents: 10x XLR adapters Product specifications Link A XLR 3p (F) Link B XLR 3p (F) Color Silver Packaging Plastic bag Type of audio Mono Connection A & Description of A & Description of Plating Plating

Cod.:ND1440 27,74 €

6.35mm XLR 3-Pin Male to XLR Female Adapter 10 pieces Metal



XLR Adapter Male to 3 Pin XLR - Female 6.35mm 10pcs Metal XLR 3p adapter (M) - 6.35 mm Female Silver Box contents 10x XLR Adapters Product Specifications Link A XLR 3p (M) Link B 6.35mm Female Color Silver Adapter type XLR Packaging Plastic bag Outer material in Zinc Alloy/PVC Sound type Stereo Connection A & Deck Specification (M) -

Cod.:ND1445 27,74 €

3.5 mm Male Stereo Jack Connector 25 pieces Black



25 mm Male 3.5mm Stereo Jack
Connector Black Product
specifications Link A 3.5 mm male
Color Black Materials PVC
Connector type 3.5 mm Contents 25
Pcs Packaging Plastic bag Male /
female contacts Male Connector
design - side A Straight Connection A
& mp; amp; B 3.5 mm male Diameter

Cod.:ND1320 6,60 €

XLR 3-pin female connector XLR 25 pieces Metal



XLR female connector 3-pin XLR 25
pieces Metal EAN: 5412810299782
Product specifications Color Silver
Materials Metal Connector type XLR
3-Pin Packaging Plastic bag, 25
connectors Male / female contacts
Female Diameter 7 mm Plating
Nickel

Cod.:ND1335 26,56 €

XLR 3-pin male XLR connector 25 pieces Metal



Male XLR 3-pin XLR connector 25
pieces Metal Product specifications
Color Silver Connector type 3-Pin
XLR Content 25 Pcs Packaging
Plastic bag Male / female contacts
Male Connector design - side A
Straight Diameter 7 mm Plating
Nickel EAN: 5412810299812

Cod.:ND1340 28,32 €

www.maltab2b.com Pagina 43/143

Male Car Antenna Connector | 10 pieces Metal



Male Car Antenna Connector 10 pieces
Metal Connection adapter car radio
antennas. Diameter 10.5 mm
Package contents 10x car antenna
connector Product specifications
Materials Metal Diameter 10.5 mm
Plating Nickel Packaging Bulk products
Connector design - side A Straight Male /
female contacts Male Content 10 Pcs

Cod.:ND1100 9,76 €

Gold banana panel connector - Black



Gold panel banana plug - Black Hole diameter: 10mm

Cod.:SP119 2,22 €

Gold banana panel connector - Red



Gold panel banana plug - Red Hole diameter: 10mm

Cod.:SP041 2,22 €

SMA female TNC female adapter



SMA female TNC female adapter

Cod.:91334 2,06 €

FME male BNC male adapter



FME male BNC male adapter

Cod.:93176 2,06 €

RCA Male - RCA Female 90 ° Angled Stereo Audio Adapter Red



RCA Male - RCA Female 90 ° Angled Stereo Audio Adapter Red Product Specifications Connection To Male RCA Female RCA B connection Red Type of RCA adapter Packaging Bulk products PVC outer material Audio type Mono Card design 90 ° angles Gold plating EAN: 5412810141555 AC-055

Cod.:ND1690 1,00 €

XLR 3-pin female connector XLR 25 pieces Metal



XLR female connector 3-pin XLR 25
pieces Metal Product specifications
Color Silver Materials Metal
Connector type XLR 3-Pin Packaging
Plastic bag Male / female contacts
Female Diameter 7 mm Connector
design - side A Straight Plating Nickel
EAN: 5412810299782

Cod.:SP6169 1,36 €

Mono Audio Adapter 6.35mm Male - 2x Female RCA 10pcs Black



Mono audio adapter 6.35mm Male - 2x
Female RCA 10 pieces Black 6.35 mm
Mono-Audio adapter Male - 2x RCA
Female Black Package contents 10x
Mono Audio Adapter Product
Specifications Link A 6.35 mm Male
Link B 2x RCA Female Color
Black Adapter type 6.35 mm
Packaging Plastic bag Outer

Cod.:ND2790

BNC 2.55 mm Male Metal Silver Connector



BNC connector 2.55 mm Male Metal Silver BNC connector a crimp, suitable for RG174, 50 Ohm Product specification Silver Color Nickel Plating Packaging Bulk Products Connector design - side A Straight Male / female contacts Male Impedance 50 Ohm BNC connector type Diameter 2.55 mm EAN code: 5412810174102 Supplier

Cod.:ND9255 0,38 €

Pagina 44/143 www.maltab2b.com

7,74€

RCA Female PVC Red Connector



RCA Female PVC Red Connector Red Nickel plating Packaging Bulk products Connector Design - Side A Straight PVC materials Male / female contacts Female Diameter 4.8 mm Connector Type RCA Female EAN 5412810105489 CC-106R

Cod.:ND9260 0,14 €

4-pole Jack 3.5 connector



4-pole Jack 3.5 connector 4-pole Jack 3.5 audio connector suitable for repairing headphones with microphone or similar devices. Details Black colour Material: Metal Dimensions: 3.5 mm 4 poles Type: Audio Stereo Male Length: 3.5 cm

Cod.:90321 0,98 €

Powercon 3 poles 20A IP44



Powercon 3 poles 20A IP44The powercon is an electrical connector used to connect mains power to equipment in a small space. It looks and works similar to Speakon connector. Features:

3-pin connector Protection level: IP44
Color: Blue MAX load: 20A

Cod.:SP676 2,96 €

Mono Male Audio Connector 6.35 mm Black



Audio Connector Mono Male 6.35 mm
Black The Series of stage products
Nedis boasts a wide range of connectors
and cables of superior quality. It provides
a complete cabling solution covering both
short and long distances. This allows you
to make excellent quality studio
recordings or perform on stage in a
breathtaking show in whatever situation

Cod.:ND2356 2,70 €

PowerCon Male 20A IP65 connector



PowerCon Male connector 20A IP65
The PowerCon is a electrical connector used to connect mains power to equipment in a small space. It looks and functions similar to the Speakon connector. Features 3-pin connector Protection level: IP65 Color: Blue and Yellow MAX load: 20A

Cod.:W410 4,78 €

PowerCon panel plug



PowerCon panel plug Features for mains connection up to 250V 20A version for network output contacts for earth, phase and neutral self-extinguishing according to UL94V0

Cod.:W815 2,96 €

Cannon XLR Female 3-pin metal and rubber connector



Cannon XLR Female 3 pin connectormetal and rubber Features 3-pole flying female cannon Metal body Internal cable gripper Rubber cable guide

Cod.:SP039 1,42 €

Mono Audio Adapter Male RCA -Female 6.35mm 10pcs Black



Mono audio adapter Male RCA - Female 6.35 mm 10 pieces Black Mono-Audio RCA Male - 6.35 mm Female Adapter Black Product specifications Supplier Code: CAGP24933BK EAN code: 5412810298617 Color Black Outer material PVC Plating Nickel Link B 6.35 mm Female Adapter type RCA Link A RCA Male Packaging Plastic

Cod.:ND2746 7,38 €

Stereo Jack 2.5 mm male connector 25 pieces Black



Jack Stereo 2.5 mm male connector 25 pieces Black Product Specifications Color Black Plating Nickel Link A 2.5 mm male Connector design - side A Straight Male / female contacts Male Connector type 2.5 mm Content 25 Pcs Connection A & Diameter 7.0 mm Supplier Code: CAVC21900BK EAN code:

Cod.:ND3268 7,98 €

www.maltab2b.com Pagina 45/143

Stereo audio adapter | 2x RCA Female - 2x RCA Female | 10 pieces | Black



Stereo audio adapter | 2x RCA Female - 2x RCA Female | 10 pieces | Black Product specifications Supplier Code: CAGP24952BKG EAN code: 5412810298655 Outer material PVC Audio type Stereo Packaging Bulk Products Adapter type RCA Link B 2x RCA Female Link A 2x RCA Female Plating Gold Connection A

Cod.:ND3666 4,98 €

RCA female connector pack of 25 pieces Black



RCA female connector pack of 25 pieces
Black Black PVC Female RCA Connector
Product Specification Black colour
Nickel plating Connector Design - Side A
Straight Male / female contacts Female
Packaging Plastic bag Diameter 4.8 mm
Connector Type RCA Female PVC
materials Content 25 Pcs Supplier Code:
CAVC24915BK EAN number:

Cod.:ND3674 5,10 €

Male RCA connector pack of 25 pieces Black



Male RCA connector pack of 25 pieces
Black Plastic phono plug with cable
protection, black Package Contents: 25x
RCA Connectors Product
Specifications Black colour Nickel plating
Packaging Bulk products Connector
Design - Side A Straight Male / female
contacts Male Diameter 4.8 mm
Connector type RCA Male PVC materials

Cod.:ND3716 4,92 €

6.35 mm Mono Male Jack Connector pack of 25 pieces Black



6.35 mm Mono Male Jack Connector pack of 25 pieces Black Single connector 6.35 mm Male PVC Black Package Contents: 25x MONO JACK CONNECTORS Product Specifications Black colour Nickel plating Packaging Bulk products Connection A 6.35 mm Male Connector Design - Side A Straight Male / female contacts Male Diameter 5.8

Cod.:ND3766 8,56 €

Single connector 6.35mm Female Black



Single connector 6.35mm Female Black Product Specifications Black colour Nickel plating Packaging Bulk products Connector Design - Side A Straight Content 2 Pcs Male / female contacts Female Connector type 6.35 mm Diameter 6.0 mm Supplier Code: JC-106 EAN number: 5412810174942

Cod.:ND3768 0,64 €

6.35mm Mono Male Jack Connector Pack of 25 Metal



Connector Jack Mono Male 6,35mm pack of 25 pieces Metal Single connector 6.35 mm Male Metal Silver Product Specifications Color Silver Materials Metal Plating Nickel Connector design - side A Straight Male / female contacts Male Diameter 6.8 mm Packaging Bag plastic Contents 25 Pcs Connection A & Amp;

Cod.:ND3782 10,28 €

6.35mm Mono Male Audio Connector



6.35mm Mono Male Audio Connector The Nedis© stage product series boasts a wide range of superior quality connectors and cables. It provides a complete cabling solution covering both short and long distances. This allows you to make excellent quality studio recordings or perform on stage in a breathtaking show in whatever situation

Cod.:ND3802 2,61 €

6.35mm Male Stereo Audio Connector



6.35mm Male Stereo Audio Connector
Durable die-cast zinc connector for stable
connection Specially designed for
amplifiers, musical instruments and
microphones Product specifications
Color: black Materials: metal Content: 1
pz Connection A: 6.35mm male
Connector design A: straight Packaging:
Plastic bag Connector type: 6.35mm

Cod.:ND3806 2,64 €

6.35mm XLR Male to 3 Pin XLR-Male XLR Male Adapter



Adapter XLR Mono Male to 3 pin XLR-Male 6.35mm Durable die-cast zinc connector for a stable connection Specially designed for amplifiers, musical instruments and microphones Product specifications Color Black Content 1 pc Packaging Plastic bag Adapter type XLR Link B 6.35 mm Male Connection A & Connection

Cod.:ND3808 3,70 €

Pagina 46/143 www.maltab2b.com

Mono audio adapter 6.35mm Male-Female RCA pack of 10 pieces



Mono audio adapter 6.35mm
Male-Female RCA pack of 10
Mono-Audio Adapter 6.35 mm Male RCA Female Black Product
specifications Color Black Outer
material PVC Plating Nickel
Packaging Plastic bag Content 10
pieces Link B RCA Female Audio
type Mono Adapter type 6.35 mm

Cod.:ND3946 1,80 €

Single connector 6.35mm Female Black



Single connector 6.35mm Female Black
Single connector 6.35 mm Female PVC
Black Product Specifications Color
Black Plating Nickel Packaging Bulk
products Connector design - side A
Straight Male / female contacts Female
Connector type 6.35 mm Supplier
Code: JC-116 EAN code:
5412810174669

Cod.:ND3974 0,96 €

3.5mm Mono Female Jack Connector pack of 25 pieces



3.5mm Female Jack Mono Connector pack of 25 Product specification Color Silver Materials Metal Plating Packaging Plastic bag Link A 3.5 mm male Design connect re - side A Straight Male / female contacts Female Connector type 3.5 mm Content 25 Pcs Connection A & Content 25 Pcs Connection A & Supplier Code:

Cod.:ND4128 12,36 €

3.5mm Mono Male Jack Connector Pack of 25 Plastic



3.5mm Jack Mono Male Connector pack of 25 Plastic 3.5 mm Male connector Black PVC Product Specifications Color Black Plating Nickel Link A 3.5 mm male Connector design - side A Straight Diameter 4.5 mm Male / female contacts Male Packaging Plastic bag Materials PVC Contents 25 Pcs Connection A & Straight Diameter 4.5 mm Male / female contacts Male Packaging Plastic bag Materials PVC Contents 25 Pcs Connection A & Straight Diameter 4.5 mm

Cod.:ND4136 5,22 €

Male Speaker Connector for Nickel Plated Speakers 25pcs



Male Speaker Connector for
Nickel-Plated Loudspeakers 25pcs This
speaker connector has a straight male
contact. The cable must be soldered to
the plug. Features Designed for
maximum ease of use Plug welding
Product specifications Plating Nickel
Color Black Contents 25 Connector
design - side A Straight Male / female

Cod.:ND4546 7,00 €

6.35mm XLR Male to 3 Pin XLR-Male Stereo XLR Adapter



Stereo XLR Male to 3 pin XLR to Male 6.35mm adapter The Nedis stage product series boasts a wide range of superior quality connectors and cables. It provides a complete cabling solution covering both short and long distances. This allows you to make excellent quality studio recordings or perform on stage in a breathtaking show in whatever situation

Cod.:ND4566 3,90 €

XLR Female 3 pin XLR connector Black



XLR Female 3 pin XLR connector Black
The Nedis© series of stage products
boasts a wide range of superior quality
connectors and cables. It provides a
complete cabling solution covering both
short and long distances. This allows you
to make excellent quality studio
recordings or perform on stage in a
breathtaking show in whatever situation

Cod.:ND4892 2,70 €

Angled 6.35mm Male Stereo Audio Connector



Angled 6.35mm Male Stereo Audio
Connector Durable die-cast zinc
connector for stable connection
Specially designed for amplifiers, musical
instruments and microphones Product
specification Color Black Materials
Metal Plating Nickel Packaging
Plastic bag Connector design - side A
Angled Connector type 6.35 mm

Cod.:ND5050 3,08 €

Konig 3.5mm Male to 6.35mm Female Stereo Audio Adapter



3.5mm male to 6.35mm female Konig stereo audio adapter Adapter for connecting a microphone to a home cinema system. Features 24k gold-plated contacts for optimal sound transmission Die-cast adapter durable, specially designed for intensive use Product specification Packaging Blister Outer material PVC Audio type

Cod.:ND5800 3,46 €

www.maltab2b.com Pagina 47/143

Stereo Connector 6.35mm Female Metal Silver Neutrik



Stereo Connector 6.35mm Female Metal Silver Neutrik Robust execution General information 1/4" phone jack with lock, D size shell nickel plated metal housing and silver contacts The panel mount version with phone jack 3-pole provides stable and secure connections in case of accidental disconnection or shocks and vibrations.

Cod.:ND5824 13,02 €

Adattatore XLR femmina 3pin - RCA Femmina Argento



Adapter XLR female 3pin - RCA Female Silver Product Specifications Color Silver Plating Nickel Packaging Bulk products Link B RCA Female Sound type Mono Outer material in Zinc Alloy/PVC Adapter type XLR Link A XLR 3p (F) Connection A & D XLR 3p (F) - RCA Female Supplier Code: XLR-3FRCAF EAN code: 5412810174195

Cod.:ND6136 3,04 €

RCA Male Connector Gold pack of 10



RCA Male Connector Gold pack of 10 Fit the connector to an audio cable to create your own audio cable. The connector has a colored ring that indicates audio input, left or right. Features • Gold-plated audio connectors for better signal transmission• Color-coded ring for audio input indication, left or right Product Specifications Plating Gold

Cod.:ND9200 6,30 €

Stereo Audio Adapter 3.5mm Male - 2x 3.5mm Female



Stereo audio adapter 3.5mm Male - 2x 3.5mm Female This splitter is ideal for connecting two 3.5mm stereo audio cables to a single 3.5mm output.

Product specification Color Black Packaging Blister External material PVC Audio type Stereo Adapter type 3.5 mm Link A Male from 3.5 mm Link B 2x 3.5 mm Female Card design

Cod.:ND6494 2,00 €

Male straight stereo audio connector cable input diameter 5.5mm - 25pcs



Straight male stereo audio connector cable entry diameter 5.5mm 25pcs
Connector Stereo 6.35 mm Male PVC
Black Product Specs Color Black
Packaging type Polybag Connector plating Nickel plated Materials PVC
Male / female contacts Male Cable entry diameter 5.5 mm Assembly method Solder Connector type 6.35

Cod.:ND9563 5,84 €

XLR 3 pin female to RCA male adapter pack of 10



XLR 3 pin female to RCA male adapter pack of 10 Product Specifications Packaging type Polybag Packaging Plastic bag Connector plating Nickel plated Card design Straight Adapter type Adapter Adapter case material Metal Contents 10 pcs. Connector A XLR 3 pin female Connector B RCA Male Supplier Code: CAGP15934ME

Cod.:ND2425 15,96 €

Red female RCA connector pack of 25 pieces



Red female RCA connector pack of 25
Features Connector design - side A:
straight Diameter: 4.8 mm Gender
female Quantity: 10 pieces Packaging:
plastic bag Red color Material: PVC
Connector type: RCA female Connector
plating type: nickel EAN code:
5412810299652 Vendor code:
CAVC24915RD

Cod.:ND2030 1,96 €

Stereo connector 6.35 mm Male silver / black Neutrik



Stereo Connector 6.35 mm Male silver / black Neutrik Stereo jack connector 6.3mm in Neutrik metal. Product specification Color Silver Content 1 pc Plating Nickel Connector design side A Straight Male / female contacts Male Packaging Plastic bag Connector type 6.35 mm Diameter 8.00mm Code Supplier: NP3C EAN

Cod.:ND2957 5,80 €

Straight XLR female connector diameter 6mm pack of 25



Straight XLR female connector diameter 6mm pack of 25 3-Pin XLR connector Product Specifications Type of packaging Polybag Connector plating Plated nickel Materials Metal Color Silver Male/female contacts Female Connector design Straight Cable entry diameter 7.0mm Housing material for connector Metal Assembly method Chassis

Cod.:ND2892 25,60 €

Pagina 48/143 www.maltab2b.com

Male RCA connector for silver / black cable pack of 25



Male RCA connector for silver / black cable pack of 25 RCA Male Connector Silver / Black Metal Product specification Plating Nickel Connector design - side A Straight Contacts male / female Female Packaging Plastic bag Connector type RCA Male Content 25 Pcs Supplier Code: CAVC24922BK EAN code:

Cod.:ND2491 2,36 €

Male audio connector 6.35mm gold pack of 25pcs



Male audio connector 6.35mm gold pack of 25pcs Gold plated with cable protector Product specifications Connector plating Gold plated Packaging type Polybag Male / female contacts Male Connector design Straight Assembly method Solder Housing material per connector Metal Connector type 6.35 mm Color Gold

Cod.:WB1645 9,96 €

3.5mm Mono Male Jack Connector pack of 25 gold pieces



3.5mm Jack Mono Male Connector pack of 25 gold Gold plated with hollow protector Product specifications Materials Metal Packaging Bulk products Placcatu ra Gold Connector design - side A Straight Color Gold Diameter 3.8 mm Contents 25 Pcs Male / female contacts Male Link A 3.5 mm m aschio Supplier Code:

Cod.:ND2297 7,80 €

25 pcs Female / Male Speaker Connector



25 pcs Female / Male Speaker Connector Audio Terminal Speaker Product features Color Black Packaging type Polybag Connector plating Nickel plated Male / Female Contacts Male Female Assembly method Solder Content 25 pcs. Housing material connector ABS Connector type Speaker Supplier Code:

Cod.:ND7985

5,96 €

Banana connector with 4mm cross hole black



Banana connector with 4 mm cross hole black article suitable only for hobby / DIY Features Type of packaging: Bulk Color: black Markings: CE Vendor code: 11399 EAN: 4040849113994

Cod.:F1605 1,76 €

Banana connector with 4mm red cross hole



Banana connector with 4 mm cross hole red article suitable only for hobby / DIY Features Packaging type: Bulk Color: black Markings: CE Vendor code: 11459 EAN: 4040849114595

Cod.:F1618 1,76 €

Steering wheel 3.5mm stereo audio connector



3.5mm stereo jack audio connector metal frame with kink protection article suitable only for hobby/bricolage Characteristics Package Type: Bulk Markings: CE Supplier code: 11017 EAN: 4040849110177

Cod.:92050 0,56 €

3.5mm 4-pin stereo audio connector



3.5mm stereo audio connector 4 contacts metal frame with crease protection; 4 contacts Features article suitable only for hobbies / bricolage Type of packaging: Bulk Vendor code: 27693 EAN: 4040849276934

Cod.:70616 0,96 €

Male BNC connector - 50 Ohm female RCA connector



Male BNC connector - 50 Ohm RCA female Features article suitable only for hobby / DIY Impedance: 50 Ohm Packaging type: Bulk Consumable unit: 1 piece in polybag Color: silver Markings: WEEE, CE Vendor codef: 11353 EAN: 4040849113536

Cod.:Q753 0,96 €

www.maltab2b.com Pagina 49/143

Female BNC connector - 50 Ohm female BNC connector



Female BNC connector - 50 Ohm female BNC Features Impedance: 50 Ohm Packaging type: Bulk Markings: WEEE, CE Vendor code: 11347 EAN: 4040849113475

Cod.:Q296 0,96 €

6.35mm jack stereo audio connector



6.35mm jack stereo audio connector Features Nickel-plated brass body PBT insulation plastic sleeve solder terminals

Cod.:W387 1,96 €

3-pin male XLR connector to be soldered yellow



3-pin male XLR connector to be soldered yellow Features Contact plating: nickel PIN number: 3 Connector gender: male Yellow color High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size:

Approx. length 65mm Connector diameter 19mm Cable connection front diameter: about 4mm

Cod.:SP681 1,90 €

Blue solder 3-pin male XLR connector



Blue solder 3-pin male XLR connector Features Contact plating: nickel PIN number: 3 Connector gender: male Blue color High quality material, sturdy metal construction, easy to assemble and weld.

XLR Connector Size: Approx. length 65mm Connector diameter 19mm Cable connection front diameter: about 4mm

Cod.:SP682 1,90 €

Black solder 3 pin male XLR connector



Black solder 3 pin male XLR connector Features Contact plating: nickel PIN number: 3 Connector gender: male Black colour High quality material, sturdy metal construction, easy to assemble and weld.

XLR Connector Size: Approx. length 65mm Connector diameter 19mm Cable connection front diameter: about 4mm

Cod.:SP685 1,90 €

3-pin male XLR connector to be soldered red



3-pin male XLR connector to be soldered red Features Contact plating: nickel PIN number: 3 Connector gender: male Red High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size: Approx. length 65mm Connector diameter 19mm Cable connection front diameter: about 4mm

Cod.:SP683 1,90 €

3-pin male XLR connector to be soldered green



3-pin male XLR connector to be soldered green Features Contact plating: nickel PIN number: 3 Connector gender: male Green colour High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size:

Approx. length 65mm Connector diameter 19mm Cable connection front diameter: about 4mm

Cod.:SP684 1,90 €

XLR 3 pin male connector to solder 25 pieces kit various colors



XLR 3 pin male connector to solder 25 pieces kit various colors Features Contact plating: nickel PIN number: 3 Connector gender: male Color: green, yellow, red, black, blue High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size: Approx. length 65mm Connector diameter 19mm Cable connection front

Cod.:SP686 35,96 €

3-pin female XLR connector to be soldered green



3-pin female XLR connector to be soldered green Features Contact plating: nickel PIN number: 3 Connector gender: female Green colour High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size: Approx. length 70mm Connector diameter 15mm Cable connection front diameter: about 4mm

Cod.:SP348 1,90 €

Pagina 50/143 www.maltab2b.com

Blue solder 3-pin female XLR connector



Blue solder 3-pin female XLR connector Features Contact plating: nickel PIN number: 3 Connector gender: female Blue color High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size: Approx. length 70mm Connector diameter 15mm Cable connection front diameter: about 4mm

Cod.:SP349 1,90 €

3-pin female XLR connector to be soldered red



3-pin female XLR connector to be soldered red Features Contact plating: nickel PIN number: 3 Connector gender: female Red High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size:

Approx. length 70mm Connector diameter 15mm Cable connection front diameter: about 4mm

Cod.:SP345 1,90 €

3-pin XLR female connector to be soldered yellow



3-pin XLR female connector to be soldered yellow Features Contact plating: nickel PIN number: 3 Connector gender: female Yellow color High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size: Approx. length 70mm Connector diameter 15mm Cable connection front diameter: about 4mm

Cod.:SP343 1.90 €

Black solder 3 pin female XLR connector



Black solder 3 pin female XLR connector
Features Contact plating: nickel PIN
number: 3 Connector gender: female
Black colour High quality material, sturdy
metal construction, easy to assemble and
weld. XLR Connector Size:
Approx. length 70mm Connector
diameter 15mm Cable connection front
diameter: about 4mm

Cod.:SP347 1,90 €

Bandridge 3.5mm RCA female audio jack audio adapter



Bandridge 3.5mm RCA female audio jack audio adapter 3.5mm plug (mono) - RCA connector Easy grip shaped plug Features Connector type A 3.5mm plug Connector type B RCA socket Packaging Blister Adapter type Straight Contact coating Nickel Shell material PVC Adapter color Grey Supplier code: BAP331 EAN code:

Cod.:A1014 0,96 €

XLR 3 pin female connector to be soldered, 25 pieces kit various colors



XLR 3 pin female connector to be soldered, 25 pieces kit various colors Features Contact plating: nickel PIN number: 3 Connector gender: female Color: green, yellow, red, black, blue High quality material, sturdy metal construction, easy to assemble and weld. XLR Connector Size: Approx. length 65mm Connector diameter 19mm Cable

Cod.:SP993 35,96 €

0,000

Gold banana plug 4-pack



Gold banana plug 4-pack Banana plugs make speaker installation a breeze. They are designed for use with amplifiers or speakers that use traditional binding posts. Each pair comes with one red coded plug and the other black coded plug for easy polarity identification. The body of the plug is made of brass, which is subsequently gold-plated to help

Cod.:91663 2,40 €

Black gold banana plug



Black gold banana plug Accepts lead wire with a diameter of 4mm and is suitable for any standard insulated or non-insulated 4mm female connector. Features 4mm banana male connector Gold-plated brass contact Keeps cables and equipment safe Nominal voltage: 30V ac - 60V dc Rated current: 24A

Cod.:92343 1,96 €

Red golden banana plug



Red golden banana plug Accepts lead wire with a diameter of 4mm and is suitable for any standard insulated or non-insulated 4mm female connector. Features 4mm banana male connector Gold-plated brass contact Keeps cables and equipment safe Nominal voltage: 30V ac - 60V dc Rated current: 24A

Cod.:93284 1,96 €

www.maltab2b.com Pagina 51/143

Double connector with 4mm banana plug and wire clamps - black



Double connector with 4mm banana plug and wire clamps Gold contacts Black colour

Cod.:1931 1,13 €

Goobay 3-pin male XLR connector



Goobay 3-pin male XLR connector Male connector for microphone, 3 Pin with gold-plated contacts and strain relief screw Goobay always has the right electronic accessories for your audio applications, for example for hobby audio studios, home cinema evenings with the family or music sessions with friends. Our products transmit audio signals in the

Cod.:SP818 1,96 €

Goobay 3-pin female XLR connector



Goobay 3-pin female XLR connector with interlock and screwed strain relief Goobay always has the right electronic accessories for your audio applications, for example for hobby audio studios, home cinema evenings with the family or music sessions with friends. Our products transmit audio signals in the highest quality for a crystal clear sound

Cod.:SP816 2,32 €

XLR 3 pole Male/Female adapter



XLR 3 pole Male/Female adapter The XLR connector, also known as the 'Cannon', is a professional standard connector for transmitting analog signals. Improve signal quality due to the signal being balanced. • Stereo adapter for Cannon XLR connections

Connections: XLR Male 3 P XLR Female 3 P

Cod.:SP363 1,34 €

Audio adapter cable 2x3.5mm male - 1x3.5mm female



Audio adapter cable 2x3.5mm male 1x3.5mm female Audio adapter 2x 3.5
male to 3.5 female 25cm White color
Characteristics Supplier code: 18210
EAN code: 3000000182109 Cable length
(m) 0.25 Accessory type Cable
Connector 1: 3.5mm Female Connector
2: 2x 3.5mm male

Cod.:MOB1109 1,96 €

4 pin connector for speaker



4 pin connector for speaker • Durable connector for a stable connection • Specially designed for amplifiers and speakers Product Specifications Length 28mm Height 28mm Depth 96mm Weight 36 g Color Black Type of packaging Polybag Connector plating Plated nickel Materials ABS Connector design Straight Assembly method Weld Cable entry

Cod.:SX620 3,20 €

Neutrik mono 6.35mm audio jack connector



Neutrik mono 6.35mm audio jack connector 2-pole 1/4" mono plug, plastic handle with flexible anti-kink protection Product Specifications Length 13 mm Height 13 mm Depth 93 mm Weight 12 g Connector design - A side Straight Color Black Type of packaging Polybag Plating Plated nickel Male/female contacts Male Connector type 6.35mm Number of

Cod.:ND3902 2,14 €

Female RCA connector



Female RCA connector Characteristics RCA plug Connector Type: Female Integrated anti-crease protection Housing: Metal Gold-plated contacts Requires soldering Color: Gold/Black Cable entry diameter: approximately 7mm Connector length: 45mm

Cod.:91242 1,56 €

Female RCA connector



Female RCA connector Made of metal and featuring gold-plated contacts, this female RCA connector is a reliable little plug that can be soldered onto the end of a home-made cable. The RCA plug also features built-in bend protection.

Characteristics RCA plug Connector Type: Female Integrated anti-crease protection Housing: Metal Gold-plated

Cod.:90988 1,56 €

Pagina 52/143 www.maltab2b.com

PC headphones 2 3.5mm jack connectors Blue



PC headphones 2 3.5mm jack connectors Blue These stereo headphones offer good audio quality. The headband is adjustable to fit your head comfortably and the ear cushions are soft and comfortable. • stereo headset with adjustable flexible microphone for hands-free communication • Comfortable design with soft ear cushions and

Cod.:ND9575 3,76 €

Rooki - innocent sinner (Green)



Rooki headband headphones - innocent sinner Green With the Rooki Innocent Sinner headphones from König you can enjoy a powerful sound of 110dB. These headphones are a semi-open acoustic system with leather-effect foam cushions. Characteristics Frequency range: 20 - 20,000Hz Magnet Type: Neodymium Impedance: 32 ohms Maximum input

Cod.:W405 12,18 €

High yield Street headphones - PARANOID HELL



Code 168170035 • Excellent sound insulation • Ergonomic foldable earpads • High comfort handle headband, 3D earpad design Technical features Drivers 40mm Frequency response 20 - 20000Hz Sensitivity 110dB +/-3dB at 1KHz Jack 3.5mm stereo Maximum input power 100mW Cable length 1.5m +/-5% Channel balancing 3dB Item number

Cod.:Q717 19,60 €

Headband Headphone Jack 3.5 mm with built-in microphone cable - Silver



Headphones Headband Jack 3.5 mm with built-in microphone cable customizable - Silver Features DIY Headphone Kit Design headphones according to your personal taste to make them unique This kit includes a pair of headphones, tweezers, glue, decorative elements and two transparent outer surfaces Built-in microphone and volume

Cod.:B2220 39,00 €

Crown Micro Wireless Bluetooth headset with built-in microphone



Crown Micro Bluetooth wireless headset with built-in microphone It supports multipoint, i.e. the possibility of connecting two Bluetooth devices at the same time (to listen to music from the laptop and make telephone calls); When using headphones , charging can be used in Bluetooth mode, and by cable; High microphone sensitivity , the

Cod.:CMBH-9300 152,82 €

Wireless Bluetooth Jeans headset with integrated microphone



Jeans Wireless Bluetooth Headset with built-in microphone Jeans finishing; Stop playback when there is an incoming call; Ability to answer the phone; Foldable body; Able to provide up to 8 hours of listening /talking time; Suitable for iPhone / iPad / iPod / Android / Win Connectivity Wireless Type of pavilion design Locked down Audio features

Cod.:CMBH-9301 79,80 €

Headset with microphone - various colors



The headphones use high-quality speakers that deliver great sound, not only in communication, but also when playing games or listening to music.
Cables Connector dual 3.5 jacks (microphone and headphone) Cable length 2.1m sound Diameter speakers 40 Maximum power output

300W Resistance 32 ohms Sensitivity

Cod.:CMH-942 12,06 €

Grundig headphones covered in fabric - Various colors



Grundig fabric-coated headphones -Various colors EAN 8711252526683 Brand Grundig Dimensions 60 x 170 x 140 mm Weight about 0.416 KG

Cod.:ED156 11,94 €

Foldable Grundig headphones XL -Various colors



Foldable Grundig headphones XL -Various colors Features EAN 8711252526690 Brand Grundig Dimensions 75 x 170 x 150 mm Weight about 0.833 KG

Cod.:ED162 42,60 €

www.maltab2b.com Pagina 53/143

Gaming headphones with built-in microphone - various colors



Stereo gaming headphones with computer cable. Dynamics of wide range of frequencies with improved low frequency transmission; Interface: 4-pin jack plug + adapter (jack jack 3.5 4 pin jack - two SPC + MIC to 3.5 jack connectors) Q the volume control key on the cable + the off button microphone action Diameter of

Cod.:CMGH-101T 20,96 €

Gaming headphones with built-in USB microphone - various colors



Brilliant stereo gaming headset with USB interface. The wide flexible headband and soft ear pads with good noise isolation ensure a comfortable fit and comfortable use of the headphones. The 40mm broadband speakers have enhanced low-frequency transmission, providing the most realistic reproduction of game effects. The swivel microphone

Cod.:CMGH-102T 23,32 €

Earphones with Grundig support arch - Various colors









Earphones with Grundig support arch -Various colors EAN 8711292016007 Brand Grundig Dimensions 35 x 114 x 154 mm Weight about 0.088 KG Various colors

Cod.:ED290 9,42 €

Grundig stereo headphones - Various colors



Grundig stereo headphones - Various colors New Grundig series" silver edition "headset. Neon headphone ideal for listening to music and movies (mp3 / cd / ipod) Assorted colors: green, pink, blue, orange. Details EAN 8711252525532 Brand Grundig Dimensions 80 x 185 x 165 mm Weight about 0.397 Kg Jack 3.5mm

Cod.:ED187 15,76 €

Grundig stereo headphones - Various colors



Grundig stereo headphones - Various colors EAN 8711252382166 Brand Grundig Dimensions 280 x 80 x 200 mm Weight about 0.359 KG

Cod.:ED460 11,50 €

DJ-Style headphones with Philips microphone - White color



DJ-Style headphones with Philips microphone - White color Philips SHL3065WT / 00. Headset type: Stereophonic, Form factor: Auricle, Color of product: White. Connection technology: Wired, Maximum input power: 1500 mW. Interface type: 3.5 mm (1/8 "), Cable length: 1.2 m. DETAILS EAN: 6923410732870 Brand:

Cod.:ED634 47,14 €

DJ-Style headphones with Philips microphone - White and Silver



DJ-Style headphones with Philips microphone - White and Silver These DJ-style headphones offer powerful sound and bass. Thanks to the design with padded swivel pads for extended comfort, you can enjoy a perfect listening experience anywhere. - 32 mm drivers, closed on the back - Wrap-around ear design DETAILS EAN

Cod.:ED636 47,14 €

Gaming headset with microphone



Thanks to the soft inner lining of the earphones, it will be comfortable even after hours of use, while with the built-in microphone you can chat with your teammates during online matches. Extra Bass stereo headphones for Playstation 4, Xbox One, PC. Equipped with large ear cups and an adjustable microphone. It is suitable for network

Cod.:K465 13,66 €

Motorola Squads 200 blue children's headphones



Children's headphones Motorola Squads 200 blue General features Secure volume limit for children (up to 85 dB) to listen to music safely Flexible and durable Double socket for music sharing and integrated cable microphone Antiallergic pillow (without BPA)

Headphone stickers included Details EAN 5012786803718 Brand

Cod.:ED3318 28,24 €

Pagina 54/143 www.maltab2b.com

Motorola Squads 200 pink children's headphones



Motorola Squads 200 pink children's headphones General features Secure volume limit for children (up to 85 dB) to listen to music safely Flexible and durable Double socket for music sharing and integrated cable microphone Antiallergic pillow (without BPA) Headphone stickers included Details EAN 5012786803725 Trademark

Cod.:ED3322 28,24 €

Tucci X6 gaming headset with microphone - Red color



Tucci X6 gaming headset with microphone - Red Features general Brand: Tucci Model: X6 Connector: double 3.5mm Jack (microphone and headphones) Cable length: about 1.8m Cloth cable Padded pavilions and arch EAN: 6971355100063 Headphone features 40mm driver Frequency response: 20-20.000Hz Impedance:

Cod.:MOB1095 14,66 €

Tucci A4 gaming headphones with microphone - Camouflage light green



Tucci A4 gaming headset with microphone - Light green camouflage Brand: Tucci Model: A4 Connector: Single 3.5mm Jack (composite microphone and headphone) Cable length: about 1.4m Fabric cable Padded earcups and arch EAN: 6971355100049 Headphone features 40mm drivers Frequency Response: 20-20,000Hz

Cod.:MOB1100 20,80 €

Tucci A3 gaming headphones with microphone - Dark green camouflage



Gaming headphones with microphone Tucci A3 - Dark green camouflage General features Brand: Tucci Model: A3 Connector: single 3.5mm Jack (microphone and headphone composite) Cable length: about 1.4m Cable telato Padded pavilions and arch EAN: 6971355100063 Headphone Features 40mm driver Frequency

Cod.:MOB1090 20,80 €

Headphones with microphone Tucci L760MV Gray



Headphones with microphone Tucci L760MV Grey Brand: Tucci Model: L760MV Connector: double 3.5mm Jack (microphone and headphones) Cable length: about 1.8m Fabric cable Padded earcups and arch EAN: 971355107600 Headphone features 40mm drivers Frequency Response: 20-20,000Hz Impedance: 32±15% ohms Sensitivity:

Cod.:MOB1110 10,08 €

Foldable Bluetooth headphones with black microphone Grundig



Foldable Bluetooth headphones with black microphone Grundig Stylish Bluetooth headphones with excellent sound and high comfort. Can be easily folded for easy transport. Ideal for Bluetooth playback from a PC, smartphone or tablet. Thanks to the integrated microphone, the Grundig headphones can be used for calls.

Cod.:ED5160 25,90 €

Headset with microphone - White



Crystal clear reception to enjoy great audio Built-in microphone for calls or Voice Chat Package Content:1 X Headphone1 X Cable Connector type: 3.5mm jack Code: CSHSOVE200WH EAN: 5412810218578 Manufacturer: Konig

Cod.:V3066 26,88 €

Gaming headset with microphone - HS120



Manufacturer: QSENN Channel: Stereo Impedance: 32? Lowest Frequency Response: 20Hz Highest Frequency Response: 16 ~ 20KHz Weight: 400g Cable length: 2.2m gaming sound effect Connectors: 1x 3.5mm jack (headphones) 1x 3.5mm jack (microphone) & Mamp; USB 3.0

Cod.:MOB1208 31,08 €

Headset with microphone - A3



Headset with microphone - A3 Producer:
MISDE Channel: Stereo Impedance: 32
Ohm Lowest Frequency Responce: 20Hz
Highest Frequency Responce: 16 ~
20KHz Weight: 400g Cable length: 2m
Connectors: 1x 3.5mm jack
(headphones) 1x 3.5mm jack
(microphone)

Cod.:MOB1215 10,30 €

www.maltab2b.com Pagina 55/143

USB gaming headset with 7.1 audio and cable controller



The K40U headset offers comfort, convenience and incredible 7.1 surround sound for a more natural and realistic gaming experience. Equipped with an active noise canceling microphone, it allows you to communicate with gamemates clearly and without latency problems. Thanks to the particular multicolored lighting provided by the

Cod.:MOB1230 37,80 €

Gaming headset with microphone - X6



As the gaming world becomes more competitive, gaming devices are also evolving to meet the needs of many users. An example of this evolution is the X6 gaming headset, with stunning ambient sound insulation and high-precision 40 mm drivers, the accuracy of acoustic positioning improves the sensitivity of the speaker,

Cod.:MOB1235 10,30 €

Tucci A5 FIGHTER Gaming Headset with Microphone - Black and Red



Tucci A5 FIGHTER gaming headset with microphone - Black and red General characteristics Brand: Tucci Model: A5 FIGHTER Connector: Single 3.5mm Jack (composite microphone and headphone) Cable length: about 1.5m Fabric cable Padded earcups and arch EAN: 6972667890055 Headphone features 40mm drivers Frequency Response:

Cod.:MOB1218 13,88 €

Tucci X5 Gaming Headset with Microphone - Black and Red



Tucci X5 Gaming Headset with
Microphone - Black and Red General
features Brand: Tucci Model: X5
Connector: single 3.5mm Jack
(composite microphone and
headphones) 3.5mm Jack adapter
Female-2xJack 3.5mm Male (microphone
and headphones) Cable length: about
1.5m Padded pavilions and arch EAN:

Cod.:MOB1106 13,44 €

Tucci A1 ARMY gaming headset with microphone - Camouflage



Tucci A1 ARMY gaming headset with microphone - Camouflage Features general Brand: Tucci Model: A1 ARMY Connector: single 3.5mm Jack (composite microphone and headphones) Cable length: about 1.4m Cable canvas Padded pavilions and arch EAN: 6972667890017 Headphone features 40mm driver

Cod.:MOB1261 21,60 €

V8 Bluetooth Wireless Microphone Gaming Headset - Black and Red



Gaming headset with Bluetooth V8 wireless microphone - Black and red Headphones Professional wireless Bluetooth gaming headset with echo canceling and noise canceling technology. They use a Bluetooth 3.0 chip to ensure high fidelity sound quality and stable performance, thanks to the 2.4 GHz Pure Stream HD transmission.

Cod.:MOB1252 31,08 €

Wired Headphones 2.1m Round Cable Black Over-ear



Corded Headphones 2,1m Round Cord Over-ear Black These Nedis neckband headphones ensure maximum comfort for the user thanks to the ergonomic, ultralight and thin design and soft ear pads. Behind-the-head support ensures these headphones stay in place. Plus, they feature 30mm drivers and a design that blocks out most ambient noise, for

Cod.:ND4560 11,98 €

Headphone for PC Headband 2 connectors 3.5mm 2m



Headband for PC Headband 2 connectors 3.5mm 2m This stereo headphone offers good sound quality. The headband is adjustable to fit comfortably on the head and the ear cushions are soft and comfortable Product specifications Color Black Materials Plastic Connectors 2x 3.5 mm Microphone Microphone embedded Link

Cod.:ND4896

Gaming headphones with microphone 1.2m P50 various colors



Gaming headset with microphone 1.2m P50 various colors Gaming headset with microphone, adjustable headband. Model: P50 Headphone features Driver unit - Ø40mm Impedance - 32? Sensitivity - 112dB ± 3dB Frequency Response: 20Hz ~ 20,000Hz Cable length - 1.2m Connectivity: 3.5mm Microphone Unit - Ø6x5mm Impedance:

Cod.:L700 15,96 €

Pagina 56/143 www.maltab2b.com

7,95€

Gaming headset with microphone 1.2m Oakorn C



Oakorn C 1.2m Gaming Headset with Mic Gaming headset with microphone, adjustable headband. Model: Oakorn C Headset Driver unit - Ø40mm Impedance - 32? Sensitivity - 112dB ± 3dB Frequency Response: 20Hz ~ 20,000Hz Cable length - 1.2m Connectivity: 3.5mm Microphone Unit - Ø6x5mm Impedance: 2.2k? Sensitivity - -54dB ± 3d Directivity -

Cod.:L625 11,96 €

Gaming headphones with microphone 1.2m P40 various colors



Gaming headset with microphone 1.2m P40 various colors Gaming headset with microphone, adjustable headband. Model: P40. Headphone features Driver unit - Ø40mm Impedance - 32? Sensitivity - 112dB ± 3dB Frequency Response: 20Hz ~ 20,000Hz Cable length - 1.2m Connectivity: 3.5mm Microphone Unit - Ø6x5mm

Cod.:WB1255 15,96 €

Gaming headphones with microphone 1.2m P10 various colors



Gaming headset with microphone 1.2m P10 various colors Gaming headset with microphone, adjustable headband. Model: P10. Headphone features Driver unit - Ø40mm Impedance - 32? Sensitivity - 112dB ± 3dB Frequency Response: 20Hz ~ 20,000Hz Cable length - 1.2m Connectivity: 3.5mm Microphone Unit - Ø6x5mm Impedance:

Cod.:WB1280 13,96 €

USB headset for PC with microphone Ovleng OV-Q5 black



USB headset for PC with microphone
Ovleng OV-Q5 black Features
Speaker diameter: 40 mm Impedance:
32 ohm Sensitivity: 104dB Frequency
response: 20Hz-20.000Hz Cable length:
1.5 m Plug type: USB 2.0 Black color
EAN code: 6970959647080

Cod.:L643 27,60 €

CrownMicro CMGH-2002 gaming headset with microphone



CMGH-2002 CrownMicro gaming headset This wired stereo PC gaming headset features a smart, vibrant design and high sound quality. The long flexible cable will allow you to position the headset as comfortably as possible without the use of extension cords. Features Connection: 3 audio jack , 5 mm Headbandÿflexible and wide

Cod.:CMGH-2002 29,60 €

CrownMicro CMGH-3002 Green LED Gaming Headset with Microphone



Gaming headset with microphone Green LED CMGH-3002 CrownMicro These computer gaming headsets have a striking design and high sound quality. The long and flexible cable allows you to use them comfortably. Features Connection: USB (for LED power) and 3.5mm audio jack Headband with metal spring Soft ear cushions with good sound

Cod.:CMGH-3002 39,96 €

T9 wireless headphones various colors



T9 wireless headphones various colors Characteristics Model: F24731 EAN code: 6958864540092 Size: 18x19cm / 7x7.5in Color: Black / White / Red / Blue / Gray / Green Material: ABS bluetooth version: bluetooth 5.0 Transmission distance: 10 meters Usage time: 20-24 hours Standby time: 400 hours Battery Capacity: 360mAh Speaker: 40mm

Cod.:WB2020 23,60 €

Wireless Bluetooth headphones with LED lighting support cat themed SD card various colors



Wireless Bluetooth headphones with LED lighting cat themed SD card support various colors. Wireless gaming headset with great sound and a stunning design with bright cat ears. Features EAN code: 6954774700397. Model: P39M Bluetooth version V5.0. Frequency 2.40 GHz-2.48 GHz. Power d 4 dBm, Class 2 Effective range 10 M. Sensitivity 105db /

Cod.:WB2025 19,96 €

Bluetooth headphones 10mW black SD card support



Bluetooth headphones 10mW black SD card support Features EAN code: 698180000000 Model: STN-36 Bluetooth version: 5.0 Operating distance: 10 m Sensitivity: 105dB ±5dB Frequency response: 20Hz-20 KHz Speaker:Ø40mm Impedance: 32? music: 5 hours Reload time: < 1 ora Battery capacity: 200 mAh With

Cod.:WB2035 17,80 €

www.maltab2b.com Pagina 57/143

Gaming headset with virtual 7.1 audio microphone with LED lighting



Gaming headset with virtual 7.1 audio microphone with LED lighting
Features Brand FOREV Template
FV-G95 Color Black Impedance
32 Ohm Sensitivity 105dB +/- 3dB
Frequency response 20Hz-20KHz
Speaker size 50mm Weight 260g
Cable length 2m Connectors 3.5mm
+ USB / USB Features Ultra shock

Cod.:WB1715

25,60 €

USB headphones for PC DJ-Tech DJH-555



USB headphones for PC DJ -Tech DJH-555 The DJH-555 headphones are specifically designed for professional DJs. Their large 40mm neodymium drivers produce the clean, high output sound you need in the booth or on stage. They are equipped with a high quality integrated USB sound card which makes them easy to use. Just connect them to

Cod.:WB901 17,96 €

Philips SSA5HS / 00 rechargeable Bluetooth stereo headphones for TV



Philips SSA5HS / 00 rechargeable Bluetooth stereo headphones for TV Wireless headphones with stethoscope mount to enjoy your favorite TV shows. NB: The headphones do not include the recharging base 15mm neodymium driver for clear and loud sound 15mm neodymium driver for clear and loud sound; A digital wireless connection

Cod.:ED6033 38,00 €

Stereo headband headphones with Crown Micro microphone



Stereo headband headphones with Crown Micro microphone Stereo headphones for closed digital devices. It is used to listen to audio files, then to make calls. Suitable for smartphones, tablets and computers with universal 3.5mm 4-pin input jack. It can be used as a regular headphone for music players and other digital devices.

Cod.:CMH-209T

11,96 €

Stereo headband headphones with microphone



Stereo headband headphones with microphone Stereo computer headphones with microphone Volume control and mute function No drivers are required Specifications Brand: Gembird EAN code: 8716309079501 Supplier code: MHS-001-GW Sensitivity (at 1KHz): 105 +/-3 dB Impedance: 32 Ohms +/-15% Diffusers: diameter 40 mm, 16u

Cod.:L995 18,96 €

THOMSON - HED 133 stereo earphones



THOMSON - HED 133 stereo earphones
- Ideal for travel through the headset
function - Noise suppression with passive
system to isolate external noise - Silicone
inserts of different sizes that offer a
comfortable fit - Ideal for MP3 players
Included: - 1 pair of stereo earphones 3 pairs of silicone tips in different sizes
(S, M, L) Learn more Connector:

Cod.:K470 6,06 €

Green E earphones - White color



Earphones Green E - White color Comfortable stereo earphones for use with tablets, MP3 players, etc. Details EAN 8711252766966 Brand Green E Dimensions 190 x 20 x 100 mm Color: White Weight about 0.033 KG Jack 3.5mm

Cod.:ED168 1,98 €

JBL Focus 300 earphones



JBL Focus 300 headsets Details EAN: 6925281922824 Model:
JBLFOCU300TEL Unmistakable JBL sound with top performance The water resistant coating offers sweat protection for running, walking, cycling, jogging, doing excursions, yoga, fitness, etc. to best meet all your needs Quick Click TM anti-tangle magnets Reinforced jack

Cod.:WS8040

Huawei AM115 Headphones with Integrated Microphone Wire White



Huawei AM115 Headphones with Integrated Microphone Wire White Brand: Huawei EAN: 6901443152742 Comfortable and durable White earphones Integrated microphone to answer hands-free calls Control key allows you to answer calls 110cm long cable

Cod.:MOB602 11,96 €

Pagina 58/143 www.maltab2b.com

33,60 €

Philips SHE8105RD / 00 Red Stereophonic earphone



Philips SHE8105RD/00 Stereo Headset Red Details EAN: 6925970700412 Brand: Philips Model number: SHE8105RD Item Weight: 18.1g Headphone shape: earbuds Connector: 3.5mm jack Cable length: 1.2m Frequency range: 8-24000Hz Sensitivity: 107dB Impedance: 16 ohms

Cod.:WS8105 18,70 €

Motorola Earbuds 2 earphones with white microphone



Motorola Earbuds 2 earphones with white microphone General features Connector: Jack 3.5mm Perfect and clean sound Integrated microphone, seamless switching between music playback and calls In-ear design to improve perception Ergonomic and attractive design Details EAN: 5012786800946 Brand

Cod.:ED3314 8,99 €

3.5mm Jack earphones with microphone



The geometric structure of the ear makes them very comfortable to wear; Sweat-proof, lightweight and ergonomic design optimized for maximum comfort to adapt to your active lifestyle such as jogging, cycling, driving, hiking, gym training and other outdoor sports. It has perfect stereo sound quality, offers complete listening comfort with soft,

Cod.:MOB1340 3,10 €

Bluetooth headset XO BE4 white



Bluetooth headset XO BE4 white
Thanks to Bluetooth technology, you can
forget about tangled cables and feel full
freedom of movement. Details
Model: BE4 EAN: 6920680863648
Frequency range: 2.402G-2.48G Version
BT: BT 4.2 Battery: 3.7 V / 70 mAh
Standby time: 150 hours Usage time: 4
hours Charging time: 2 hours language

Cod.:MOB194 8,88 €

Bluetooth headset XO BE4 black



Black XO BE4 Bluetooth headset
Thanks to Bluetooth technology, you can
forget about tangled cables and feel full
freedom of movement. Details
Model: BE4 EAN: 6920680863631
Frequency range: 2.402G-2.48G Version
BT: BT 4.2 Battery: 3.7 V / 70 mAh
Standby time: 150 hours Usage time: 4
hours Charging time: 2 hours language

Cod.:MOB787 8,36 €

Black Bluetooth headset



Black Bluetooth headset These headphones allow you to listen to music for up to 3 hours on a single charge. Using the buttons on the cable you can rewind the songs, change the volume level and even accept or reject calls. Features EAN 6941141602811 Brand: CROWN Bluetooth 5.0 Control panel with integrated microphone on the cable

Cod.:CMBH-5099 10,46 €

Crown Micro Bluetooth 4.2 earphones



Crown Micro Bluetooth 4.2 Earphones
Bluetooth earphones featuring clear
sound and comfortable design, perfect
for sports. The control buttons allow you
to manage music playback or answer
incoming calls. Impermeable to drops of
water, the Crown Micro earphones offer
high resistance to sweat. Main
features Comfortable design suitable for

Cod.:CMBE-504 12,56 €

Crown Micro Black Stereo Bluetooth Headset



Crown Micro Black Stereo Bluetooth
Headset EAN:6941141600305 Brand:
CROWN Bluetooth 5.0+EDR Control
panel with integrated microphone on the
cable 3 pairs of ear pads included Clip for
convenient attachment Battery Capacity:
55mAh Charging time: 2 hours Charging
input: micro USB Range of action: up to
10 meters Magnetic holder in the case

Cod.:CMBE-503 18,70 €

Headphones with microphone PACE 105 Black Motorola



Earphones with microphone PACE 105
Motorola Black The Motorola PACE 105
earphones allow clear listening thanks to
the 10mm mini speakers. The integrated
microphone allows you to manage calls
to hands free. Compatible with Siri,
Google Assistant and Amazon Alexa
voice assistants. Technical
characteristics EAN: 5012786038493

Cod.:ED4250 8,25 €

www.maltab2b.com Pagina 59/143

Earphones with microphone PACE 105 White Motorola



Earphones with microphone PACE 105
White Motorola The Motorola PACE
105 earphones allow clear listening
thanks to the 10mm mini speakers.
The integrated microphone allows you to
manage calls to hands free.
Compatible with Siri, Google Assistant
and Amazon Alexa voice assistants.
Technical characteristics EAN:

Cod.:ED4246 8,25 €

Protective Silicone Cover for Airpods 1 & 2 (White)



Protective silicone case for Airpods 1 & Description (Amp); 2 (white) EAN 4260272287790 Material: silicone Model Compatibility: For Apple AirPods 1 & Design: 2 Product Type: Protective Cover Design: Slim

Cod.:MOB1209 3,10 €

Protective Silicone Cover for Airpods 1 & 2 (Black)



Silicone protective cover for Airpods 1 & Description & Airpods 1 & Amp; 2 (black) EAN 4260272287806 Material: silicone Model compatibility: for Apple AirPods 1 & Design: Product type: Protective cover Design: Thin

Cod.:MOB1259 3,10 €

Bluetooth bluetooth earbuds marshmallow JVC HA-FX39BT-A



JVC HA-FX39BT-A marshmallow blue neckband Bluetooth headset JVC's HA-FX39BT-A marshmallow neckband earphones offer maximum comfort and maximum reliability. They allow for about 14 hours of uninterrupted playback compared to only 3 hours for a full charge. Extremely versatile, they manage the Bluetooth A2DP, AVRCP, HFP, HSP

Cod.:MOB1440 26,88 €

SETTY blue earphone



SETTY blue earphone The comfortable and handy audio headset guarantees excellent sound quality. Designed for listening to music from phones, music players and other devices with a 3.5mm mini-jack connector. The set is not intended for conversation. Practical, modern, with long cord for convenient use. High quality materials ensure

Cod.:MOB597 2,48 €

White Crown Micro TWS Bluetooth Earphones



White Crown Micro TWS Bluetooth Earphones Fully wireless headphones complete with a charging case. With a single charge the headphones can work up to 3 hours and thanks to the charging of the case they will allow you to listen to music for up to 9 hours. By pressing the buttons on the headphones, you can rewind the tracks back and forth, as well

Cod.:CMTWS-5001-WHITE

33,56 €

Forever Black MF-300s Bluetooth Headset



Forever Black MF-300s Bluetooth Headset Bluetooth headset with telephone conversation function and music playback Bluetooth v 4.1 EAN 5900495516879

Cod.:MOB1219 9,40 €

SBT-01 black Setty headset



SBT-01 black Setty headset Setty's SBT-01 Bluetooth headset allows you to conveniently make phone calls without using your hands. The headset can also be used for listening to music. The headphones connect easily to the phone and its small size makes it discreet and aesthetic. The micro USB cable is included in the package. Features

Cod.:MOB1104 6,26 €

Kids Safe Volume Pineapple Earphones



Earphones Kids Safe Volume Ananas
Headphones suitable for the little ones,
thanks to the volume control that avoids
any harm to the children who use them.
Features Frequency range: 18-20 KHz
Impedance: 32ohm Sensitivity: 85dB
Power consumption: maximum 100 mW
Cable length: 1.2 m 3.5 mm jack
EAN CODE: 8719987278327

Cod.:KP2116 2,36 €

Pagina 60/143 www.maltab2b.com

Kids Safe Volume Donut Earphones



Kids Safe Earphones Volume Donut Earphones suitable for children, thanks to the volume control that avoids any harm to the children who use them.

Features Frequency range: 18-20 KHz Impedance: 32ohm Sensitivity: 85dB Power consumption: maximum 100mW Cable length: 1.2m 3.5 mm jack EAN CODE: 8719987278327

Cod.:KP2120 2,36 €

MaXlife white wired earphones



White corded earphones maXlife
Headphones with cable. White color.
Brand maXlife. Features MaXlife
brand White color Cable length 1,2m
96db sensitivity 3.5mm audio jack
Frequency 20Hz-20kHz Impedance 32
Ohm Microphone: NO EAN code:
5900495780522 Supplier code:
OEM001605

Cod.:WB324 1,64 €

InPods 12 SIMPLE Bluetooth 5.0 wireless headphones with black microphone



inPods 12 SIMPLE Bluetooth 5.0 wireless headphones with black microphone Features Auto connect and touch control: just take them out of the charging box and they will appear on your iPhone or Android phone immediately. Just tap the headset to make all phone calls or music controls. Noise canceling and Hi-Fi sound quality:

Cod.:WB332 16,76 €

TWS Bluetooth 5.0 InPods Earphones Headphones 12



InPods 12 TWS Bluetooth 5.0
Headphones inPods 12 Bluetooth
wireless stereo headset with stable
streaming, high fidelity sound quality,
easy-to-use headset and noise reduction
function, compatible with iOS and
Android smartphones. Our wireless
headphones use the latest Bluetooth
V5.0 EDR and TWS technologies to

Cod.:WB920 16,76 €

TWS Earphones Bluetooth 5.0 InPods 12 simple various colors



TWS Earphones Bluetooth 5.0 InPods 12 simple various colors Features Bluetooth 5.0: using the new Bluetooth 5.0 chip generation, the transmission speed is faster, smoother, has greater anti-interference ability, the signal is stable and calmly responds to your gaming needs. It is compatible with most Bluetooth devices. Shocking sound

Cod.:WB925 16,76 €

Original Samsung EO-IG955 AKG in-ear headphones with 3-button microphone



Original Samsung EO-IG955 AKG in-ear headphones with 3-button microphone Features 3 keys, play / pause, volume control and equipped with a microphone for telephone calls. Durable design: with an extra layer of fabric not only to give the thread a better look, but also to actually protect it from possible damage caused by sharp objects. Official

Cod.:MOB222 13,96 €

Black type C XO Wired EP8 earphones



Black type C headphones XO Wired EP8 XO EP8 are wired in-ear headphones for smartphones with type C connector not equipped with a 3.5 mm jack socket. The flexible silicone cable will ensure the longest possible life. Features Color black Manufacturer XO EAN code 6920680863969 Template XO-EP8 Cable length 1.20 m Connector USB

Cod.:WB221 4,56 €

Original Samsung EHS61ASFWE White Earphone Headphones



Original Samsung EHS61ASFWE white earphones A modern and high comfort.
Features Brand: Samsung Model:
EHS61ASFWE Excellent fit Deep bass
Response Cable length: 1.2 m
Weight: 11.2 g Wired Microphone
3.5mm audio jack connector

Cod.:MOB608 4,60 €

Air6pro Bluetooth Headphones White



Air6pro Bluetooth headset white
Features Bluetooth 5.0 technology,
auto start and auto pairing, more
convenient. LED display indicating the
amount of charge remaining for each
earphone Lightweight and portable, easy
to carry and use. Professional
production, performance stable and high
reliability Specifications Bluetooth

Cod.:WB643 21,60 €

www.maltab2b.com Pagina 61/143

Inpods i12 TWS Bluetooth Earphones Gray



TWS Inpods i12 Bluetooth Earphones
Gray Technical specifications Driver: 15
mm. Impedance: 9 Ohm. Bluetooth
version: Bluetooth 5.0. Bluetooth
distance: 10 meters. Operating voltage
range: 3.0V-4.2V Charging time: about
1-2 hours. Features Automatic
connection and touch control: just take
them out of the charging box and they will

Cod.:WB1024 16,76 €

TWS Inpods i13 Bluetooth Earphones White



TWS Inpods i13 Bluetooth Earphones White Small and convenient, easy to carry.IPX4 waterproof, resistant to rain and physical exercise! Senior design, in search of perfection, excellence, quality product! Clear and excellent sound quality, earphones composed of a rubber pad that keeps them firmly on the ear isolating it from external noise.

Cod.:WB1673 19,60 €

GM-D1 gaming headset with microphone various colors



GM-D1 gaming headset with microphone various colors Made of high quality material, the ergonomic design makes the headphones comfortable to wear. It has a 10mm sound drive, giving you an excellent stereo music experience. With microphone, it is suitable for listening to music and online courses. The 3.5mm plug is suitable for all devices with a

Cod.:WB1508 10,56 €

Gaming headset with microphone AKZ-D10 white



AKZ-D10 White In-Ear Gaming Headset with Mic High quality sound, Surround Bass noise canceling gaming headset with microphone Features Model:
AKZ-D10 EAN code: 0305541800103 HD high fidelity microphone Super bass, excellent audio performance Frequency: 20-20.00Hz Ergonomic shark fin design and soft ear cushions for extra comfort

Cod.:WB1218 9,96 €

Gaming headset with microphone AKZ-D10 black



AKZ-D10 Black In-Ear Gaming Headset with Mic High quality sound, Surround Bass noise canceling gaming headset with microphone Characteristics Model: AKZ-D10 EAN code: 0305541800103 HD high fidelity microphone Super bass, excellent audio performance Frequency: 20-20.00Hz Ergonomic shark fin design and soft ear

Cod.:WB1463 9,96 €

Gaming headset with microphone AKZ-D9 white



Gaming headset with microphone
AKZ-D9 white Features Connector
3.5mm Sensitivity 115dB Speaker
size 10mm Impedance 32 Ohm
Included items microphone, headphones
and bearings EAN code:
0305541800097 Supplier code:
AKZ-D9

Cod.:WB1283 9,56 €

Gaming headset with microphone AKZ-D9 black



AKZ-D9 Gaming Headset with Mic Black Features Connector 3.5mm Sensitivity 115dB Speaker size 10mm Impedance 32h Items included microphone, headphones and earpads EAN code: 0305541800097 Supplier code: AKZ-D9

Cod.:WB1119 9,56 €

PRO 4 TWS Bluetooth Earphones White



PRO 4 TWS Bluetooth headset white Features Model: Pro4 Style: in-ear. Vocalism principle: dynamic Control button: yes Active noise cancellation: yes Communication: True Wireless Volume control: yes Wireless type: Bluetooth Exit but ssima: 3 mW Package contents: user manual Impedance range: up to 32 Ohm

Cod.:WB263 19,20 €

Earphoneband SmartWatch White Bluetooth Headset B7



Earphoneband SmartWatch Bluetooth headset white B7 Features Display time / date / week. Calorie Pedometer & Distance Tracking Sleep Tracking. Heart rate control. Smart wake up, listening to music. Answer on the phone call. Call reminder. Erase data. Waterproof, dustproof. Notification of Bluetooth connection and low battery.

Cod.:WB1056 31,56 €

Pagina 62/143 www.maltab2b.com

BE21 Bluetooth headset with 2m extendable wire



BE21 Bluetooth headset with 2m extendable wire Characteristics Brand: XO EAN code: 6920680877973 Color: black white Battery Capacity: 70mAh Charging duration: 1 h Operating time with battery: 10 h Packaging type: box Diode Type: LEDs Top up: Yup Maximum current voltage: 1.50A Diet: Integrated Li-ion battery No. of exit ports: 5 Cable

Cod.:MOB236 25,60 €

Crown Micro 3.5mm audio jack wired headphones



Crown Micro 3.5mm audio jack wired headphones Characteristics Brand:
Crown Micro Model: CME-206 EAN code: 6941141602910 round cable Cable length: 1.2m Sensitivity 100+96dB Impedance 32 Ohms With microphone 3.5mm jack connector

Cod.:CME-206 3,96 €

Crown Micro 3.5mm audio jack wired headphones

CROWN



Crown Micro 3.5mm audio jack wired headphones Improved bass sound Ergonomic design Built-in microphone and button to accept the call Two extra pairs of silicone ear tips Technical features EAN code 6941141600121 Brand name Crown Micro Model CME-202 Microphone integrated Speaker diameter 10mm Maximum

Cod.:CME-202 4,76 €

Crown Micro wired headphones with 3.5mm audio jack



Crown Micro wired headphones with 3.5mm audio jack Characteristics Wired headset Driver Size: 14.2mm Impedance: 36?±8 Frequency Response: 20-20KHz Sensitivity: 130dB±3 Cable length: 120cm ± 5 Universal 3.5mm audio jack connector (for all mobile phones) Colors: black Supplier code: CME-205 Brand: Crown Micro EAN code: 6941141602903

Cod.:CME-205 4,36 €

Black Bluetooth headset



Black Bluetooth headset Characteristics
Material: ABS+TPE Bluetooth Version:
Bluetooth 5.0 Sensitivity: 103±3dB
Frequency response: 20HZ ~ 8KHZ
Maximum power: 3mW Impedance: 32?
Battery capacity: 3.7V/55mAh
Transmission distance: 10 meters Talking
or music time: about 6 hours Supported
protocols: HSP/HFP/A2DP/AVRCP

Cod.:N055 3,96 €

Mini bluetooth headset



Mini bluetooth headset Characteristics Model: JI002 Bluetooth Version: V5.0 Speaker impedance: 32?/?10mm Reception sensitivity: 106 dB Maximum operating distance: 10 meters Audio signal-to-noise ratio: ?90 dB Frequency Response: 2.402 GHz-2.480 GHz Built-in battery: 40mAh Talking/music time: 4 hours Charging time: 40 minutes

Cod.:N060 3,96 €

Wired headphones with 3.5mm audio jack - black



Wired headphones with 3.5mm audio jack - black Characteristics Material: ABS+TPE Speaker diameter: 10 mm Line length: 1.2m Audio connector: Ø 3.5 mm audio jack With microphone and call control button

Cod.:N070 1,36 €

Over-ear headphones with 3.5mm audio jack - white



Over-ear headphones with 3.5mm audio jack - white Characteristics Material: ABS+TPE Speaker diameter: 10 mm Line length: 1.2m Audio connector: Ø 3.5 mm audio jack With microphone and call control button

Cod.:N090 1,36 €

Stand for Lights



Support for lights to (T), extendable up to a maximum of 3 mt. It closes easily for transport and is ideal for Traveling DJ or for small stage performances Max height: 3 meters Crossbar: 1.2 meters Metallic grafts

Cod.:SP135 62,80 €

www.maltab2b.com Pagina 63/143

Professional stand for loudspeakers max 50Kg



Professional stand for loudspeakers max 50Kg Max load: 50Kg Tube diameter: 35mm Height: 1200mm Weight: 2Kg EAN: 8053323551522

Cod.:L250 24,00 €

Adjustable table stand for microphone



Adjustable table stand for microphone Solid and easy to handle desktop microphone stand Height adjustable to 75cm Perfect for studios and multimedia workstations Die-cast metal and steel construction Elegant black finish Adjustable 60mm screw clamp and tabletop positioning via included screws EAN code: 8053323559665

Cod.:MIC550 17,70 €

Microphone boom, with tripoid base and double MSA-771 connection



Microphone boom, with tripoid base and double socket MSA-771

PORTABLE AND LIGHTWEIGHT: The MSA-771 microphone stand is the perfect blend of quality and portability. Premium painted steel will last for years and is light enough to carry On the go! Little space? No problem. This microphone stand with tripod stand folds down for easy

Cod.:MIC124 38,00 €

Stand for lights - LS-20



Stand for lights - LS-20 With this stand you will be able to house your lighting equipment, comfortably and safely. Equipped with 3 bars for light installation. Color: black Number of extensions: 2 Maximum height: 3500mm Transport length: 1500mm Load in security: 60Kg Central crosspiece length: 1200mm

Cod.:Z611 116,42 €

Microphone stand, with tripod base MSA-880



Microphone pole, with tripoid base.
Since the beginning of its introduction,
this line of microphone stands has
proved extremely competitive. Its
success lies in the use of technologically
advanced components at competitive
prices, creative design and stability.
N. 2 included microphone holders.
Weight: 2.4 kg Color: Black Adjustable

Cod.:MIC005 46,10 €

Couple of wall supports for acoustic speakers



These wall brackets for diffusers are made of welded steel. Each has an adjustable plate to fit any standard size speaker. Plate size: 172x115x45mm Stirrup height: 230mm Extension bracket: 220-290mm Ability to tilt the bracket: 230mm Made of welded steel Wall mounting with screws and bolts (not included) Capac maximum load: 35 kg

Cod.:SP479 24,78 €

Table stand for microphone - 23 cm



Table stand for microphone Base diameter: 115mm Fixed height 230mm Color: black Adjustable adjustable microphone hook

Cod.:SP958 4,84 €

Table stand for microphone - 15 cm



Table stand for microphone Base with three feet 150mm fixed height Color: black Adjustable adjustable microphone hook

Cod.:SP979 4,00 €

Speaker stand - black



Speaker stand - black HEIGHT: 120cm-172cm WEIGHT CAPACITY: 60kg TUBE DIAMETER: 35mm

Cod.:SPS502 25,76 €

Pagina 64/143 www.maltab2b.com

Soundboard stand - black



HEIGHT: 110cm-180cm WEIGHT CAPACITY: 60kg

Cod.:A-333 31,08 €

Soundboard stand - anthracite gray



Height: 110cm - 180 cm Foot width: 85cm Weight capacity: 60Kg Color: anthracite gray

Cod.:A-444 28,14 €

Pair of wall stands for loudspeakers



Pair of wall stands for acoustic speakers Sturdy support in tubular steel on the wall, adjustable horizontally and with the possibility of adjusting the inclination. Color: black

Cod.:STAND450 33,18 €

Pair of speaker mounting brackets



Pair of speaker mounting brackets
Fvaaevc SPS-502B has a solid platform
with adjustable speaker adapter.
Perfect for mounting larger surround
sound or bookshelf monitor speakers
medium, especially for wooden or plastic
speakers without mounting
holes. Durable black construction,
includes a pair of support for two

Cod.:STAND845 25,20 €

Table stand for microphone



Table stand for microphone Table microphone stand with 3 legs metal folding and clip fastening. Product specification Color Black Template Support Materials Aluminum / Plastic Maximum weight 0.8 kg Supplier Code: MPST05BKCode EAN: 5412810291779

Cod.:ND5704 7,70 €

Universal microphone holder screw 5/8 "and 3/8" black



Universal microphone holder screw 5/8
"and 3/8" black Microphone support with
5/8" and 3/8 "connection. Product
specifications Color Black Template
Clamp Materials Plastic Supplier
Code: MPCL20BK EAN code:
5412810291755

Cod.:WB1130 1,96 €

Folding music stand with tripod base



Folding music stand with tripod base Main features Black colour Material: metal Fully resealable for easy transport Height (3 levels): 65-90-123cm 3 knobs for inclination adjustment and locking / unlocking of the rods Music stand dimensions (width / height): 46.5x29 cm Weight: 780g Ean

code: 5901785361803 Supplier

Cod.:MIC553 15,80 €

Universal tiltable speaker stand maximum weight 3.5kg



Universal tilting speaker stand maximum weight 3.5kg universal speaker wall mount, (rotatable and tiltable) for speakers up to max. 3.5 kg, black The ideal wall mount for satellite speakers weighing max. 3.5 kg, which is mounted on the single wire or a double wire of the speaker. It is a quick and easy installation solution with the wall plate

Cod.:STAND660 12,64 €

Microphone stand 194 - 230mm with pop filter



Microphone stand 194 - 230mm with pop filter This Nedis microphone table tripod allows you to mount and position your microphone stably thanks to the rubber feet. Height adjustable from 194 to 230 mm. The microphone stand can be adjusted up to 180 degrees. The included nylon pop filter can be easily positioned thanks to the super flexible 360 ??degree

Cod.:ND2501 19,60 €

www.maltab2b.com Pagina 65/143

Adjustable double support keyboard stand



Adjustable double support keyboard stand This X-shaped double keyboard stand station, which is made of sturdy steel, is ideal for musicians, bands, group performances and other music lovers. Made with heavy tube construction, this keyboard station is designed to support your keyboard for many years. With 7 different and

Cod.:X-300 27.30 €

Subwoofer/satellite spacer stand 97-144cm



Subwoofer/satellite spacer stand 97-144cm Adjustable steel box-subwoofer spacer support with 35mm diameter terminals. Equipped with a locking mechanism with knob and safety pin. On both sides it has the standard diameter of 35 mm. Characteristics Minimum height: 97cm Maximum height: 144mm Terminal

Cod.:S-6 15.60 €

Par LED 54x3W RGB 8CH DMX Strobe



54x3W RGBW 8CH DMX Strobe LED Par The lighthouse in question is equipped with 54 RGB POWER LEDs with prismatic optics, very powerful in their category. With a robust metal frame, this spotlight has compact dimensions, it is also equipped with a double metal bracket with through holes for positioning both on the ground, as

Cod.:L018 109.80 €

Programmable 18-LED 18W RGB strobe light



Programmable 18-LED 18W RGB strobe light Programmable 18-LED 18W RGB strobe light RGB projector with 18 colored LEDs that emits light with flashes. The projection angle of the light beam is about 25 degrees with 7 channel modes. Bracket included that allows positioning anywhere, even on the ceiling. It is ideal for clubs, pubs, discos

Cod.:L405 29,36 €

DMX 512 professional light mixer controller



DMX512 / 1990 standard, 512 DMX 2 optically isolated individual channels drive signal output port. Can be anti-2000Vrms Control 32 16 DMX channels Large screen LED backlit display operating parameters . 1600 chase steps storage capacity. 48 chases, each up to 100 steps. Speed ??of each step, You can run four chases, 48

Cod.:SUNNY-512 616,14€

Smoke machine - 1200W



Smoke machine with remote control 1200W Fog machine ideal for parties, concerts and DJ sets. Powerful and reliable thanks to quality components, it is the ideal solution for medium-sized rooms. The 1200 watt boiler and a modern and efficient pump system make this product one of the most popular smoke machines. It works both with wired

Cod.:SP398 129,60 €

400W smoke machine



It is ideal for small indoor shows and parties, it creates an excellent scenic effect both on a stage and on a dance floor. Offers a smoke production of 50m3 / min of smoke. Type: smoke machine Power: 400W Tank: 1 liters Smoke production: 50m3 / min Jet power: 6 meters 3m flush remote control Heater: 400W Recommended use: small rooms,

Cod.:SP898 58,80€

18x3W LED moving head



Voltage: 220-240V 50Hz Features Power: 60W LED light source: 18 RGB lamp beads 540 degrees horizontally 180 degrees vertically DMX channels: 12 channels Variety of optional strobe function, 10 times / sec; Continuously adjustable brightness from 0 to 100%;

RGB color mixing system Control functions: master-slave control, DMX

Cod.:SP035 138,60 €

Mini programmable 36W RGB LED strobe light



RGB projector with 36 colored LEDs that emits flashing light. The beam angle is about 25 degrees with 7 channel modes. Bracket included allowing placement anywhere, even on the ceiling. It is ideal for clubs, pubs, discos and/or to organize

a party at home, or simply to create the disco effect in your room. The lamp is equipped with a display on the back for

Cod.:L404 29,98 €

Pagina 66/143 www.maltab2b.com

Light effect 18 LED Party Fun Lights



Light effect 18 LED Party Fun Lights
The projector has an integrated audio
sensor that adjusts the speed and the
designed colors. Audio effects are
combined with visual effects to create a
wonderful atmosphere for your next
party! It can be placed on the floor or
hung from the ceiling. Details EAN
8717278860800 Trademark Party

Cod.:ED174 29,20 €

Grundig 3 speed light effect



Light effect Grundig 3 speeds Various lighting effects: Halloween, Snowflakes, Dots, Christmas, Stars Details EAN 8711252067025 Brand Grundig Dimensions 260 x 138 x 100 mm Weight about 0.800 KG 3 speeds Suitable for interiors and exteriors: IP44

Cod.:ED176 39,70 €

Party Fun Lights strobe light effect



Strobe light effect Party Fun Lights
EAN 8717278860794 Brand Party
Fun Lights Dimensions 55 x 97 x 147
mm Weight about 0.175 KG 5
LED Works with 3 AA batteries (not included)

Cod.:ED180 5,04 €

Party Fun Lights disco ball light effect



Light effect disco ball Party Fun Lights
Mirror lamp with 4 Colored LEDs to
recreate Disco Light Effects, Ball
Diameter 10 cm. Details EAN
8717278865812 Brand Party Fun
Lights Dimensions 170 x 135 x 135
mm Weight about 0.696 KG 4
LEDs Sphere diameter: 10cm
Movement: rotation

Cod.:ED182 21,40 €

Bright Ball Party Fun Lights



Party Fun Lights Luminous Ball At a party you don't just want the best party music. You also want to create a light show and with this mirror ball it's a breeze. The numerous reflective mirrors ensure that the entire party space is bathed in beautiful light that is constantly changing in intensity and color. This will give your party a real disco character. The main

Cod.:ED196 12,16 €

Lamp 3 eggs with LED Party Fun Lights



Lamp 3 eggs per Party Fun Lights The magic eggs gradually change color creating a relaxing atmosphere. They are ideal for any party and are also fantastic as Easter decorations. Details EAN 8717278863924 Trademark Party Fun Lights Dimensions 120 x 190 x 190 mm Weight about 0.866 KG Eggs that change color

Cod.:ED200 47,02 €

Party Fun Lights rotating ball and spotlight



Rotating sphere and spotlight Party Fun Lights Create a wonderful light by hanging these lights from the siffitto for a special atmosphere at your party! These party lights with a rotating ball with mirror work on batteries (batteries are not included). The light includes 4 different filters of light and an adapter. Details EAN 8717278865188 Brand Party

Cod.:ED204 39,24 €

LED light effect siren Red Police Party Fun Lights



Siren LED light effect Red Police Party
Fun Light This smart flashing mini
flashing light should not be missing in
any disco or party. Thanks to battery
power, assembly and transport is easy.
Details EAN 8717278860619 Brand
Party Fun Lights Dimensions 120 x
70 x 95 mm Weight about 0.203 KG
Movement: rotation

Cod.:ED284 4,00 €

CREE LED Beam Light 8 RGBW DMX512 Lights



Hot 8*3w CREE LED Beam Light 8 Eyes RGBW LED Light DMX512 Stage Light DJ/Fest/Home / Bar /Stage /Party Light Stage Machine1 Item Type: Stage Lighting Effect2 Plug Type: US Plug 3 Style: DMX Stage Light4 Occasion: Professional Stage & DJ5 Model Number: NO.0316 Voltage used: AC110 & Amp;220V, 50HZ7 Power:25wLED:

Cod.:RG610 138,00 €

www.maltab2b.com Pagina 67/143

DMX512 controller 192 channels



It allows you to control any DMX equipment, such as lights, LED projectors, moving heads, scanners, lasers, smoke machines, fire machines and any device equipped with a DMX input. Main functions: 192 channels with the possibility of controlling 12 units with a maximum of 16 channels each, 6 programmable chases of 240 scenes,

Cod.:CA242 81,90 €

LED BUTTERFLY 30W RGBW DMX512



The Butterfly LED combines the power of 2 effects in 1. The strobes produce captivating strobing and chasing effects. Now you can reproduce 14 spokes in 4 different colors. A great effect for any DJ or entertainer. 4 Monochrome RGBW LEDs Pre-programmed shows Sound activated Auto mode with adjustable speed Dimensions:

Cod.:RG-620 115,08 €

LED SHELL LIGHT 50W RGBW DMX512



The LED Shell Light combines the power of 2 effects in 1. Strobes produce captivating strobing and chasing effects. Now you can reproduce 8 spokes in 4 different colors. A great effect for any DJ or entertainer. 4 Monochrome RGBW LEDs Pre-programmed shows Sound activated Auto mode with adjustable speed Dimensions:

Cod.:RG-617 94,08 €

Laser light effect with Grundig IP44 motion detector



IP44 Grundig laser light effect With Grundig's laser light effect you literally immerse yourself in the light. You can choose from three different lighting options. The light irradiation covers about 300 square meters. Main features Material: Plastic / Aluminum Dimensions: 38 x 14cm (L x W)

Protection factor: IP44 Scope: about 300

Cod.:ED5208 31,48 €

LED light effect 4 Grundig battery variants



LED light effect 4 variants with Grundig battery Light up your themed parties with this little light effect projector. Choose from 4 patterns: Halloween, Christmas, Snow, New Year. Easy to move thanks to its small size, it does not require electrical connections as it works with 3 AAA batteries. Technical features EAN: 8711252151007 Manufacturer:

Cod.:ED287 21,32 €

4 Pieces - CREE LED Beam Light 8 RGBW DMX512 Lights



Hot 8*3w CREE LED Beam Light 8 Eyes RGBW LED Light DMX512 Stage Light DJ/Fest/Home / Bar /Stage /Party Light Stage Machine 1 Item Type: Stage Lighting Effect 2 Plug Type: US Plug 3 Style: DMX Stage Light 4 Occasion: Professional Stage & DJ 5 Model Number: NO.031 6 Voltage used: AC110 & Amp;220V, 50HZ 7 Power:25wLED:

Cod.:RG610-4 378,00 €

Kit 4 Par LED + DMX control unit + 3 m lights stand + 4 DMX cables



Kit 4 Par LED + DMX control unit + 3 m light stand + 4 DMX cables Complete lighting system that includes all accessories in one package. It's the smartest solution for all musicians, DJs and small rental companies. The kit consists of 4 pieces of Par LED 54x3W RGB 8CH DMX Strobo The spotlight in question is equipped with 54 POWER

Cod.:KITLIGHT-100 436,00 €

Kit 4 RGB strobe lights + DMX control unit + 3 m lights stand + 4 DMX cables



Kit 4 RGB strobe lights + DMX control unit + 3 m light stand + 4 DMX cables Complete lighting system including all accessories in one package. It's the smartest solution for all musicians, DJs and small rental companies. The kit consists of 4 RGB strobe lights with 36 programmable 36W LEDs RGB projector with 36 colored LEDs that emits flashing

Cod.:KITLIGHT-200 276,00 €

Tripod / support for double projector 160cm



Tripod / support for dual projector 160cm UNIVERSAL: the projector holder is primarily designed for projectors and work lights. It is used in renovation, workshop and construction work, as well as in garages, outdoor events and many other jobs that require good lighting.

DURABLE AND RELIABLE: The projector holder has a solid structure and

Cod.:WB1705 29,96 €

Pagina 68/143 www.maltab2b.com

7x10W RGB LED projector with rotating head



7x10W RGB LED projector with rotating head Features EAN code: 6971320210834 Input voltage: 110-240V AC 50 / 60Hz Absorbed power: 150W Bulbs: 7 LEDs of 10W each RGBW 4in1 Control: DMX512, Sound, Auto, Master - slave Channels: 9-14 channels Weight: 3.5kg Dimensions: 27 * 22 * 25cm Power cord

Cod.:SP550 99,80 €

75W strobe light 1-15 flashes per second ST-75



75W strobe light 1-15 flashes per second ST-75 You enter a new bright dimension. KOOL LIGHT also offers a range of controllers and accessories for creating a unique lighting environment: yours! Specifications Brand: Kool Light Power: 75 W variable speed from 1 to 15 flashes / sec Jack input and output for remote control (not included)

Cod.:F1718 29,96 €

Red / green dual laser projector light effect with remote control and Bluetooth speaker



Red / green dual laser projector light effect with remote control and Bluetooth speaker Able to illuminate large areas, this laser projector is weatherproof and can therefore be used both indoors and outdoors. Incorporates 2 laser projectors (green and red) and a speaker for playing songs received via bluetooth. The laser beams move and fade to the beat of the

Cod.:WB1304 29,80 €

DMX 512 controller professional lighting mixer



DMX 512 controller professional lighting mixer Power supply: AC100- 240V, 50Hz-60Hz Power consumption: 15 W Control panel: LCD display DMX channels: 512CHS DMX output interface: 2x 3P-XLR NB: Some key colors may vary Features 1. Standard DMX 512/1990, 512 DMX channels, output with isolated optics. 2.

Cod.:V3087 596,00 €

DMX 512 controller 384 channels with USB lamp included



DMX 512 controller 384 channels with USB lamp included 384-channel DMX control panel Ideal for controlling up to twelve effects with a maximum of thirty-two channels each 30 memory banks with 8 programmable scenes each up to 240 16 faders for manual channel control Built-in microphone for sound controlled features of devices

Cod.:V3089 216,00 €

DMX 512 controller with 8 faders 240 channels



DMX 512 controller with 8 faders 240 channels DMX 512 controller with 240 channels and with the most popular functions of DMX controllers. Basic and economical model that will allow you to control small installations of lighting fixtures, stages and special effects equipment compatible with the DMX 512 standard. Mounted on a metal housing

Cod.:V3069 197,60 €

Moving head LED 36x10W DMX 15CH



Moving head LED 36x10W DMX 15CH
The Zoom Moving Head Stage Light is
built with 36x10W 4-in-1 RGBW LEDs to
produce colorful beams and a variety of
lighting effects, perfect for stage
lighting. You can control the lamp via
DMX, sound control, master and slave or
just let it rotate automatically. The moving
head allows for wide angle pan or tilt

Cod.:RG-212 516,00 €

Moving head Beam 380W LED 16 channels DMX512 / master-slave / automatic controls



Moving head Beam 380W LED 16 channels DMX512 / master-slave / automatic controls Features Lamp: 380W high efficiency bulb Ballast: electronic ballast Rated power: 600W (high efficiency and reliable switching power supply) Color Wheel: Each color consists of 13 color chips + white light Pattern: 17 patterns + colorful effect + fog

Cod.:BEAM380

RGB spider laser moving head



RGB spider laser moving head Characteristics Input voltage: AC220-240V 50/60Hz Connectors: 3-pole power socket 1x male-1x female, 3-pin female XLR for DMX input, 3-pin male XLR for DMX output Laser power: R: 200mW/637nm, G: 80mW/532nm, B: 500mw/445nm Vibrating mirror: 20K Control methods: audio control / Auto /

Cod.:RG-231 496,00 €

www.maltab2b.com Pagina 69/143

1.056,00

300W USB / SD powered speaker with Bluetooth



300W USB / SD Amplified Speaker with bluetooth Features Maximum power 300 watts RMS power: 175 watts Resp. freq: 42 - 22.000 Hz Spl max 129 dB Treble and bass adjustment Inputs for 2 microphones RCA audio input Works with Bluetooth USB / SD slot Woofer 32 cm (12 ") Construction in abs Mount for housing on stand

Cod.:BD-122U 193,20 €

USB / SD Amplified speaker with bluetooth



TECHNICAL FEATURES Maximum power 250 watts RMS power 125 watts Frequency response: 45 - 22,000 Hz S PL max: 119 dB Adjusting the ups and downs Input for 2 microphones RCA audio input USB / SD slot Woofer 26 cm (10") Material: ABS Graft for accommodation on stand Dimensions: H 50 XL 30 XP 28 cm Equipped with

Cod.:BD-102U 123,90 €

Tube subwoofer 10" MP3 Bluetooth 200W



Tube subwoofer 10" MP3 Bluetooth 200W With 200W of maximum power, this bass reflex tube is a ready-to-use subwoofer, the perfect accessory for lovers of big bass! A protective grille ensures that the subwoofer speaker cannot be damaged. Possibility to connect bluetooth devices.

Characteristics It works both at 220V and

Cod.:S10 76,00 €

Tube subwoofer for 8 "with MP3 player



With 100W of maximum power, this bass reflex tube is a ready-to-use subwoofer, the perfect accessory for lovers of big bass! A protective grille ensures that the subwoofer speaker cannot be damaged.

It works both at 220V and at 12-24V. USB input and SD card reader to play audio files in MP3 format.Stereo RCA input. Maximum power: 100W

Cod.:S08 48,30 €

PA 100V 40W wall diffuser - Black



PA 100V 40W wall diffuser - Black Power: 40W Frequency response: 70-20.000Hz Sensitivity: 89 dB (+/- 3dB) Line transformer: 100V Connection: screw contact Dimensions: 310x185x200mm Support for wall mounting: supplied Woofer: 6" (16cm) Oval Tweeter: 100x40mm Color: black

Cod.:W258 50,16 €

Amplified USB / SD box with bluetooth and rechargeable battery



USB/SD amplified speaker with bluetooth and rechargeable battery TECHNICAL FEATURES maximum power 450 watts rms power 225 watts resp. freq: 40 - 22,000Hz spl max 129dB treble and bass adjustment input for microphone and musical instrument RCA audio input additional battery input USB/SD slots FM radio 38cm (15") woofers ABS

Cod.:KP-158 312,90 €

Martin Brother - Blackline S15 500W



The S15 and S18 sub-bass systems can be used in conjunction with the F12 and F15 models to broaden and enhance low frequency output. The S15 sub-bass produces a low and dry sound thanks to a 380mm driver, while the S18 sub-bass, thanks to the 460mm driver, offers a very low and deep sound. Both drivers feature a 101mm high-temperature voice coil,

Cod.:S15 941,20 €

Martin Brother - Blackline F15 400W



The F15 model, despite being an extremely compact two-way loudspeaker, guarantees an extraordinarily powerful and dynamic sound over the entire frequency range. The powerful 380mm driver with 76mm bass voice coil is combined with a 35mm compression driver mounted on an 80 x 50 HF steerable horn. The F15 loudspeaker,

Cod.:F15 838,48 €

Martin Brother - Blackline S18 500W



The sub-bass systems S15 and S18 can be used in combination with the F12 and F15 models to expand and improve the output power of low frequencies. The sub-bass S15 produces a low and dry sound thanks to a 380mm driver, while the S18 sub-bass, thanks to the 460mm driver, offers a very low and deep sound. Both drivers have a voice coil

Cod.:S18

1.053,74

Pagina 70/143 www.maltab2b.com

Martin Brother - Long Throw LE400B



LE400B Pro Audio is a monitor two-way active / passive , characterized by from the the dimensions compact and da deflector rotary. The LE400B consists of a unit from 15 " (380 mm) low frequency for guarantee very good low performance and a unit from 1 " (25mm) mounted on a cone

Cod.:LE400B

929,64 €

Martin Brother - Blackline F215 800W



The Blackline F215 is a trapezoidal, passive two-way unit with dual 380mm/75mm low frequency voice coil driver. Even though both drivers have the same low frequency characteristics and work together up to 250Hz, they are designed to have different characteristics in the mid bands. Above 250Hz, only the top driver - a specially designed low

Cod.:F215

Martin Brother - Blackline S218 1000W



The S218 model was designed to be actively driven by the M3 controller. To support the large excursions typical of a high-quality sub-low speaker, 2 powerful 460mm drivers with a 101mm voice coil are used. The presence of large reflex agreements ensures optimal unit tuning and reduces air noise. In combination with the H2 or H3 models, the S218

Cod.:S218

1.752,28 €

Martin Brother - Long Throw W8LM



The W8LM is a mini line array enclosure designed to bring line array performance benefits to a variety of small and medium scale applications. It meets the need for a versatile, scalable system that can be flown or ground stacked for corporate events, theatres and indoor venues. It is also suitable as a delay system for large scale outdoor sound reinforcement.

Cod.:W8LM

1.687,26

Martin Brother - Long Throw WSX



The WSX is a folded horn subwoofer which has been specifically designed to reproduce very deep bass frequencies with maximum efficiency, speed and impact. It is intended to be used with Martin Brother Wavefront Series loudspeakers such as the W8L, W8C and also the line array enclosures in the most demanding touring situations where

Cod.:WSX

1.770,24

1.604,32

Martin Brother - Long Throw W3



Extremely versatile, the Wavefront W3 is a unique, innovative full-range system, utilising advanced Martin Brother engineering to achieve true three-way full frequency performance from an enclosure only 28" high. It delivers the clarity required for speech and music applications as well as the power, warmth and depth to generate an exciting live

Cod.:W3

1.708,18 €

Martin Brother - Long Throw WS2A



WS2A is a professional subwoofer speaker for use with Wavefront Series full-range speaker enclosures in situations where ultra-low frequency enhancement and increased system headrooom are required. It can be used for Theatre sub-bass, Live sound reinforcement and Nightclub system sub-bass.

Type: Compact, sub bass

Cod.:WS2A

1.708,18

Pair of 150Wx2 RMS loudspeakers



Acoustic boxes characterized by: No. 1 x 8" Woofer No. 2 x 4" Midrange No. 1 x 1" Tweeters Dimensions: 1090x360x155mm

Cod.:AV2418

163,80 €

PA 100V 7.5W column speaker



PA 100V 7.5W column speaker Input Power: 7.5W RMS -10W Max. Power Taps: 10W, 7.5/5/2.5W Impedance/Voltage 8 OHMS & D1,000Hz Frequency Response: 150 ~ 10,000Hz SPL at 1K Hz: 92dB/1W/1m Dimensions: W160 × H255 × D135mm

Cod.:V790

46,10 €

www.maltab2b.com Pagina 71/143

AMPLIFIED SUBWOOFER 15 "500W



Made in ABS 2 amplified outputs for passive speakers Metal stand for mounting external speakers. 15"
SUBWOOFER Magnet 80 oz Voice Coil 3"BASV Frequency Response 40HZ-3.5KHZ Sensitivity 99dB(/-2dB) Impedance 8 ohms RMS Power 250W Amplifier(A) PP-24115A Impedance 8 ohms Voltage 110/220V/AC/60-50HZ

Cod.:PP-24115A

457,80 €

AMPLIFIED SUBWOOFER 18 "600W



Made of ABS 2 Amplified outputs for passive speakers Metal stand for mounting external speakers. 18"

SUBWOOFER Magnet 100 oz Voice Coil 4" BASV Frequency Response 35-HZ-3KHZ Sensitivity 98dB (/ -2dB)

RMS Power 300W Amplifier (A)

PP-24118A Impedance 8 ohms

Voltage 110 / 220V / AC Voltage/

Cod.:PP-24118A

499,80 €

150W amplified loudspeaker max with battery - bluetooth - SD / USB - radio



150W max amplified loudspeaker with battery - bluetooth - SD/USB - radio Features Works with both rechargeable battery and 220V 8" woofer 15x5cm tweeters 2 6.3mm jack microphone inputs Bass, treble, ECHO, volume, MIC volume adjustment Input for 12V external supplementary battery Stereo RCA AUX input Charger supplied Remote

Cod.:KP-88

136.00 €

Amplified loudspeaker 200W max with battery - bluetooth - SD / USB - radio



200W max amplified speaker with battery - bluetooth - SD / USB - radio Features Works with both rechargeable battery and 220V 10 "woofer Tweeter 20x8cm 2 microphone inputs 6.3mm jack Adjusting bass, treble, ECHO, volume, MIC volume Input for additional 12V external battery Stereo RCA AUX input Charger supplied Scratch-resistant ABS

Cod.:KP-108 168,00 €

Martin Brother - KV10 Karaoke Speaker 150W



Martin Brother - KV10 Karaoke Speaker 150W The speaker KV10 karaoke è un coaxial system passive versatile, 2-way designed for the application where an 'elevated exit with an envelope ultra - compact and a limited space . Offers a great sound with capabilities management of power up to 150 W att RMS. Type: 10

Cod.:KV10 314,80 €

SUBWOOFER 15 "500W



SUBWOOFER 15 "500W Made of ABS Metal stand for mounting external speakers. 15 "SUBWOOFER Magnet 80 oz Voice Coil 3" BASV Frequency Response 40HZ-3.5KHZ Sensitivity 99dB (/-2dB) Impedance 8 ohm RMS Power 250W

Cod.:SUB24115 205,80 €

SUBWOOFER 18 "600W



SUBWOOFER 18 "600W Made of ABS Metal stand for mounting external speakers. 18" SUBWOOFER Magnet 100 oz Voice Coil 4" BASV Frequency Response 35 -HZ-3KHZ Sensitivity 98dB (/ -2dB) Impedance 8 8 hm RMS Power 300W

Cod.:SUB24118 268,80 €

Jiasound B7-24 Stagebox Power Strip XLR 20/4



Jiasound B7-24 Stagebox Power Strip XLR 20/4 24 channels (20 entrances and 4 returns), coded connectors

Cod.:SP630 102,90 €

Pair of active speakers BLUETOOTH + LED + USB-SD



Pair of active speakers BLUETOOTH + LED + USB-SD Maximum power 200 watts cp. 16.5 cm woofer per speaker Freq answer: 40 - 20.000 hz Spl 89 max Built-in led effects MP3-usb-sd player Dimensions each: 41 x 21 x 20 cm

Cod.:MD-11 84,00 €

Pagina 72/143 www.maltab2b.com

8-channel XLR stage strip



Jiasound B7-8 Stagebox XLR power strip 8 channels, coded connectors

Cod.:SP800 83,58 €

Jiasound B7-32 Stagebox Power Strip XLR 28/4



Jiasound B7-32 Stagebox XLR Power Strip 28/4 32 channels (28 inputs and 4 returns), coded connectors

Cod.:SP845 184,80 €

Amplified Acoustic Speakers Pair 150W max with USB and Bluetooth



Pair Acoustic Speakers 150W max with USB and Bluetooth The LY-31 set of amplified loudspeakers consists of an active and a passive speaker and guarantees a powerful sound with excellent audio pressure.ÿThe speaker set is ideal for medium to large sized rooms The sturdy structure of the pair of speakers, consisting of an MDF frame

Cod.:LY31-B 136,00 €

Amplified Acoustic Speakers Pair 200W max with USB - Black



Pair Acoustic Speakers 200W max with USB and Bluetooth The LY-32 set of amplified loudspeakers consists of an active and a passive speaker and guarantees a powerful sound with excellent audio pressure. The speaker set is ideal for medium to large sized rooms The sturdy structure of the pair of speakers, consisting of an MDF frame

Cod.:LY32-B 176,00 €

100W passive acoustic case in wood with metal inserts - Barrel shape





100W passive acoustic case in wood with metal inserts - Barrel shape Size: 240x200mm Impedance: 80hm

Cod.:V2020 83,58 €

PA loudspeakers PA 100V 30W - White



PA loudspeakers PA 100V 30W - White Pair of 100 V wall loudspeakers with white plastic cabinet High sound quality and speech intelligibility Mounting bracket for rotation and inclination Weather-resistant 5 commutations available Impedance: 8 Ohms Bandwidth: 90-20,000 Hz Dimensions: 340x200x210mm

Cod.:V2050 102,48 €

Pair of 2-way passive loudspeakers 300W - LG CJS45F





Pair of 2-way speakers 300W - LG CJS45F RMS power: 100W SPL: 83dB Front Speaker - Tweeter Unit: 1.57" Front Speaker - Woofer Unit: 6.5" Impedance: 3 Ohm Single case size: 310x265x225mm

Cod.:V4010 71,40 €

PA 2-way sound box 30W IP55 70 / 100V 8 Ohm - Black



70/100 V wall loudspeakers with plastic cabinet High sound quality and speech intelligibility Mounting bracket for rotation Weather-resistant 5 selectable powers 6 commutations available Impedance: 8 Ohms Bandwidth: 90-20,000 Hz Dimensions: 240x185x165mm

Cod.:V4075 72,00 €

PA 2-way sound box 30W IP55 70 / 100V 8 Ohm - White



70/100 V wall loudspeakers with plastic cabinet High sound quality and speech intelligibility Mounting bracket for rotation Weather-resistant 5 selectable powers 6 commutations available Impedance: 8 Ohms Bandwidth: 90-20,000 Hz Dimensions: 240x185x165mm

Cod.:V4055 72,00 €

www.maltab2b.com Pagina 73/143

PA 10W 100V 8 Ohm sound box



100V wall-mounted speaker with plastic cabinet Impedance: 8 Ohms Woofer: 135mm Power: 5W-10W Bandwidth: 100-20,000 Hz Dimensions: 265x165x115mm Color: white

Cod.:V4020 20,58 €

PA 5/10 / 20W 100V sound box



100 V wall-mounted loudspeakers with plastic cabinet Bandwidth: 100-20,000 Hz Dimensions: 270x180x105mm Color: white

Cod.:V4070 31,08 €

200W Sphere Bluetooth Speaker - White



200W sphere bluetooth loudspeaker -White Sphere size: 30cm Height: 110cm Base diameter: 28cm Power supply: 220V AC Can only be controlled via bluetooth

Cod.:V998 176,40 €

Pair of 2-way speakers 150W with bluetooth





Pair of 150W 2-way loudspeakers with bluetooth Single speaker power: 150W max Single speaker RMS power: 75W Woofer: 6 inch (150mm) Tweeter: 2.5 inch (65mm) Single case dimensions: 370x245x245mm Bass, treble, volume adjustment RCA stereo input, 6.3mm jack

Cod.:V3 415,80 €

Acoustic speaker 8 "Battery LED light Bluetooth / SD / USB / Radio LiGE-X8



Acoustic speaker 8 "Battery LED light Bluetooth / SD / USB / Radio LiGE-X8 Main features 5V DC power input TF card input USB input Mode between AUX / FM / BT / USB / TF AUX IN for connection with external audio equipment, MIC IN to connect the microphone Multicolor LED light Dimensions: 35x24x21 cm Details

Cod.:LIGE-X8 58,80 €

Acoustic speaker 5.25 "+ 2x4" LED lights Bluetooth / SD / USB / Radio UF-1506B-DT



Acoustic Speaker 5.25" + 2x4" LED Lights Bluetooth/SD/USB/Radio UF-1506B-DT Main features TF card input USB input Modes among AUX / FM / BT / USB / TF 110V-240V power supply Dimensions: 380x350x230 mm (handles included) Multicolor LED lights Details 5.25" Subwoofer Portable Speaker Tweeter 2x 4" 110V-240V AC

Cod.:UF-1506B-DT 79,80 €

Loudspeaker 8 "Battery LED Light Bluetooth / SD / USB / Radio LiGE-880-BLUE



Speaker 8 "Battery LED Light Bluetooth / SD / USB / Radio LiGE-880-BLUE Main features 5V DC power input TF card slot USB input Mode between AUX / FM / BT / USB / TF AUX IN for connection with audio equipment external, MIC IN to connect the microphone Multicolored LED light Dimensions: 35x32x20 cm Details

39,96 €

Cod.:LIGE-880-BLUE

Acoustic speaker 8 "Battery LED light Bluetooth / SD / USB / Radio LiGE-880-BLACK



Speaker 8" Battery LED light
Bluetooth/SD/USB/Radio LiGE-880-BLA
CK Main features 5V DC power input TF
card input USB input Modes among AUX
/ FM / BT / USB / TF AUX IN for
connecting with external audio
equipment, MIC IN for connecting
microphone Multicolor LED light
Dimensions: 35x32x20cm Details

Cod.:LIGE-880-BLAC

K

Speaker 600W max



Speaker 600 W max Size 78 x 47 x 45 cm Power 600 W max Impedance 4 Ohm Sensitivity 95 3dB

Cod.:VT-815 228,90 €

Pagina 74/143 www.maltab2b.com

39.96 €

Pair of passive loudspeakers 8 "2 ways 400W - LG CLS65F





Pair of 2-way speakers 400W - LG CLS65F RMS power: 150W SPL: 83dB Front Speaker - Tweeter Unit: 2" Front Speaker - Woofer Unit: 8" Impedance: 4 Ohm Single case size: 360x295x235mm

Cod.:LG CLS65F 81,90 €

Pair of 2-way loudspeakers 80W max 21.5x14x13cm



Pair of 2-way speakers 80W max 21.5x14x13cm Technical characteristics Power: 80W max Dimensions: 21.5x14x13cm Design compact Matt black color Rear support for easy transport by hand Hole for hanging the speakers on the wall Protection grid

Cod.:V2024 79,80 €

3" Bluetooth USB microSD speaker 5W RMS LED



3" Bluetooth USB microSD speaker 5W RMS LED Always bring your music with you thanks to the P28-H6 portable speaker. Thanks to this product, you can listen to your favorite music in any environment whether it is external or domestic. Features RMS power: 5W Speaker size: 3" Keys for volume control, playback mode, PLAY, PAUSE,

Cod.:P28-H6 5,98 €

Professional passive loudspeaker



Professional passive loudspeaker Max power 40W Metallic structure Woofer 4 " Tweeter 3 " Dimensions 32x23.5x8.5

Cod.:V3084 51,24 €

2.1 passive audio system 150W max



2.1 passive audio system 150W max
Audio system consisting of 3
loudspeakers, with a total peak power of
150W. Twin speaker pair
characteristics (data for each speaker)
Height: 24cm Width: 9cm Depth: 21cm
1x tweeter 1" 1x woofer 3 " Main
speaker features Height: 30cm Width:
10cm Depth: 27.5 cm 1x woofeer 6 "

Cod.:V915 31,08 €

Loudspeaker 8 "Battery LED light Bluetooth / SD / USB / Radio LIGE-F2



Speaker 8 "Battery LED light Bluetooth / SD / USB / Radio LIGE-F2 General features 5V DC power input Mode:
 AUX / FM / Bluetooth / USB / TF (MicroSD) TF card input (MicroSD)
USB input Bluetooth with TWS function (paired with another identical speaker, allows you to create a stereo system, with the left and right channels managed

Cod.:LIGE-F2 33,80 €

Loudspeaker 2x 4 "20W Battery LED Effects Bluetooth / SD / USB / Radio LiGE-A48



Speaker 2x 4" 20W Battery LED Effects Bluetooth/SD/USB/Radio LiGE-A48 General characteristics 2x 4" speakers USB input TF (MicroSD) input AUX input (3.5mm jack) MIC input (6.35mm jack) FM radio LED lights Button functions in audio playback: PLAY/PAUSE, PREV, NEXT Mode switch button: AUX, USB, TF, Bluetooth, Radio Technical

Cod.:LIGE-A48 33,40 €

Portable 8 "trolley acoustic case Battery LED light Bluetooth SD / USB / Radio KOLAV-F16



Portable speaker trolley 8 "Battery LED light Bluetooth / SD / USB / Radio KOLAV-F16 General features Telescopic handle for easy transport Wheels for transport in trolley mode 5V power input DC Mode: AUX / FM / Bluetooth / USB / TF (MicroSD) TF card input (MicroSD) USB input Bluetooth with TWS function (paired with another

Cod.:KOLAV-F16 41,60 €

Loudspeaker 8 "Battery LED Light Bluetooth / SD / USB / Radio LiGE-X11



Speaker 8 "Battery LED Light Bluetooth / SD / USB / Radio LiGE-X11 General features 5V DC power input Mode:
AUX / FM / Bluetooth / USB / TF (MicroSD) TF (MicroSD) card input USB input AUX input (3.5mm jack)
MIC input (6.35mm jack) Multicolored LED light Front LED display Volume knob Treble knob Bass knob Button

Cod.:LIGE-X11 60,90 €

www.maltab2b.com Pagina 75/143

4 "2-way in-wall speaker



2-way 4-way wall speaker Features
Model: DH-0304T 2 way Impedance 8
ohm Power 20W Frequency
90Hz-20Khz Sensitivity 86dB (1w / m)
Woofer: 4 "(103mm) Tweeter: 0.5"
(13mm) PET dome Dimensions: H * W *
D 210 * 170 * 143mm White color

Cod.:SP1000 37,80 €

6.5 "2-way in-wall speaker



6.5 "2-way wall speaker Features

Model: DH-0306T 2 way Impedance 8
ohm Power 40W Frequency

60Hz-20Khz Sensitivity 88dB (1w / m)
Woofer: 6.5 "(103mm) Tweeter: 0.5"

(13mm) PET dome Dimensions: H * W *
D 290 * 218 * 183mm White color

Cod.:SP6217 50,40 €

5.25 "8 Ohm 30W 2-Way Wall Speaker



5.25 "8 Ohm 30W 2-way wall speaker Features Model: DH -0405T 2 way Impedance 8 ohm Power 30W Frequency 75Hz-20Khz Sensitivity 88dB (1w / m) Woofer: 5.25 "(135mm) Tweeter: 0.5" (13mm) Dome in PET Dimensions: H * W * D 253 * 175 * 149mm White color

Cod.:SP6811 38,00 €

Pair of 10 "Passive Acoustic Speakers



WEB

Pair of Horizontal Passive Acoustic Speakers Excellent 10" wooden speakers with double Magnetic tweeter, they are suitable for multiple audio applications, with a well defined and clear sound. Each speaker weighs 6, 6 Kg. Features Measurements Each: width 51 x height 30 x depth 29 cm. Impedance 4 Ohm 26 cm woofer. (10 ")

Cod.:K1010 108,00 €

Subwoofer 80W 6 Ohm 8" nero Vision-SUB10 Dantax



Subwoofer 80W 6 Ohm 8" black Vision-SUB10 Dantax Characteristics Brand: Dantax Model: Vision-SUB10 Woofer Size: 8" Power (W): 80W Impedance: 6 ohms Sensitivity: 88 +/-3dB Frequency: 45-3000Hz Color: Glossy Black Dimensions: 416*324*490mm

Cod.:DANTAX 96,00 €

Active Hi-Fi speakers 100W USB / Bluetooth 2-way PW-26B



Active Hi-Fi speakers 100W USB / Bluetooth 2-way PW-26B The PW-26B Bookshelf Speaker is an affordable self-powered hifi speaker with wireless Bluetooth (version 4.0) and USB. It is small and elegant, designed with a 2-way speaker sound system, includes a 4 " woofer and a 1 " silk tweeter.Integrated high efficiency class D digital amplifier

Cod.:WB1308 159,60 €

Portable Rechargeable Trolley Speaker 12 "100W Bluetooth TWS SD / USB / Radio 1288M-BPEL LED Light



Portable Rechargeable Trolley Acoustic Box 12 "100W LED Bluetooth TWS SD / USB / Radio 1288M-BPEL Features Brand: iBastek EAN code: 72861469661 Model: 1288M-BPEL RMS power: 50W Speaker size: 12 " Impedance: 4 Ohm Power supply: 110V 50 Hz Input impedance: 47K Ohm Sensitivity: 400mV SNR: 85dB LED

Cod.:1288M-BPEL 150,00 €

Portable 6.5 "16W Rechargeable Loudspeaker Bluetooth TWS / USB / Radio LED Light KOLAV-M603



Portable 6.5 "16W Rechargeable Loudspeaker Bluetooth TWS / USB / Radio KOLAV-M603 LED Light Features Model: KOLAV-M603 Speaker size: 6.5 " Power supply: DC 5V Battery: 3.7V 1200mAh Material: plastic Dimensions: 225x215x305 mm TWS function: ability to connect the phone to two speakers at the same time Accessories Manual

Cod.:KOLAV-M603

Speakerphone Bluetooth TWS / USB / Radio LED Light KOLAV-J601

6.5 "20W Rechargeable Portable



6.5 "20W Rechargeable Portable Loudspeaker Bluetooth TWS / USB / Radio KOLAV-J601 LED Light Features Model: KOLAV-J601 Speaker size: 6.5" RMS power: 10W impedance: 4 Ohm Power supply: DC 5V Battery: 3.7V 1200mAh Material: plastic Dimensions: 22x22x32.5 cm TWS function: possibility to connect the

Cod.:KOLAV-J601 32,40 €

Pagina 76/143 www.maltab2b.com

22,00€

6.5 "20W Rechargeable Portable Speakerphone Bluetooth TWS / USB / Radio LED Light KOLAV-F602



6.5 "20W Rechargeable Portable
Loudspeaker Bluetooth TWS / USB /
Radio KOLAV-F602 Bluetooth LED Light
Features Template KOLAV-F602
Speaker size 6.5" Power DC 5V
RMS power 10W Impedance 4
Ohm TWS Features Ability to connect
the phone to two speakers at the same
time Audio inputs USB input, 6.35mm

Cod.:KOLAV-F602 22,00 €

6.5 "20W Rechargeable Portable Speakerphone Bluetooth TWS / USB / Radio LED Light KOLAV-F601



6.5 "20W Rechargeable Portable
Loudspeaker Bluetooth TWS / USB /
Radio KOLAV-F601 Bluetooth LED Light
Features Model KOLAV-F601
Speaker size 6.5 " RMS power 10W
Impedance 4 Ohm TWS mode
possibility to connect two speakers to the
phone at the same time Audio inputs
Bluetooth, USB input, 6.35mm AUX for

Cod.:KOLAV-F601 19,80 €

8 "20W Rechargeable Portable Speakerphone Bluetooth TWS SD / USB / Radio LED Light KOLAV-Q14



Rechargeable portable speaker 8 "20W Bluetooth TWS SD / USB / Radio LED light KOLAV-Q14 Features Model KOLAV-Q14 Speaker size 8 " Feed DC5V Battery 3.7V1500mA RMS power 10W TWS function Ability to connect the phone to two speakers at the same time Material plastic Size 240 * 160 * 365mm Audio inputs

Cod.:KOLAV-Q14 38,80 €

Portable Rechargeable Loudspeaker 2x6.5 "20W Bluetooth LED Light TWS / USB / Radio KOLAV-X2603



Portable Rechargeable Loudspeaker 2x6.5 "20W Bluetooth LED Light TWS / USB / Radio KOLAV-X2603 Features Model KOLAV-X2603 Speaker size 6.5 "* 2 RMS power 10W Audio inputs USB input, 3.5mm AUX, 6.35mm AUX for microphone Feed DC 5V Battery 3.7V 1200mAh Material plastic Size 260 * 210 * 390mm

Cod.:KOLAV-X2603 42,80 €

8 "20W Rechargeable Portable Speakerphone Bluetooth TWS SD / USB / Radio LED Light KOLAV-X806



Portable Rechargeable Speaker 8 "20W Bluetooth TWS SD / USB / Radio LED Light KOLAV-X806 Features Model KOLAV-X806 Speaker size 8 "Feed DC 5V Battery 3.7V 1800mAh Material plastic Size 200 * 220 * 520mm Accessories Manual, remote control, USB charging cable, 3.5mm AUX cable 6.35mm AUX cable for

Cod.:KOLAV-X806 56,40 €

6.5 "20W Rechargeable Portable Loudspeaker Bluetooth TWS / USB / Radio LED Light KOLAV-C606



6.5 "20W Rechargeable Portable
Loudspeaker Bluetooth TWS / USB /
Radio KOLAV-C606 LED Light
Features Template KOLAV-C606
Speaker size 6.5 " Feed DC 5V
RMS power 10W Audio inputs USB
input, 3.5mm AUX , 6.35mm AUX TWS
mode possibility to link the phone with
two speakers at the same time Battery

Cod.:KOLAV-C606

38,80 €

Portable speaker 8 "20W Bluetooth / Radio / USB LED light



Portable speaker 8 "20W LED light Bluetooth / Radio / USB Features Template KOLAV-J805 Speaker size 8" RMS power 10W Impedance 4 Ohm Diet DC 5V Battery 3.7V 1800mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time Material Plastic Dimensions 340*265*510mm Accessories included

Cod.:KOLAV-J805 37,80 €

Portable speaker with handle and wheels 2x8 "40W Bluetooth / Radio / USB LED light



Portable speaker with handle and wheels 2x8 "40W Bluetooth / Radio / USB LED light Features Template KOLAV-R2801 Speaker size 2x8" RMS power 2x10W Impedance 4 Ohm Power DC 5V Battery 3.7V 2400mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time Material Plastic Size

Cod.:KOLAV-R2801 68,40 €

Portable speaker 8 "20W Bluetooth / Radio / USB LED light



Portable speaker 8 "20W Bluetooth / Radio / USB LED light Features
Template KOLAV-J810 Speaker size 8" Impedance 4 Ohm RMS power 10W Power DC 5V Battery 3.7 V 2400mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time Material Plastic Size 230 * 250 * 380mm Accessories

Cod.:KOLAV-J810 52,00 €

www.maltab2b.com Pagina 77/143

Portable speaker with shoulder strap 2x6.5 "40W Bluetooth / Radio / USB LED light



Portable speaker with shoulder strap 2x6.5 "40W Bluetooth / Radio / USB LED light Features Template KOLAV-C2601 Speaker size 2x6.5 " RMS power 2x10W Impedance 4 Ohm Diet DC 5V Battery 3.7V 1800mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time Material Plastic Dimensions 220 * 220 *

Cod.:KOLAV-C2601

48,60 €

Portable 12 "20W Trolley Acoustic Case Bluetooth / Radio / USB LED Light



Portable trolley speaker 12 "20W LED light Bluetooth / Radio / USB Features Template KOLAV-X1208 Speaker size 12 " RMS power 10W Power DC 5V Bluetooth TWS Ability to connect the phone with two speakers at the same time Material Plastic Size 56 * 250 * 445mm Included accessories Manual, USB

Cod.:KOLAV-X1208

78.00 €

Portable speaker 2x8 "40W Bluetooth / Radio / USB LED light



Portable speaker 2x8 "40W LED light Bluetooth / Radio / USB Features
Template KOLAV-2807 Speaker size 2x8 " RMS power 2x10W Impedance 4 Ohm Feed DC 5V Battery 3.7V 1200mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time Material Plastic Size 240 * 195 * 500mm

Cod.:KOLAV-2807

48.40 €

Portable speaker 4 "20W Bluetooth / Radio / USB LED light



Portable speaker 4 "20W LED light Bluetooth / Radio / USB Features Model KOLAV-S406 Speaker size 4 " RMS power 10W Impedance 4 Ohm Power DC 5V Battery 3.7V 1500mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time Material Plastic Size 21 * 10 * 14cm Accessories included

Cod.:KOLAV-S406

19,96 €

Portable speaker with microphone 2x8 "40W Bluetooth / USB / Radio LED light



Portable speaker with microphone 2x8
"40W Bluetooth / USB / Radio LED light
Features Template LIGE-2804K
Speaker size 2x8" RMS Power
2x10W Impedance 4 Ohm Power
DC 5V Battery 3.7V 1800mAh
Bluetooth TWS Ability to connect the
phone with two speakers at the same
time Material Plastic Size 235 *

Cod.:LIGE-2804K 93,60 €

Portable 6.5 "16W speakerphone Bluetooth / Radio / USB LED light



Portable speaker 6.5 "16W Bluetooth / Radio / USB LED light Features
Template KOLAV-S603 Speaker size
6.5" Impedance 4 Ohm RMS Power
8W Power DC 5V Battery 3.7V
1200mAh Bluetooth TWS Ability to
connect the phone to two speakers at the
same time Material Plastic Size
207 * 203 * 317mm Accessories

Cod.:KOLAV-S603

54,80 €

Portable speaker 8 "20W Bluetooth / Radio / USB LED light



Portable speaker 8 "20W Bluetooth / Radio / USB LED light Features
Template KOLAV-C807 Speaker size
8" Impedance 4 Ohm RMS Power
8W Power DC 5V Battery 3.7V
1200mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time Material Plastic Size 262
* 257 * 390mm Accessories included

Cod.:KOLAV-C807 36,40 €

Portable speaker 8 "20W Bluetooth / Radio / USB LED light



Portable speaker 8 "20W LED light Bluetooth / Radio / USB Features Model LIGE-E802 Speaker size 8" RMS power 10W Impedance 4 Ohm Diet DC 5V Battery 3.7V 1200mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time Material Plastic Dimensions 262*257*390mm Accessories included

Cod.:LIGE-E802

. | |

57,60 €

Portable 6.5 "16W speakerphone Bluetooth / Radio / USB LED light



Portable speaker 6.5 "16W Bluetooth / Radio / USB LED light Features
Template KOLAV-J605 Speaker size
6.5 " RMS power 8W Impedance 4
Ohm Power DC 5V Battery 3.7V
1200mAh Bluetooth TWS Ability to connect the phone to two speakers at the same time &It; / p> Material Plastic
Size 262 * 257 * 390mm Accessories

Cod.:KOLAV-J605

19,90 €

Pagina 78/143 www.maltab2b.com

Portable speaker 2x6.5 "20W Bluetooth / Radio / USB LED light



Portable speaker 2x6.5 "20W LED light Bluetooth / Radio / USB Features
Template KOLAV-E64 Speaker size
6.5" * 2 Power DC5V RMS power
10Wx2 Bluetooth TWS Ability to connect the phone to two speakers at the same time Audio inputs Bluetooth,
USB, SD card 3.5mm audio jack, Audio jack from 6.35mm Battery 3.7V

Cod.:KOLAV-E64 82,00 €

5.25 " 30W 2-way black wall speaker



5.25 "30W black 2-way wall speaker Features Model: SP- 0305T 2-way Impedance 8 ohm Power 30W Frequency 75Hz-20Khz Sensitivity 88dB (1w / m) Woofer: 5.25 "(135mmmm) Tweeter: 0.5" (13mm) Dome in PET Dimensions: H * W * D 240 * 185 * 163mm Black color

Cod.:V930 48,96 €

Pair of 40W 100V black speakers





Pair of 40W 100V black speakers
Characteristics Power supply: 100V
Single speaker RMS power: 10W
Maximum power: 40W Connectors:
Spring Terminal Block With hole for
hanging on the wall Dimensions Height:
17.5cm Front width: approx. 13.5cm Back
width: 6.5cm approx Depth: 11.5cm
approx

Cod.:V3016 76,00 €

2-way wall speaker 60W 8 ohm 70 / 100V



2-way wall speaker 60W 8 ohm 70 / 100V Possibility of use with 8 Ohm or 100V amplifier with the possibility to choose the Watt output (3.75 / 7.5 / 15/30/60 W) Features High sound quality and speech intelligibility Maximum power: 60W Impedance: 8 Ohm 6 switches available Bandwidth: 40-20,000 Hz Sensitivity: 93dB

Cod.:W198 136,00 €

Omnidirectional speaker 10x4 "160W 8 Ohm



Omnidirectional speaker 10x4 "160W 8
Ohm Features Brand: Technysound
EAN code: 3528090897609 Vendor
code: 08976 - STAR 10 / N Sensitivity:
90dB (1 W @ 1 m) RMS power: 80W
Peak power: 160W Speaker size: 4"
Speaker diameter in cm: 10 Speaker
quantity: 10 Impedance: 8 Ohm
bandwidth: 100 Hz - 20KHz Color: Black

Cod.:STAR10 198,00 €

Pair of loudspeakers 60W 4 Ohm white Madison MAD-4WH





Pair of loudspeakers 60W 4 Ohm white Madison MAD-4WH A pair of 2-way hi-fi speakers with excellent sound quality.

Technical specifications Model:

MAD-4WH Supplier code: 10-3079MA

Detachable front Woofer: 4 "/ 10 cm

Tweeter: dome Output power: 30W per speaker Sensitivity: 86dB ± 2dB

Impedance: 4 ohms Frequency range:

Cod.:MAD-4WH 79,80 €

5W wooden rechargeable Bluetooth speaker with 3.5mm AUX input



5W wooden rechargeable Bluetooth speaker with 3.5mm AUX input Wood-colored Bluetooth speaker. On the back there are buttons to turn on the speaker, to adjust the volume and to pause a song. The case has a built-in battery, rechargeable via the USB cable included in the package. The bluetooth has a range of 8 to 10 meters and with a

Cod.:WB126 25,60 €

Pair of 40W 100V white speakers





Pair of 40W 100V white speakers
Features Power supply: 100V Single
speaker RMS power: 10W Maximum
power: 40W Connectors: spring terminal
block With hole to be hung on the wall
Dimensions Height: 17.5cm Front
width: about 13.5cm Back width: about
6.5cm Depth: 11.5cm about

Cod.:V3085 59,60 €

Soundbar 2.1 80W wireless subwoofer Bluetooth / optical / Aux / coaxial inputs TaoTronics TT-SK020



Soundbar 2.1 80W wireless subwoofer Bluetooth / optical / Aux / coaxial inputs TaoTronics TT-SK020 34 ? soundbar with subwoofer The 2.1 channel soundbar system features powerful speakers paired with a wireless subwoofer, delivering booming sound with crystal clear sound quality. This combination brings an amazing home

Cod.:TT-SK020 236,00 €

www.maltab2b.com Pagina 79/143

Omnidirectional speaker 10x4 "160W 8 Ohm wood color



Omnidirectional speaker 10x4 "160W 8
Ohm wood color Features Brand:
Technysound EAN number:
3528090897623 Supplier code: 08976B STAR 10 / BS Sensitivity: 90dB (1W @
1m) RMS power: 80W Peak power:
160W Speaker size: 4 " Speaker
diameter in cm: 10 Speaker Quantity: 10
Impedance: 8 Ohm bandwidth: 100Hz -

Cod.:STAR10BS

198,00€

Pair of 12" amplified loudspeakers with Bluetooth 250W max





Pair of 12" amplified loudspeakers with Bluetooth 250W max Features 1 active loudspeaker + 1 passive 12" woofer per loudspeaker Tweeters 25x105cm Single case: 62 x 37 x 30 cm

Cod.:LY33-B 236,00 €

USB/SD/Bluetooth Amplified Speaker 350W 12"



USB/SD/Bluetooth Amplified Speaker 350W 12" Maximum power 350 watts rms power 175 watts SIZE: H 57XL 33XP 33cm resp. freq: 42 - 22,000Hz spl max 129 dB treble and bass adjustment input for microphone and musical instrument RCA audio input additional battery input Slot USB/SD Radio FM woofer 32 cm (12") construction in ABS coupling

Cod.:KP-128 212,00 €

Pair of passive loudspeakers 150W PP-100





Pair of passive loudspeakers 150W PP-100 Characteristics Brand: WEB EAN code: 8053323553236 Dimensions: 33x30x52cm 25cm (10") woofer Piezoelectric tweeter Frequency Response: 30-18000Hz Connection via terminal block

Cod.:PP-100 116,00 €

Black wall speaker 4" 20W 8 Ohm HY-321



Black wall speaker 4" 20W 8 Ohm HY-321 Characteristics Woofer Size: 4" (103mm) Tweeter Size: 2" Frequency Response: 50Hz-16KHz Power: 20W Impedance: 8 ohms SPL (1W/1M): 92dB Power supply: 70-100V Dimensions: 20x14x10cm

Cod.:V3052 35,60 €

Black wall speaker 40W 6" 8 Ohm HY-313



Black wall speaker 40W 6" 8 Ohm HY-313 Characteristics Woofer size: 6" (165mm) Tweeter Size: 2" Frequency Response: 200z-10KHz Power: 40W Impedance: 8 ohms SPL (1W/1M): 92dB Power supply: 70-100V Dimensions: 20x21x33cm

Cod.: V3057 59,80 €

Black wall speaker 4" 20W 8 Ohm HY-311



Black wall speaker 4" 20W 8 Ohm HY-311 Characteristics Woofer Size: 4" (103mm) Tweeter Size: 2" Frequency Response: 50Hz-16KHz Power: 20W Impedance: 8 ohms SPL (1W/1M): 92dB Power supply: 70-100V Dimensions: 14x15x25cm

Cod.:V2014 39,60 €

BX5 Carbon 2-way 5" 70W AUX/XLR input amplified speaker



BX5 Carbon 2-way 5" 70W AUX/XLR input amplified speaker The Carbon BX5 studio cabinet helps you monitor and mix with confidence, providing accurate tone and dynamic acoustic control. Featuring a 5" Kevlar low-frequency driver and 1" silk dome tweeter, the BX5 Carbon offers a flat frequency response, improved stereo imaging, and increased clarity for

Cod.:BX5 196,00 €

5W wooden rechargeable Bluetooth speaker with 3.5mm AUX input



5W wooden rechargeable Bluetooth speaker with 3.5mm AUX input Dark wood Bluetooth speaker. On the back there are buttons to turn on the speaker, to adjust the volume and to pause a song. The speaker has a built-in battery, rechargeable via the USB cable included in the package. The bluetooth has a range of 8 to 10 meters and with a full

Cod.:WB125 25,60 €

Pagina 80/143 www.maltab2b.com

250W 6"+15" amplified speaker Bluetooth/USB/SD card with remote control



250W 6"+15" amplified speaker
Bluetooth/USB/SD card with remote
control Main features Model: BK-152
EAN code: 8053323553311 SD/TF card
input USB input Possibility of connecting
it via Bluetooth to phones, laptops and
other devices Power supply 110V-240V
(Cable included) Supplied with remote
control Case dimensions Height:

Cod.:BK-152 296,00 €

Portable trolley speaker 12" 100W LED light Bluetooth SD/USB/Radio



Portable trolley speaker 12" 100W LED light Bluetooth SD/USB/Radio Characteristics RMS Power: 40W Peak power: 100W Woofer size: 12" Rechargeable battery: 12V 2600mAh SNR: 85dB RGB LED lighting, activated via a special switch LED display Handle and wheels for easy transportation Power supply included Frequency response:

Cod.:V-12 108,00 €

Portable speaker with handle and wheels 12" 20W USB/Bluetooth/Radio LED light



Portable speaker with handle and wheels 12" 20W USB/Bluetooth/Radio LED light Characteristics Model: KOLAV-120E Woofer size: 12" RMS Power: 10W Impedance: 4 ohms Power: DC 5V Battery: 3.7V 2400mAh Bluetooth TWS: Ability to connect your phone to two speakers simultaneously Material: Plastic Dimensions: 320*255*485mm

Cod.:KOLAV-120E 87,60 €

Rechargeable portable speaker 12"
20W Bluetooth TWS SD/USB/Radio
LED light KOLAV-S1206



Rechargeable portable speaker 12" 20W Bluetooth TWS SD/USB/Radio LED light KOLAV-S1206 Characteristics Product type: PORTABLE BLUETOOTH SPEAKER WITH RECHARGEABLE BATTERY Model: KOLAV-S1206 Speaker Size: 12" Power: DC 5V Battery: 3.7V 2400mAh Material: plastic Size: 330*270*490mm

Cod.:KOLAV-S1206 72,80 €

Pair of 8" 200W USB/SD/Bluetooth speakers



Pair of 8" 200W USB/SD/Bluetooth speakers Characteristics Measurement: H. 46 x L. 28 x D. 26 cm RMS power at 8 ohms 200 (100 x 2) Watts Woofer 21 CM Piezoelectric horn tweeters Sensitivity: 88 dB +/- 3dB Frequency response: 40 Hz - 20 kHz Separate treble and bass control Microphones: echo effect and volume adjustment Inputs: 2

Cod.:LM08 186,00 €

Portable rechargeable trolley speaker 15" 40W Bluetooth/SD/USB LED light



Portable rechargeable trolley speaker 15"
40W Bluetooth/SD/USB LED light
Characteristics Model: KK-15101
Versione Bluetooth: BT5.0 Black colour
Product dimensions: 609x331x421mm
Chip: Zhongke Lanxun Battery capacity:
3600mAh Speaker unit: 15 inch dual
voice coil Power 40W Audio inputs:
Bluetooth TWS, TF card, USB, AUX and

Cod.:KK-15101 118,00 €

Portable rechargeable speaker 2x8" 30W LED light Bluetooth TWS/SD/USB



Portable rechargeable speaker 2x8" 30W LED light Bluetooth TWS/SD/USB Characteristics Model: KK-8201 Black colour Bluetooth Version: BT5.0 Chip: Zhongke Lanxun Battery capacity: 3600mAh Charge for approximately 2.5 hours Dual power amplifier Woofer Size: 8 inch * 2 Power: 30W Audio inputs: Bluetooth/USB/SD Card/AUX Power

Cod.:KK-8201 59,80 €

Portable speaker with shoulder strap 2x6.5" 30W LED light Bluetooth/USB/SD card



Portable speaker with shoulder strap 2x6.5" 30W LED light Bluetooth/USB/SD card Characteristics Model: KSC-1001 Bluetooth Version: 5.0 Chip: Zhongke Lanxun Battery capacity: 3600mAh Charging time: about 4 hours Speaker: 6.5 inch full frequency speaker; Power: 15W*2 Inputs: Bluetooth, TF card, USB drive, AUX, FM and other modes

Cod.:KSC-1001 96,00 €

Rechargeable portable speaker 3x8" 40W Bluetooth/USB LED light



Rechargeable portable speaker 3x8"
40W Bluetooth/USB LED light
Characteristics Model: KK-8301
Bluetooth version: BT5.0 Black colour
Product dimensions: 896*290*290mm
Speaker unit: 8 inch * 3 Power 40W Chip:
Zhongke Lanxun Battery capacity:
3600mAh Double amplifier + treble
Inputs: Bluetooth, TF, USB, AUX

Cod.:KK-8301 88,00 €

www.maltab2b.com Pagina 81/143

Rechargeable portable speaker 2x8" 40W LED light Bluetooth TWS/SD/USB



Rechargeable portable speaker 2x8"
40W LED light Bluetooth TWS/SD/USB
Characteristics Model: KK-8204
Bluetooth Version: BT5.0 Black colour
Chip: Zhongke Lanxun Battery capacity:
4500mAh Product size: 630*265*260mm
Speaker unit: 8 inch * 2 Power 40W
Charging time: about 3.5 hours Dual
amplifier + treble Inputs: Bluetooth

Cod.:KK-8204 92,00 €

Rechargeable portable speaker 8" 20W Bluetooth/USB LED light



Rechargeable portable speaker 8" 20W Bluetooth/USB LED light Characteristics Model: KSC-829 Bluetooth Version: 5.0 Chip: Zhongke Lanxun Battery capacity: 3600mAh Charging time: about 4 hours Speaker: 8 inch full frequency Power: 20W*1 Equipped with karaoke microphone and remote control Accessories included Remote control

Cod.:KSC-829 71,60 €

Portable rechargeable speaker 8" 20W LED light Bluetooth/SD card/USB



Portable rechargeable speaker 8" 20W LED light Bluetooth/SD card/USB Characteristics Bluetooth Version: 5.0 Dimensions: 265x430x245mm Chip: Zhongke Lanxun Battery capacity: 1800mAh Charging time: about 4 hours Speaker: 8 inch full frequency Power: 10W Accessories included Wired microphone Audio controls Knobs for

Cod.:KSC-777 39,60 €

Pair of 180W Bluetooth® wall speakers with remote control



Pair of 180W Bluetooth® wall speakers with remote control This Nedis® Bluetooth speaker set is a 2-way multifunctional speaker set with a 5.25" woofer and a 2" tweeter. Thanks to the integrated amplifier, the set can be connected quickly and easily. Since the amplifier is equipped with Bluetooth, you can easily make a wireless connection

Cod.:ND4182 177,93 €

Portable trolley speaker 12" 100W LED light Bluetooth SD/USB/Radio

Portable trolley speaker 12" 100W LED light Bluetooth SD/USB/Radio Characteristics RMS Power: 40W Peak power: 100W Woofer size: 12" Rechargeable battery SNR: 85dB RGB LED lighting, activated via a special switch LED display Handle and wheels for easy transportation Frequency response: 45Hz - 18KHz Input voltage:

Cod.:ND-12 98,00 €

Vintage professional microphone



Vintage professional microphone Classic professional microphone, perfect for artists who want a vintage look typical of the 50s and 60s. New capsule for excellent voice quality with a unidirectional pickup pattern that minimizes noise and delivers a crystal clear voice. It can be used in close proximity to its speakers without

Cod.:MIC040 59,00 €

Anti-pop filter for microphone



Microphone pop filter It will make your voice loud and clear, and banish the hiss that comes with pronouncing the letter "s" or the burst of air that follows "b" and "p". It can also protect the microphone from saliva accumulation. EAN code: 8053323559405 Professional pop filter for studio applicationsFlexible gooseneck Screw clamp for all types of

Cod.:L115 14,08 €

Anti-vibration mount for studio microphone



The perfect support for many microphones. To make sure that no vibrations interfere with your recordings.

Support for antivibration microphone with double elastic spring (spider).

Â

Cod.:L135 9,96 €

Spring microphone holder



Spring microphone holder quick-release pincer holder supporting cylindrical microphones, conical and multifaceted opening: from 15 to 42 mm Internal thread of the attachment: 3/8" Whitworth type Weight: 50 gr

Cod.:SP161 1,22 €

Pagina 82/143 www.maltab2b.com

Sponge for microphones



Sponge for microphones Yellow color

Cod.:MIC130 2,40 €

Pair of Microphone Sponges



Sponges for microphones - Pack of 2 pieces. Black colour

Cod.:MIC190 1,48 €

Large sponge for microphones



Big sponge for microphones
Approximate size Outside diameter:
about 7 cm Inside diameter: about 4 cm
Height: about 10 cm Color black

Cod.:MIC200 3,40 €

Electrec condenser mic capsule - omnidirectional





Electrec subminiature condenser mic capsule - omnidirectional Features Frequency range 20-16,000Hz Sensitivity 6.3mV / Pa / 1kHz / 3dB Output impedance 2.2k Ohm S / N &It; 58dB Coupling capacitor 0.1-4.7F Admiss. ambient temp. 0-40 ° C Power supply 1.5-10V DC current /0.5mA Dimensions diameter: 6mm Height:

Cod.:40042 0,48 €

Directional condenser microphone



Professional "half shotgun" microphone of very light construction, specially designed for professional use in video, cinema and television applications. Featuring a low impedance balanced output it runs on an internal 1.5V battery. The very wide frequency response and a controlled polar pattern, coupled with electronics capable of very

Cod.:MIC050 34,96 €

Professional recording studio microphone



It is a high-performance microphone, designed for professional use in recording studios, concert halls, radio broadcasts and in all those applications where a wide bandwidth and very low distortion are required. High quality cardioid studio microphone with 135dB maximum sound pressure. The microphone includes: spider bracket,

Cod.:MIC600 94,60 €

Cardioid condenser microphone with



The ATM-350 is a cardioid condenser microphone for attaching instruments or voice. The UniMount clamp allows accurate positioning, provides resistance to vibration transmission and protects the capsule. Technical specifications Capsule: Permanently polarized condenser Polar: Cardioid Answer: 40Hz 20kHz Sensitivity: -49dB (3.5 mV)

Cod.:MIC009 19,16 €

Double VHF wireless microphone LWM-3028



Wireless microphone with dual VHF receiver/transmitter. Set consisting of 2 "ice cream" microphones. Independent volume control system for each microphone. Transmission range: 170MHz-270MHz The set includes: - 2 "ice cream" microphones - 1 dual receiver base - Audio output cable - 4 AA batteries- 12V 200mA power supply

Cod.:MIC800 106,72 €

Supercardioid dynamic vocal microphone - BETA58A



Supercardioid dynamic vocal microphone
- BETA58A High output supercardioid
dynamic vocal microphone, designed for
applications in recording studios and
professional sound systems. The
Supercardioid pickup pattern remains
unchanged throughout the microphone's
frequency range, thus ensuring high gain
before feedback, maximum noise

Cod.:MIC018 16,38 €

www.maltab2b.com Pagina 83/143

Kit 7 microphones for drums and music studio



Each microphone is It was designed and tested to capture the natural and battery tone. The microphone set consists of a Q71 drum microphone, four Q72 microphones and two C02 condenser microphones. Included with this set are multi-position rim clips and swivel mounts that allow versatile positioning to ensure

optimal sound. The set includes the Q71

Cod.:MIC052

167,58 €

Unidirectional condenser microphone + antipop filter + shock mount



Unidirectional condenser microphone + antipop filter + shock mount ideal for a recording studio 3.5 mm Stereo plug suitable for all types of devices, such as mobile phones, computers, etc. Output with high sensitivity, low noise and wide dynamic range. Designed to minimize background noise and isolate the main sound source. Wide frequency

Cod.:MIC022 165,90 €

UHF wireless microphone AK-100



AK-100 UHF wireless microphone Characteristics Communication: wireless Distance: over 30M Feature A: Wireless handheld microphone Feature B: Metal handheld wireless microphone Feature C: One-way wireless microphone Feature D: Karaoke microphone Feature E: DJ Microphone Feature F: UHF microphone Frequency: UHF Material: metal Model

Cod.:MIC038 70,98 €

Wireless Microphone Headband / tie UHF AK-100



Communication: Wireless Distance: over 30M Frequency: UHF Material: Metal Model Number: AK-100 Set Type: Transmitter Sets Style: Handheld Microphone Transducer: Dynamic Microphone Use: Karaoke Microphone Product Description Audio Frequency: 40-20KHz Dynamic Range: 95dB System Distortion: 0.5%

Cod.:MIC053 70,98 €

Forever BMS-300 microphone with black bluetooth speaker



A microphone with an integrated Bluetooth speaker allows you to listen music and singing at the same time! Perfect for any party or karaoke.

Condenser microphone Brand: Forever EAN: 5900495703682 Speaker power: 3W Bandwidth: 100Hz - 10KHz Maximum amplification: 115 dB 1KHz THD &It;1% Built-in battery: Li-ion 1500

Cod.:MIC049 31,46 €

Dynamic Microphone SM-801 WINFORD - Pink



Dynamic microphone for speaking and singing. Sistemadin./cardioid Bandwidth: 50-16000Hz Impedance: 600Ohm Sensitivity: 2.5mV / Pa / 1kHz Sound pressure: max. 145dB Dimension: 50mm x 185mm Weight: about 110 g XLR female cable - 6.3mm male Jack

Cod.:MIC023 4,62 €

Professional table microphone MG-D380



Professional table microphone MG-D380 Condenser microphone with arched aluminum arm and adjustable inclination. Table microphone with power button and related LED. The cable supplied has on one side the XLR connector to be applied to the microphone and on the other side, a 6.3mm jack intended for the mixer or amplifier. Ideal for call stations,

Cod.:MIC131 19,96 €

Tie microphone



Tie microphone Features High quality tie microphone, ideal for reportage Equipped with clip Omnidirectional Frequency range: 50Hz to 16,000Hz Impedance: 600 Ohms 2m cable with 3.5mm jack

Cod.:MIC090 2,06 €

Supercardioid dynamic vocal microphone - BETA58M



Supercardioid dynamic vocal microphone - BETA58M High-output supercardioid dynamic vocal microphone, designed for applications in recording studios and professional amplification systems. The reception feature a Supercardioide remains unchanged throughout the frequency range of the microphone, thus ensuring a high gain

Cod.:MIC001 14,28 €

Pagina 84/143 www.maltab2b.com

Tie microphone



Tie microphone Frequency 100-16KHz Impedance 6 Ohm 43db- 1KHz Powered by 1.5V "AA" batteries

Cod.:MIC026 12,18 €

Large diaphragm condenser microphone



Large diaphragm condenser microphone
Microphone professional large
diaphragm condenser for unsurpassed
audio quality Ideal as a main
microphone and support for the most
diverse recording situations Cardioid
pattern for exceptional audio source
separation and feedback resistance
Gradient pressure transducer with

Cod.:MIC017 37,80 €

Articulated stereo microphone 90° jack 3.5mm 3 poles for PC



Articulated stereo microphone 90° jack 3.5mm 3 poles for PC Features Compact and lightweight, the microphone terminal can be inserted directly into the device, without taking up too much space

Elegant and compact appearance Internal copper contacts equipped of isolation, so as not to interfere with each other during the transmission of signals,

Cod.:MIC129 6,26 €

Articulated 90 ° stereo microphone 3.5mm 4-pole jack for smartphones and tablets



Articulated 90 ° stereo microphone
3.5mm 4-pole jack for smartphones and
tablets Features Compact and
lightweight, the microphone terminal can
be inserted directly into the device,
without taking up too much space
Compact and elegant appearance
Internal copper contacts with insulation,
so as not to interfere with each other

Cod.:MIC072 6,26 €

Black 3.5mm Attachable Wire Microphone



Attachable Wire Microphone 3.5mm
Black Practice clip High sensitivity
High sound quality Suitable for all types
of sound cards Features Operating
voltage: 1 - 10 V (standard 3 V)
Frequency response: 100 Hz - 10 kHz
Power consumption: 350 mA max S / N
ratio: 40 dB or more Product
specifications Color Black Integrated

Cod.:ND4334 5,54 €

Microphone clamp Universal 5/8 "and 3/8" screw



Universal microphone clamp 5/8 "and 3/8" screw Microphone support with 5/8" and 3/8 "thread. Product specification Color Black Template Clamp Materials Plastic Vendor Code: MPCL10BK EAN code: 5412810291694

Cod.:ND5702 3,16 €

Desktop / Notebook / Smartphone / Tablet microphone with 3.5 mm jack cable



Desktop / Notebook / Smartphone / Tablet microphone with 3.5 mm jack cable This Nedis microphone with integrated body and base gives you all the flexibility to place it where you need it. Its head is tiltable 120 degrees, allowing for a wide adjustable angle.
Lightweight, with high sound definition The extremely low weight of the

Cod.:ND6746 10,20 €

Microphone with black 3.5mm jack connector



Microphone with 3.5mm jack black Features Impedance: 2,2k Ohm Sensitivity: -67dB +/- 4dB Frequency response: 100 ~ 16000 hz Directivity: Omnidirectional Operating voltage: 4.5 V. Cable length: 2.0m Connector: 3, 5 mm Color: black EAN code: 3000000160206 Supplier code: 16020

Cod.:L645 6,60 €

Karaoke set with 2 AT-306 wireless microphones



Karaoke set with 2 AT-306 wireless microphones Set High quality karaoke with 2 wireless microphones and switchboard. Very aesthetic and elegant appearance. It is ideal for all kinds of special events such as weddings, gatherings with friends, house parties etc. The microphones operate at different frequencies, so you can use them

Cod.:MIC555 39,80 €

www.maltab2b.com Pagina 85/143

Multifunctional Bluetooth microphone with speaker in various colors



Bluetooth multifunction microphone with speaker in various colors Multifunction wireless microphone with bluetooth, integrated speaker, music player ideal for listening to music and having fun with karaoke in the company of friends.

Music can be played via micro SD memory cards, USB flash drives, PCs and devices that use the bluetooth

Cod.:WB162 11,00 €

Microphone boom with tripod base



Microphone boom with tripod base
Since At the beginning of its introduction,
this line of microphone stands proved to
be extremely competitive. Its success lies
in the use of technologically advanced
components at competitive prices,
creative design and stability. N. 2
microphone holders included. Base
size: foot length 285mm, distance

Cod.:MIC320 21,60 €

UHF Wireless Microphone 50 channels kit of 4 PU-228



UHF Wireless Microphone 50 channels kit of 4 PU-228 Features With the UHF high frequency band, there is less interference than the traditional one so that the transmission is more reliable. With PLL technology, you can choose 200 frequency channels, which makes it convenient to use multiple sets at the same time and avoid kinds of

Cod.:MIC021 456,00 €

UHF Wireless Microphone 50 channels kit of 2 PU-222



UHF Wireless Microphone 50 channels kit of 2 PU-222 Features With the UHF high frequency band, there is less interference than the traditional one so that the transmission is more reliable. With PLL technology, you can choose 200 frequency channels, which makes it convenient to use multiple sets at the same time and avoid kinds of

Cod.:MIC548 276,00 €

UHF wireless desktop microphone U-714 kit of 4



UHF wireless desktop microphone
U-714 kit of 4 Features With the UHF
high frequency band, there is less
interference than the traditional one so
that the transmission is more reliable.
With PLL technology, you can choose
200 frequency channels, which makes it
convenient to use multiple sets at the
same time and avoid interference types.

Cod.:MIC580 476,00 €

UHF wireless headphone microphone U-712 kit of 2



U-712 wireless UHF headset microphone kit of 2 Features With the UHF high frequency band, there is less interference than the traditional one so that the transmission is more reliable. With PLL technology, you can choose 200 frequency channels, which makes it convenient to use multiple sets at the same time and avoid interference types.

Cod.:MIC590 288,00 €

UHF wireless microphone U-712S kit of 2



U-712S wireless UHF microphone kit of 2 Features With the UHF high frequency band, there is less interference than the traditional one so that the transmission is more reliable. With PLL technology, you can choose 200 frequency channels, which makes it convenient to use multiple sets simultaneously and avoid types of

Cod.:MIC570 288,00 €

UHF wireless desktop microphone U-712H 2 kit



UHF wireless desktop microphone
U-712H kit of 2 Features With the UHF
high frequency band, there is less
interference than the traditional one so
that the transmission is more reliable.
With PLL technology, you can choose
200 frequency channels, which makes it
convenient to use multiple sets at the
same time and avoid interference types.

Cod.:MIC024 296,00 €

Small black microphone sponge



Small black microphone sponge Size Length: about 4cm Width: 3.5cm Microphone hole diameter: 15mm

Cod.:MIC028 1,46 €

Pagina 86/143 www.maltab2b.com

2.4Ghz wireless microphone with USB Type C connector



2.4Ghz wireless microphone with USB Type C connector Simply connect the receiver to your Smartphone or Tablet, no program installation or cable connection is required. The transmitter and receiver will automatically pair after powering on with a single button The 2.4Ghz wireless smartphone microphone provides stable, smooth and

Cod.:MIC016 31,60 €

Spring-loaded microphone holder clip



Spring-loaded microphone holder clip Universal clamp support Suitable for supporting microphones with a cylindrical, conical and polyhedral shape Clamp opening: 42mm maximum opening Thread hole opening diameter: 1.5cm

Cod.:2450 1,96 €

AUD-100XLR professional dynamic vocal microphone



AUD-100XLR professional dynamic vocal microphone The Ahuja AUD-100XLR is a multi-purpose dynamic unidirectional microphone. The AUD-100XLR is supplied with a microphone stand, a 6m cable with professional 3-pin XLR and 6.35mm audio jack connectors and a handy zipped case. Characteristics Brand: Ahuja Model: AUD-100XLR

Cod.:MIC044 10,96 €

Tie microphone for cell phones and tablets with USB Type C connector



Tie microphone for cell phones and tablets with USB Type C connector Characteristics Model: KSC-842 Microphone Type: Omnidirectional Connector: USB Type C Compatible with most smartphone models Cable: 2 m Weight: 18g Lavalier microphone, plug and play Practical clip to be attached to the t-shirt

Cod.:N075 4,56 €

Microfono a condensatore con connettore AUX 3.5mm



Microfono a condensatore con connettore AUX 3.5mm Collega questo microfono Nedis al tuo notebook, smartphone, action cam o qualsiasi altro dispositivo con una porta da 3,5 mm; potrai avviare chat vocali su Internet, videoconferenze, giochi multiplayer e riconoscimento vocale e inviare commenti video in modo immediato. Sfrutta la flessibilità Posiziona

Cod.:ND9632 5,96 €

Amplified mixer 2x100W 4CH with Phantom and USB



2 Mono Channels equipped with XLR and Jack 6.3mm connectors 2 Mono channels equipped with RCA connectors Power PHANTOM Power: 2x100W (DC + 48V) 7-band EQ .lack Headphone output 6.3mm stereo output with Jack 6.3mm Built-in MP3 Player function with USB connection and dedicated controls Dimensions:

Cod.:V3067 163,80 €

DJ Mixer Console USB / SD / Bluetooth



DJ Mixer Console USB / SD / Bluetooth
Light console and compact with a
professional layout, ideal for
professionals and DJs, but also for those
who want to venture into the world of
mixing. Thanks to the 2 channels, the
console allows you to mix audio from
multiple sources. Each channel can
receive input via AUX cable (3.5mm

Cod.:V2045 169,80 €

Mixer Audio PMX-1206



Mixer Audio PMX-1206 6, 8, 12, 16
Mono input channels with silver plated
XLRs and balanced Line inputs
Ultra-Low noise discrete Mic Preamps
with +48 V phantom power Ultra-musical
3-band EQ on all channels Peak LEDs
all mono channels 1 Aux send per
channel for extemal effects Built in digital
multi effect (16 DSP) 2-Track inputs

Cod.:PMX-1206 298,20 €

Sound Card V8 Adjustable Live Sound Card



High quality live sound card The compact size of the card external audio, with its metal casing, offer excellent audio quality. Capable of meet the needs of users with any sound effect and anywhere. 6 sound modes Electro, Pitch Bend, Magic, Shock-Wave, MC, D-odge 12 sound effects Ability to play 12 different different sounds, such

Cod.:V2021 39,70 €

www.maltab2b.com Pagina 87/143

Sound Card V8S Adjustable Live Sound Card





Why should you buy a V8S sound card? Compared with the V8 sound card, the fun sound effects of the V8 sound card are increased to 16 types, suitable for various scenarios, and each sound effect will bring you different surprises. The V8S sound card is equipped with 3 LED lights, 8 knobs of tuning, independent adjustment, to create a new and

Cod.:W998 41,96 €

6-channel USB / SD / Bluetooth powered mixer 2x250W PMX602D-USB



6-Channel USB / SD / Bluetooth
PMX602D-USB Power Amplifier Mixer
Features Template: PMX602D-USB
Audio inputs: USB, Bluetooth, SD / MMC
Power cord included Mono signal /
microphone input 16 types of LCD
displays and built-in digital effects
Built-in 48V Phantom function for
professional condenser microphone

Cod.:W830 224,00 €

3-channel mobile DJ mixer console for iPod and more



Mobile DJ console mixer 3-channel for iPod and more The DJ-Tech i-Jockey Mobile iPod DJ Station is equipped with line and microphone inputs and an iPod dock. No professional DJ experience is required, as i-Jockey will allow the inexperienced DJ to mix iPod audio with connected external sources (such as MP3 and CD players). Easily apply

Cod.:SP1341 69,60 €

Ultra slim 4-channel mixer with USB WF-4G



Ultra slim 4-channel mixer with USB WF-4G Features Brand: Winford Model: WF-4G Ability to play MP3 files thanks to the USB input 4 input channels Input with XLR and LINE interface all channels are established 3 bands of EQ an AUX output With 48 V phantom power supply EFX delay with individual channel control Reverb effect

Cod.:SP305 78,00 €

Ultra slim 6 channel mixer with USB WF-6G



Ultra slim 6-channel mixer with USB WF-6G Features Brand: Winford Model: WF-6G 4 x XLR microphone / line inputs and 2 x RCA inputs with gain control with HF and LF controls 5-stage stereo sound level indicator for main audio levels Delay EFX with individual channel control Repetition and reverb effects 7-band graphic equalizer

Cod.:SP7799 98.00 €

Professional mixer 5 channels Bluetooth/USB/Stereo RCA inputs



Professional mixer 5 channels
Bluetooth/USB/Stereo RCA inputs
Model: F-5A 5-channel mixer with three
stereo channels and one set of
independent stereo source channels. All
microphone inputs adopt an independent
low-noise microphone preamplifier. 1/4"
stereo jack and balance control to
equalize all stereo channels. Stereo

Cod.:SP695 109,60 €

Professional mixer 4/7 channels Bluetooth/USB/Stereo RCA inputs



Professional mixer 4/7 channels
Bluetooth/USB/Stereo RCA inputs Model:
F-7 4/7 channel mixer with two stereo
channels and one separate stereo
channel Built-in 48V phantom power for
condenser microphones. Integrated
effects processor PAD switch for mono
type inputs "D-PRE" microphone
preamplifiers with inverted darlington

Cod.:SP522 128,00 €

Professional 4-channel Bluetooth/USB/Stereo RCA mixer



Professional 4-channel
Bluetooth/USB/Stereo RCA mixer
Professional 4-channel CONSOLE
Effects processor Aux Paths Plus and
Bluetooth. Connect to your PC or laptop
directly with USB, no software or setup
required. Plug & Play The package
includes: 1 mixer, 1 power cord. Built-in
48V phantom power for condenser

Cod.:SP026 59,96 €

15-band stereo graphic equalizer



15-band stereo graphic equalizer Professional audio engineers have known for decades that a good equalizer makes a difference in how a performance is perceived. Although multi-band graphic equalizers have been around for a long time, they have changed very little to date. The new models bring the graphic equalizer into the realm of high-definition

Cod.:V3083 92,40 €

Pagina 88/143 www.maltab2b.com

Metal corner for loudspeakers



Metal corner for loudspeakers Dimensions: 45x45x45mm

Cod.:SP138 2,44 €

Knob with indicator - white



Knob with white indicator Features Accepts potentiometer pins with a diameter of 6 mm Insertion by pressure Knob diameter: 19 mm Height: 18 mm

Cod.:90306 0,18€

Knob with indicator - yellow



Knob with yellow indicator Features Accepts potentiometer pins with a diameter of 6 mm Press-fit Knob diameter: 19 mm Height: 18mm

Cod.:92508 0,18€

Plastic corner for acoustic speakers



Plastic corner for acoustic boxes Dimensions: 40x40x60mm

Plastic corner for large speakers



Plastic corner for acoustic boxes Dimensions: 48x48x75mm

PM100 amplifier module for loudspeaker



PM100 amplifier module for loudspeaker box USB / SD reader Bluetooth 2 in gressi microphone Stereo RCA input

Cod.:SP132 Cod.:SP136 Cod.:PARTS120 1,68 € 0,36€ 72,80 €

Replacement for PS-08



Replacement for PS-08

Cod.:PARTS150 31,04€

Replacement for LY33 speaker



Replacement for LY33 speaker

Cod.:PARTS410 23,78 €

Toroidal transformer - Replacement for LY33 speaker



Primary: 220VAC / 50Hz Secondary 1: 28V-0-28VAC Secondary 2: 0-12VACÂ Weight: approx. 900 g Dimensions: 100x45mm

Cod.:PARTS958 43,66 €

www.maltab2b.com Pagina 89/143

Non-polarized 4,7uF 100V axial electrolytic capacitor



Non-polarized 4,7uF 100V axial electrolytic capacitor

Cod.:8745 1,20€

Protective grille for 6.5 "speakers



Protective grille for 6.5" loudspeakers Classic shape with square holes and with rubber seal, painted black, to be fixed with clamps, very stable in all sizes

Cod.:SP6110 2,66€

Clamps for 2 poles loudspeakers



Body: Plastic with polarized clamp terminals Contacts: Nickel-plated brass Capacity: 6A - 50V Particularly suitable for connecting loudspeakers

Cod.: Z975 1,42 €

Terminal Block for Loudspeakers 2 Poles 52x22mm



2-pole speaker terminal block 52x22mm Pitch holes: 45mm Dimensions: 52x22mm

Cod.:SP5990

Spring terminal block for speakers



Spring-loaded terminal block for speakers Measure: 50x50 mm

Metal stand insert



Black painted metal stand insert Internal diameter: 35mm Flange: 110 mm Weight: 250gr

0,96€ Cod.:Z870 0,96€ Cod.:SP920 5,90 €

Terminal block for loudspeakers, 2 poles



Terminal block for loudspeakers 2 poles External diameter 60 mm Internal diameter 50mm

Cod.: Z960 1,18€

Spring terminal block for speakers



Spring-loaded terminal block for speakers Size: 55x55 mm

Cod.: Z980 1,44€

Plastic bracket for speaker grille



Plastic bracket for speaker grille Fixing clip for speakers of all sizes Long hole M6 Durable plastic.

Cod.: Z990 0,08€

Pagina 90/143 www.maltab2b.com

Round grill for 38.5 cm speakers



Round metal protective grille for loudspeakers and subwoofers Diameter 38.5cm (15") Black colour

Cod.:SP358 14,30 €

Round grill for 31 cm speakers



Round metal protective grille for loudspeakers and subwoofers Diameter 31cm (12") Black colour

Cod.:SP548 11,64 €

Round grid for 25.5 cm speakers



Round metal protection grid for loudspeakers and subwoofers Diameter 25.5 cm (10") Color: black

Cod.:SP248 9,22 €

Terminals for 2-pole speakers



Clamps for 2-pole loudspeakers Fixing to screw and with 4mm banana terminals.
Golden contacts. Dimensions:
90x80x35mm

Cod.:CA420 1,66 €

Plastic handle for acoustic box



Plastic handle for acoustic box Dimensions: 165 x 95 x 90 mm

Cod.:SP6020 2,06 €

Plastic handle for acoustic box



Plastic handle for acoustic box Dimensions: 90x65x55 mm

2,06 € Cod.:Z760 1,78 €

Protection grid for 10 "speakers



Protective grille for 10" speakers Classic shape with square holes and with rubber seal, painted black, to be fixed with clamps, very stable in all sizes.

Cod.:SP6120 4,28 €

Polyester capacitor 12uF 250V



Polyester capacitor 12uF 250V 12uF 250V

Cod.:7810 2,70 €

Mobile speaker coil - 25mm ASV 2 Layers 40hm



Moving speaker coil - 25mm ASV 2 Layers 40hm Winding height: 10mm Support height: 30mm

Cod.:PARTS900 4,60 €

www.maltab2b.com Pagina 91/143

Mobile speaker coil - 25mm KSV 2 Layers 40hm



Mobile speaker coil - 25mm KSV 2 Layers 40hm Winding height: 10mm Support height: 30mm

Cod.:PARTS910

4,60 €

Mobile speaker coil - 35mm KSV 4 Layers 40hm



Mobile speaker coil - 35mm KSV 4 Layers 40hm Winding height: 12mm Support height: 37mm

Cod.:PARTS930

4,60 €

Mobile speaker coil - 25mm ASV 4 Layers 40hm



Mobile speaker coil - 25mm ASV 4 Layers 40hm Winding height: 10mm Support height: 30mm

Cod.:PARTS950 4,60 €

Mobile speaker coil - 25mm ASV 4 Layers 80hm



Moving speaker coil - 25mm ASV 4 Layers 80hm Winding height: 10mm Support height: 30mm

Cod.:PARTS970 4,60 €

Mobile speaker coil - 25mm KSV 4 Layers 40hm



Moving speaker coil - 25mm KSV 4 Layers 40hm Winding height: 10mm Support height: 30mm

Cod.:PARTS980

Crossover 1 via 800W WAVE-150



Max power: 800W Impedance: 4-8 Ohm Frequency: 320Hz Filter: 12dB / cot Dimensions: 125x120x50mm

4,60 € Cod.:L265 43,66 €

Bass reflex tube



Low-reflex tube that can be installed without screws. Tube Length: 85mm Hole diameter: 65 mm

Cod.: Z978 1,18€

Protective grille for 8 "speakers



Grid protection for 8 "speakers Classic shape with square holes and with black rubber gasket, to be fixed with clamps, very stable in all sizes.

Cod.:SP382 3,58 €

Knob with indicator - gray



Knob with gray indicator Accepts potentiometer pins with a diameter of 6 mm Insertion by pressure Knob diameter: 19 mm Height: 18 mm

Cod.:80616 0,20 €

Pagina 92/143 www.maltab2b.com

Mobile coil for loudspeaker - 65mm ASV 2 Layers 40hm



Moving coil per speaker - 65mm ASV 2 Layers 40hm Winding height: 18mm Support height: 50mm

Cod.:SP245 4,60 €

Mobile speaker coil - 49mm ASV 4 Layers 40hm



Moving coil for speaker - 49mm ASV 4 Layers 40hm Winding height: 16mm Support height: 45m

Cod.:PARTS935 4,60 €

Speaker voice coil - 19mm ASV 4 Layers 40hm



Speaker voice coil - 19mm ASV 4 Layers 40hm Winding height: 11mm Support height: 24mm

Cod.:6978 2,19 €

Speaker voice coil - 19mm KSV 4 Layers 80hm



Speaker Moving Coil - 19mm KSV 4 Layers 80hm Winding Height: 7mm Stand Height: 24mm

Cod.:6940 2,19 €

Mobile speaker coil - 65mm KSV 4 Layers 40hm



Loudspeaker Voice Coil - 65-69mm KSV 4 Layers 40hm Characteristics Internal measurement: 65mm External measurement: 69mm KSV 4 Layers 4 ohms Winding height: 18mm Stand height: 50mm

Cod.:PARTS972 4,60 €

Mobile speaker coil - 26mm 40hm



Moving speaker coil - 26mm 40hm Winding height: 1.5mm Support dimensions: 70x45mm

Cod.:SP560 1,98 €

Plastic handle for 156x156mm sound box



Plastic handle for 156x156mm acoustic box Features Recess depth: approx. 42mm Dimensions: 156x156mm

Cod.:SP562 4,96 €

Plastic handle for 208x165mm speaker cabinet



Plastic handle for acoustic box 208x165mm

Cod.:SP570 4,96 €

Axial electrolytic capacitor 10uF 100V not polarized



Axial electrolytic capacitor 10uF 100V not polarized

Cod.:8715 2,60 €

www.maltab2b.com Pagina 93/143

Terminals for 2-pole speakers



Clamps for 2-pole loudspeakers Fixing to spring. Golden contacts. Dimensions: 92x80x35mm

Cod.:SP978 1,96 €

AXIAL ELECTROLYTIC CAPACITOR 8.2UF 100V NOT POLARIZED



AXIAL ELECTROLYTIC CAPACITOR 8.2UF 100V NOT POLARIZED Electrolytic capacitors axial 8.2uF 100V not polarized

Cod.:8840 2,40 €

Axial electrolytic capacitor 5,6UF 100V not polarized



Axial electrolytic capacitor 5,6UF 100V not polarized

Cod.:8710 1,80 €

Stand flange



Flange for stand In rigid plastic Locking screw 12 x 18 cm surface Height: 5 cm Distance between holes 9.5 x 15 cm

Cod.:SP123 4,00 €

Mobile speaker coil - 65mm ASV 4 Layers 40hm



Mobile speaker coil - 65mm ASV 4 Layers 40hm Winding height: 19mm Support height: 50mm

Cod.:SP855 6,10 €

Mobile speaker coil - 35mm KSV 2 Layers 80hm



Mobile speaker coil - 35mm KSV 2 Layers 80hm Winding height: 15mm Support height: 37mm

Cod.:SP045 4,00 €

Speaker voice coil - 19mm KSV 4 Layers 40hm



Speaker voice coil - 19mm KSV 4 Layers 40hm Winding height: 5mm Support height: 23mm

Cod.:3505 1,20 €

Speaker voice coil - 19mm ASV 2 Layers 40hm



Speaker voice coil - 19mm ASV 2 Layers 40hm Winding height: 6mm Support height: 24mm

Cod.:4937 1,20 €

Knob with indicator - Green



Knob with green color indicator Accepts potentiometer pins with a diameter of 6 mm Pressure insertion Knob diameter: 15 mm Height: 16 mm

Cod.:B2138 0,18 €

Pagina 94/143 www.maltab2b.com

Knob with indicator - Orange



Knob with orange color indicator Accepts potentiometer pins with a diameter of 6 mm Pressure insertion Knob diameter: 15 mm Height: 16 mm

Cod.:B2140 0,18 €

Protective grille for 8 "speakers



Protection grid for 8" speakers classic shape with square holes and rubber seal, black painted, to be fixed with clamps, very stable in all the sizes.

Cod.:SP5980 3,46 €

Metal handle for acoustic box



Handle in metal for speaker Measure 107 x 161 mm

Cod.:SP051 3,36 €

Mobile speaker coil - 26mm 80hm





Moving coil for speaker - 26mm 80hm Winding height: 1.5mm Support dimensions: 70x45mm

Cod.:SP053 2,94 €

Pushpin for Turntables Sanyo st-05



Pin for Turntables Sanyo st-05
Description of product Pin - spare head for Sanyo st-05 turntable Features
Spare needle for turntables for
SANYO-ST05 EAN: 4004533733011

Cod.:ND2105 23,18 €

500W amplifier module



1 Amplified output for adjustable subwoofer 2 Amplified broadband outputs separately adjustable Ventilated Voltage: 110 / 220V / AC / 60-50 HZ Power max: 500 W Size 38X28 cm

Cod.:PM500 247,80 €

BeamZ - 1L smoke machine liquid



Fine mist fluid - can be used with all smoke machines on the market. The smoke machine liquid Beamz will bring a fog effect directly to your high-level stage. The liquid for smoke machine is water-based, non-toxic and leaves no residue. Technical data: 1 liter of mist liquid Screw-in cap Tank material: plastic SKU: 160.643 EAN:

Cod.:SP457 11,34 €

Mobile speaker coil - 35mm ASV 4 Layers 80hm



Mobile speaker coil - 35mm ASV 4 Layers 80hm Winding height: 12mm Support height: 38mm

Cod.:SP208 4,00 €

Movable speaker coil - 35mm ASV 2 Layers 40hm



Moving coil for speaker 35-37mm ASV 2 Layers 40hm Characteristics Internal measurement: 35mm External measurement: 37mm ASV 2 Layers 4 ohms Winding height: 15mm Stand height: 38mm

Cod.:SP292 4,00 €

www.maltab2b.com Pagina 95/143

Plastic handle for acoustic box



Handle in plastic for the speaker Dimensions: 130 x 89 x 70 mm

Cod.:SP419 1,22 €

Mobile speaker coil - 35mm KSV 4 Layers 80hm



Mobile speaker coil - 35mm KSV 4 Layers 80hm Winding height: 13mm Support height: 37mm

Cod.:SP174 4,00 €

Moving coil for speaker 8 Ohm - 73mm



Moving coil for 8 Ohm - 73mm speaker Reel diameter: 73mm Outside diameter: 110mm Distance between terminals: 120mm

Cod.:SP124 20,58 €

Loudspeaker for 8 Ohm - 35mm loudspeaker



8 Ohm 35mm loudspeaker for mobile loudspeakers Reel diameter: 35mm Outside diameter: 60mm Distance between terminals: 73mm

Cod.:SP428 6,26 €

Crossover 2 way 300W WINFORD



Crossover 2-way 300W WINFORD Max power: 300W Impedance: 5-8 Ohm Frequency range: 980-3200 Hz Dimensions: 140x90x35mm

Cod.:SP397 20,58 €

Loudspeaker for 8 Ohm - 35mm loudspeaker



8 Ohm 35mm Loudspeaker Loudspeaker Reel diameter: 35mm Outside diameter: 65mm Distance between terminals: 74mm

Cod.:SP299 5,88 €

Loudspeaker for 8 Ohm - 45mm loudspeaker



Speaker moving coil 8 Ohm - 45mm Coil diameter: about 45mm (44.4mm) Outer diameter: 73mm approx Distance between terminals: 90mm

Cod.:SP114 7,56 €

Smoke machine liquid 1 liter Party Fun Lights



Liquid for smoke machine 1 liter Party Fun Lights EAN 8717278861616 Brand Party Fun Lights Dimensions 270 x 80 x 80 mm Weight about 1,372 KG Quantity: 1 liter

Cod.:ED208 11,85 €

Movable speaker coil - 52mm 40hm



Speaker moving coil 50-54mm 40hm Characteristics Internal measurement: 50mm External measurement: 54mm 4 ohms Winding height: 12mm Stand height: 45mm

Cod.:W300 4,00 €

Pagina 96/143 www.maltab2b.com

Speaker voice coil - 20mm ASV 4 Layers 80hm



Speaker voice coil - 20m ASV 4 Layers 80hm Winding height: 60mm Support height: 24mm

Cod.:1532 1,90€

Mobile speaker coil - 100mm ASV 2 Layers 40hm



Mobile speaker coil - 100mm ASV 2 Layers 40hm Winding height: 17mm Support height: 70mm

Cod.:W700 10,30€

Movable speaker coil - 65mm ASV 2 Layers 80hm



Moving speaker coil - 65mm ASV 2 Layers 80hm Winding height: 18mm Support height: 50mm

Cod.:W900 8,20 €

Speaker voice coil - 19mm ASV 2 Layers 80hm



Speaker Moving Coil - 19mm ASV 2 Layers 80hm Winding Height: 6mm Stand Height: 24mm

Cod.:1384 1,90 €

BeamZ - 1L smoke machine liquid -Green



Fine mist fluid - can be used with all smoke machines on the market. The smoke machine liquid Beamz will bring a fog effect directly to your high-level stage. The liquid for smoke machine is water-based, non-toxic and leaves no residue. Technical data: 1 Liter of mist liquid Screw-in cap Tank material: plastic SKU: 160.640 EAN:

Cod.:SP128 9,98€

BeamZ - 5L smoke machine liquid -Green



Fine mist fluid - can be used with all smoke machines on the market. The smoke machine liquid Beamz will bring a fog effect directly to your high-level stage. The liquid for smoke machine is water-based, non-toxic and leaves no residue. Technical data 5 liters of liquid for fog Screw-in cap Tank material: plastic SKU: 160.580 EAN:

Cod.:L518 25,60 €

Dust cover 11cm



Dust cover 11cm

2,06€

Cod.:SP899

Dust cover 11.5cm



Dust cover 11.5cm

Cod.:SP432

Dust cover dome 13cm



Dust cover 13cm

Cod.:SP433 2,06€ 2,06€

Pagina 97/143 www.maltab2b.com

Recessed handle in black steel



Material: Steel Surface: Black powder coating Color: Black Thickness:1mm
Height: 220mm Width: 162mm Depth: 60mm Diameter of holes: 5mm

Cod.:SP670 5,96 €

2-way crossover 450W WF-2A80-K2



2-way crossover 450W WF-2A80-K2 Max power: 450W Impedance: 5-8 Ohm Frequency range: 900-2800 Hz Dimensions: 160x110x40mm

Cod.:SP690 26,04 €

1-way crossover 230W WINFORD W-901C



1-way crossover 230W WINFORD W-901C Features Max power: 230W Impedance: 4-8 Ohm Frequency range: 150-300 Hz Dimensions: 103x85x40mm

Cod.:SP973 20,58 €

2-way Crossover for Subwoofer 250W - WINFORD WF-250



Max power: 250W Impedance: 5-8 Ohms Dimensions: 225x125x55mm

Cod.:SP675 79,80 €

BeamZ - Liquid soap bubble machine 1L



High performance, non-toxic bubbling machine fluid. 1 liter bottle.

Technical data • 1 liter of liquid for bubbles • Screw cap • Tank material: plastic SKU: 160.574 EAN: 8715693058055

Cod.:SP6100 10,30 €

Plastic insert for stand



Insert for plastic stand Internal diameter: 40 mm Flancia: 80 mm

Cod.:SP206 2,06 €

110mm bass reflex tube



Low-reflex tube that can be installed without screws. Hose Length: 110mm Hole diameter: 53mm

Cod.:SP6170 2,52 €

100mm bass reflex tube



Low-reflex tube that can be installed without screws. Tube Length: 100mm Hole diameter: 45mm

Cod.:SP6015 2,68 €

95mm bass reflex tube



Low-reflex tube that can be installed without screws. Pipe Length: 95mm Hole diameter: 70mm

Cod.:SP6180 3,78 €

Pagina 98/143 www.maltab2b.com

Terminal block for 4-poles loudspeakers



Terminal block for 4-pole loudspeakers Hole pitch: 55mm Dimensions: 64x19x19mm

Cod.:SP146

1,90 €

Mobile speaker coil - 75mm ASV 4 Layers 80hm



Speaker Moving Coil - 75mm ASV 4 Layers 80hm Winding Height: 16mm Stand Height: 55mm

Cod.:SP6815 10,30 €

Speaker moving coil 49-51mm KSV 2 Layers 80hm



Speaker moving coil 49-51mm KSV 2 Layers 80hm Characteristics Internal measurement: 49mm External measurement: 51mm KSV 2 Layers 8 ohms Winding height: 15mm Stand height: 45mm

Cod.:H587 6,10 €

Mobile speaker coil - 35mm KSV 2 Layers 40hm



Moving coil for speaker 35-37mm KSV 2 Layers 40hm Characteristics Internal measurement: 35mm External measurement: 37mm KSV 2 Layers 4 ohms Winding height: 17mm Stand height: 40mm

Cod.:PARTS936 6,10 €

Mobile speaker coil - 35mm ASV 4 Layers 40hm



Mobile speaker coil - 35mm ASV 4 Layers 40hm Speaker Moving Coil -35mm ASV 4 Layers 80hm Winding Height: 12mm Stand Height: 38mm

Cod.:PARTS152 5,88 €

Mobile speaker coil - 49mm ASV 2 Layers 40hm



Speaker moving coil 49-51mm ASV 2 Layers 40hm Characteristics Internal measurement: 49mm External measurement: 51mm ASV 2 Layers 4 ohms Winding height: 16mm Stand height: 45mm

Cod.:PARTS977 10,08 €

Mobile speaker coil - 25mm KSV 2 Layers 80hm



Mobile speaker coil - 25mm KSV 2 Layers 80hm Loudspeaker Voice Coil -25mm KSV 2 Layers 80hm Winding Height: 10mm Stand Height: 30mm

Cod.:PARTS986 9,88 €

Mobile speaker coil - 19mm KSV 2 Layers 40hm



Mobile speaker coil - 19mm KSV 2 Layers 40hm Speaker Moving Coil -19mm KSV 2 Layers 40hm Winding Height: 6mm Stand Height: 24mm

Cod.:SP394 4,00 €

Mobile speaker coil - 49mm KSV 4 Layers 40hm



Mobile speaker coil - 49mm KSV 4 Layers 40hm Mobile speaker coil -49mm KSV 4 Layers 40hm Winding height: 15mm Support height: 43mm

Cod.:H648 6,10 €

www.maltab2b.com Pagina 99/143

Mobile speaker coil - 19mm KSV 2 Layers 80hm



Mobile speaker coil - 19mm KSV 2 Layers 80hm Winding height: 7mm Support height: 24mm

Cod.:H104 3,78 €

Replacement cone with foam suspension for woofers 254mm yellow



Spare cone with foam suspension for 254mm woofer - yellow Height: 70mm

Cod.:SP1015 5,88 €

Replacement cone with foam suspension for 254mm woofer - blue



Spare cone with foam suspension for 254mm woofer - blue Characteristics Overall height: 7cm Hole diameter 5cm Cardboard cone height 5.6 cm Suspension height 1.4 cm

Cod.:SP1025 5,88€

Replacement cone with foam suspension for 140mm woofers - blue



Replacement cone with foam suspension for 140mm woofers - blue Height: 30mm

Cod.:SP6018

Cone replacement with foam suspension for oval 220x150mm woofer



Replacement cone with foam suspension for 220x150mm oval woofer Height: 30mm

Polyester capacitor 3,3uF 250V



Polyester capacitor 3,3uF 250V

1,00€ Cod.:SP1035 Cod.:9082 1,00€

Polyester capacitor 4,7uF 250V



Polyester capacitor 4.7uF 250V

Cod.:7566 1,50 €

Replacement cone with 285mm woofer foam suspension - blue



Replacement cone with foam suspension for woofers 285mm - blue Height: 80mm

Cod.: V2025 7,98 €

Replacement cone with foam suspension for 300mm woofers - Red

1,20€



Replacement cone with foam suspension for 300mm woofers - Red Height: 80mm

Cod.: V2092 7,98 €

Pagina 100/143 www.maltab2b.com

Replacement cone with foam suspension for 300mm woofers - Yellow



Spare cone with foam suspension for 300mm woofer - Yellow Characteristics Overall height: 80mm Hole diameter 5cm Cardboard cone height 7.2 cm Suspension height 1.8 cm

Cod.:V3038

Replacement cone with suspension foam for 155mm woofers - Black



Replacement cone with suspension foam for 155mm woofers - Black Height: 35mm

Cod.:V3035 1,00 €

8 Ohm mobile speaker coil - 45mm



8 Ohm mobile speaker coil - 45mm Features Reel diameter: 45mm Outside diameter: 74mm Distance between terminals: 62mm

Cod.:V3055 5,88 €

Replacement cone for 350mm woofers - black

7,98 €



Replacement cone woofer 350mm - black Height: 100mm

Replacement cone in cardboard for 350mm woofers - brown



Replacement cone woofer 350mm - brown Height: 90mm

Replacement cone with foam suspension for 290mm woofers - red



Replacement cone with foam suspension for 290mm woofers - red Height: 70mm

Cod.:V3062 13,66 €

Cod.:V3063 12,18 €

Cod.:V3056 7,98 €

Replacement cone with suspension foam for 230mm woofers - gray



Replacement cone with suspension foam for 230mm woofers - gray Height: 50mm

Cod.:V3060 10,08 €

Cardboard suspension board 115mm



Cardboard suspension 115mm Internal diameter: 35mm

Cod.:90480 3,16 €

Cardboard suspension 165mm



Cardboard suspension 165mm Internal diameter: 75mm

Cod.:80691 4,00 €

www.maltab2b.com Pagina 101/143

Cardboard suspension edge 180mm



Cardboard suspension 180mm diameter: 100mm

Cod.:91326 3,58 €

Loudspeaker for 8 Ohm - 50mm loudspeaker



8 Ohm mobile speaker coil - 50mm Reel diameter: 50mm Outside diameter: 80mm Distance between terminals: 105mm

Cod.: V3015 7,98€

Loudspeaker for 8 Ohm - 45mm loudspeaker



8 Ohm mobile speaker coil - 45mm Reel diameter: 45mm Outside diameter: 70mm Distance between terminals: 90mm

Cod.: V3028 6,48 €

8 Ohm - 73mm mobile speaker coil



8 Ohm mobile speaker coil - 73mm Coil diameter: 73mm Outside diameter: 107mm Distance between terminals: 124mm

Cod.: V3040 10,08€

Mobile coil for loudspeaker 8 Ohm 35mm



Mobile coil for loudspeaker 8 Ohm 35mm Reel diameter: 35mm Outside diameter: 60mm Distance between terminals: 53mm

Cardboard taper replacement for 360mm woofers - black



Replacement carton cone for 360mm woofers - black Height: 80mm

Cod.: V890 Cod.: V2035 4,84€ 12,18€

Replacement cardboard cone for 420mm woofers - black



Spare cardboard cone for 420mm woofer - black Height: 120mm Inner hole diameter: 78mm

Cod.:V2032 12,18€

Dust cover replacement in 160mm paper for woofers



Internal diameter: 154mm Outside diameter: 160mm Height: 30mm

Cod.: V2093 3,78 €


Dust cover replacement in 158mm paper for woofers



Internal diameter: 152mm Outside diameter: 158mm Height: 30mm

Cod.: V3054 3,78 €

Pagina 102/143 www.maltab2b.com





Internal diameter: 110mm Outside diameter: 116mm Height: 25mm

Cod.:20019 2,52 €

Dust cover replacement in 75mm paper for woofers



Internal diameter: 70mm Outside diameter: 75mm Height: 15mm

Cod.:21443 1,68 €

Dust cover replacement in 75mm paper for woofers



Internal diameter: 70mm Outside diameter: 75mm Height: 15mm

Cod.:21126 1,68 €

Dust cover replacement in 54mm paper for woofers



Internal diameter: 50mm Outside diameter: 54mm Height: 15mm

Cod.:21203 1,48 €

Polyester capacitor 22uF 250V



Polyester capacitor 22uF 250V

Cod.:7495 3,60 €

Polyester capacitor 16uF 250V



Polyester capacitor 16uF 250V 06580

Cod.:6580 3,00 €

Non-polarized electrolytic axial 3,3uF



Non-polarized electrolytic axial 3,3uF 100V

Cod.:5950 0,90 €

Polyester capacitor 18uF 250V



Polyester capacitor 18uF 250V

Cod.:7802 3,30 €


12uF 100V axial electrolytic capacitor non polarized



12uF 100V axial electrolytic capacitor non polarized

Cod.:8720 2,60 €

www.maltab2b.com Pagina 103/143





Polyester capacitor 6,8uF 250V

Polyester capacitor 5,6uF 250V



Polyester capacitor 5,6uF 250V

Polyester capacitor 8,2uF 250V



Polyester capacitor 8,2uF 250V

Cod.:8815 2,10 €

Cod.:8835 1,80 €

Cod.:7930 2,40 €

Axial electrolytic capacitor 6,8uF 100V not polarized



Axial electrolytic capacitor 6,8uF 100V not polarized

Cod.:7090

Polyester capacitor 8,2uF 250V



Polyester capacitor 8,2uF 250V

0,49 €

Cod.:8668

2,10€

Swivel rubber wheel with brake 70 mm with plate 94x64 mm



Swivel rubber wheel with brake 70 mm with plate 94x64 mm Height: 100mm Distance between fixing holes center: 44 X 74 mm

Cod.:W216 10,30 €

Axial electrolytic capacitor 2,2uF 100V not polarized



Axial electrolytic capacitor 2,2uF 100V not polarized

Cod.:5918 0,60 €

Mobile speaker coil - 100mm 80hm



Moving speaker coil - 100mm 80hm Winding height: 21mm Support height: 55mm

Cod.:V2091 10,30 €

Replacement cone with foam suspension for 235mm woofers - Black



Spare cone with foam suspension for 235mm woofer - Black Height: 60mm

Cod.:SP125 10,30 €

Pagina 104/143 www.maltab2b.com

Twisted cable 18 wires silver color - 1 meter



18-wire silver-colored braided cable - 1 meter Designed to connect the moving coil pins to the speaker terminals Impregnated with a compound that facilitates its welding and the same time provides the sizing of the wires. It has great flexibility, damping coefficient and is characterized by the absence of internal voltages. Ideal for speakers up to 15-18

Cod.:V2044 3,78 €

Plastic corner for acoustic speakers



Plastic corner for acoustic boxes Dimensions: 35x35x35mm

Cod.:SP691 1,40 €

13cm dust cover dome



Dust cover dome 13cm

Cod.:SP121 2,52 €

3 "Tweeter 70FB02BC



Tweeter 3 "70FB02BC Max power 30W Diameter: 70 mm Magnet size: 50mm Bore diameter: 50mm Mounting depth: 40mm

Cod.:W173 2,96 €

2 "Tweeter 50W max



2 "Tweeter 50W max Features Power: 50W max Diameter: 50 mm Magnet size: 35mm Bore diameter: 46mm Mounting depth: 35mm

Cod.:W171 1,68 €

2-way crossover filter 200Wmax



2 way crossover filter 200Wmax Dimensions 45 x 35 x 2 mm Audio input wire (in) 30cm Woofer wire (wf) 60cm Tweeter wire (tw) 60 cm

Cod.:SP693 3,98 €

Panel volume regulator 20W



20W panel volume regulator Controls designed to allow adjusting the volume or turning off the speakers in each area where required. It is possible to use one in each zone or for several zones, just do not change the maximum total power applicable. The 5-position switch allows precise volume adjustment suitable for every need. Dimensions 85x85x35

Cod.:V2041 14,50 €

Terminal Block for Loudspeakers 2 Poles 52x24mm



Terminal block for 2 poles speakers 52x24mm Hole pitch: 45mm Dimensions: 52x24mm

Cod.:SP6109 0,80 €

Dust cover dome 4cm



Dust cover dome 4cm

€ Cod.:91426 1,00 €

www.maltab2b.com Pagina 105/143



















5,50 €

Cod.:ND1074

Pagina 106/143 www.maltab2b.com


Metal spring handle for flightcase or case 12x3.5cm



Metal spring handle for flightcase or case 12x3.5cm Features Mounting bracket dimensions: 12x3.5cm Spring return Durable plastic handle Number of screw holes: 5 The image is indicative, some details may change

Cod.:SP018 7,60 €

Dual audio transformer 18.5V + 18.5V-10V



Dual audio transformer 18.5V +
18.5V-10V Size Height: 5.5cm Total
width: 9.9cm Depth: about 6cm
Features Power supply: 220V on red
cable, fuse holder on cable White wire:
10V Blue + Black wires: 18.5V

Cod.:W262 36,00 €

Voice coil for loudspeaker 51mm 8 Ohm



Voice coil for loudspeaker 51mm 8 Ohm Features Impedance: 8 Ohm Reel diameter: 51mm Total diameter: 112mm Height: approximately 28mm Distance between poles: about 9 cm

Cod.:SP319 28,00 €

MKP 250V 1.5uF 5% Polyester Audio Capacitor



MKP 250V 1.5uF 5% Polyester Audio Capacitor Features Manufacturer: Zhen Tai Capacitor type: MKP Audio Casing material: Polyster ribbon Capacity: 1.5uF Tolerance: ± 5% Rated voltage: 250V Capacitor size: 15x32mm (width * length) Yellow color

Cod.:7513 1,96 €

Speaker Moving Coil - 35mm ASV 2 Layers 8 Ohm



Speaker Moving Coil - 35mm ASV 2 Layers 8 Ohm Characteristics Loudspeaker moving coil - 35mm ASV 2 Layers 8 ohms Winding height: 14mm Stand height: 41mm

Cod.:SP016 3,80 €

Speaker Moving Coil - 49mm ASV 4 Layers 8 Ohm



Speaker Moving Coil - 49mm ASV 4 Layers 8 Ohm Characteristics Loudspeaker moving coil - 49mm ASV 4 Layers 8 ohms Winding height: 16mm Support height: 45m

Cod.:W695 5,80 €

Speaker moving coil 52mm 150W 8 Ohm



Speaker moving coil 52mm 150W 8 Ohm Suitable for 75W, 100W, 120W, 150W speakers on the market. Characteristics Diaphragm diameter: about 52mm (51.6mm) Total diameter: 91mm approx Impedance 8 ohms Materials: Cotton Thread + Phenolic + Copper

Cod.:SP969 1,98 €

800W 4-8 Ohm 3-way crossover filter



800W 4-8 Ohm 3-way crossover filter
Characteristics Model: CW-3806
Maximum power: 800W Impedance: 4-8?
Frequency Response: 45Hz-28KHz
Length: about 250mm Width: about
164mm Height: about 45mm Installation
hole center distance: 230x148mm Red
Material: PC board + metal Package
Content: 1*800W Speaker Crossover

Cod.:SP582 56,00 €

Plastic handle for loudspeakers 14x15cm



Plastic handle for loudspeakers 14x15cm Characteristics Recess depth: approx. 40mm Dimensions: approx. 14x15cm

Cod.:L520 3,96 €

www.maltab2b.com Pagina 107/143

Speaker terminal block with built-in crossover filter 4-8 ohm 80W



Speaker terminal block with built-in crossover filter 4-8 ohm 80W NB: Some details, such as the colors of the electronic components, may vary from those shown in the image Characteristics Maximum power: 80W Frequency Response: 48Hz - 20K Hz Impedance: 4 - 8 ohms 2 way Circuit board size: 45x56mm Terminal block

Cod.:SP134 9,60 €

160W 4~8 Ohm WEAH 2504 2-way crossover filter



160W 4~8 Ohm WEAH 2504 2-way crossover filter The crossover filter adopts large-size MKP special audio capacitors, high-power resistors and large-diameter inductors.

Characteristics Product type Audio Crossovers Model WEAH-2504 Power 160W Dimensions 137*90*30 (mm) Frequency Point 3200Hz Impedance

Cod.:SP142 15,60 €

Reel support 33x10x21mm - FERROXCUBE



Coil holder 33x10x21mm -FERROXCUBE Features Model ETD34 3C90 Finish Uncoated Height 0.681" (17.30mm) Length 1.378" (35.00mm) Width 0.437" (11.10mm)

Cod.:92850 0,30 €

Fog machine liquid 5l



Fog machine liquid 5I This water-based liquid is specially designed for fog/smoke machines to produce white fog, safe for stage entertainment, clubbing or as a special effect. It does not have an unpleasant odor and does not leave any oily residue. Non-irritating and non-flammable. Reliable for performers and compatible with most fog

Cod.:E2065 31,60 €

2-way crossover filter 300W 4~8 Ohm WEAH 2506A



2-way crossover filter 300W 4~8 Ohm WEAH 2506A Characteristics Product type Audio Crossover Model WEAH - 2506A Power 300W Board size 144x94 (mm) Frequency response 50hz - 22KHz Distance between holes 134x84mm Number of ways 2 Impedance 4~8? Characteristics Bidirectional high and low frequency Audio specifications 12db/oct

Cod.:SP366 18,96 €

3-way crossover filter 300W 4~8 Ohm WEAH 3007



3-way crossover filter 300W 4~8 Ohm WEAH 3007 Characteristics Product type Audio Crossover Model WEAH - 3007 Power 300W Board size 120x90x33(mm) Frequency 1500Hz Audio specifications 12db/oct Number of ways 3 Impedance 4~8?

Cod.:SP651 19,20 €

3-way crossover filter 150W 4~8 Ohm WEAH 305



3-way crossover filter 150W 4~8 Ohm WEAH 305 Characteristics Product type Audio Crossover Model WEAH - 305 Power 150W Board size 85x62x30mm(mm) Frequencies mid-high: 4000Hz/mid-low: 900Hz Distance between holes 75x52mm Number of ways 2 Impedance 4~8? Characteristics Bidirectional high and low

Cod.:SP254 5,36 €

Speaker terminal block with crossover filter included 280W WEAH 205L



Speaker terminal block with crossover filter included 280W WEAH 205L Uses professional audio capacitors. The inductor is wound with high temperature resistant copper enamelled wire. The crossover is equipped with a wiring socket, which eliminates the need for soldering. The switches can adjust 4 crossover points, with 2 combinations of

Cod.:SP608 25,80 €

Replacement boiler for 1200W fog machine



Replacement boiler for 1200W fog machine Characteristics Spare part type: Boiler Voltage: AC 90-120 / 200-240V @ 50-60Hz. Rated power: 1200W Average flow: 30DCB, 40DCB, 55DCB. Operating temperature: 200 to 250 degrees Celsius. Concrete insulation: 1. Length: 13cm excluding connectors Width: 5.5cm approx Suitable

Cod.:PARTS140 38,00 €

Pagina 108/143 www.maltab2b.com

Replacement pump for fog machine 18W 240V



Replacement pump for fog machine 18W 240V Made of high quality materials, durable and compact. This oil pump no need to separate positive and negative, can connect freely. It is suitable for stage equipment such as smoke machine. Specifications Power: 18W Voltage: 220V For protection level: IP65 Size: about 4.8x3.5cm Suitable for 1200W fog

Cod.:PARTS933

14.64 €

Remote control for subwoofer volume control



Remote control for subwoofer volume control Knob switch to adjust the volume. Replacement for flat active subwoofer (code SP434). Cable length 5m.

Cod.:PARTS932 15.96 €

Wireless remote control for fog machine



Wireless remote control for fog machine Characteristics Fog machine remote control Receiver with 3-pin XLR connection Maximum operating distance: 30m Remote Control: 315mHz Number of remote control buttons: 4 (A - B - C - D)

Cod.:PARTS904 15,80 €

Replacement cone with foam suspension for 254mm woofer - red

Replacement cone with foam suspension for 254mm woofer - red Features Overall height: 7cm Hole diameter 5 cm Cardboard cone height 5.6cm Suspension height 1.4cm Suspension colour: red

Cod.: V928 5,88 €

Replacement thermostat for smoke machine 16(3)A 250V

Replacement thermostat for smoke machines 16(3)A 250V Replacement thermostat suitable for smoke machines with power included between 900W-1500W Features Voltage: 16(3)A 250V @ 50/60Hz / 10(1.8)A 400V K Temperature Control Range: 50-320? Clss Insulation: F Certificate: CE, RoHS, UL. VDE

Cod.:PARTS130 18,96 €

Portable bluetooth speaker - Cube



CMBS-308 portable Bluetooth speaker, despite its small size, guarantees high quality sound for your favorite music wherever you are . Its elegant shape of a cube will not leave anyone indifferent, and the soft-touch coating will give a pleasant sensation to the touch Bluetooth V3.0; Radius 10m; Voltage while charging through the USB-cable: 5

Cod.:CMBS-308

47,54 €

Portable bluetooth speaker - stereo



Portable 6W bluetooth/AUX speaker stereo You can always listen to your favorite music and even take the call. The device is equipped with a microphone that allows you to easily answer incoming calls via a reception button. Version V2.1+EDR, CLASS II Operating distance 10m Audio inputs Bluetooth, audio jacks Electrical characteristics Voltage DC 5V

Cod.:CMBS-303 37,38 €

Portable bluetooth speaker with lights



You can always listen to your favorite music and have fun with fantastic colored lights! version V2.1+EDR, CLASS II Operating distance 10m DC 5V 1000mA Maximum power output 1.5? Maximum power output 3W*2 Resistance 4? Signal-to-noise ratio ?70dB Frequency response 100Hz -18kHz The weight 363g The size

Cod.:CMBS-315 48,68 €

BT55A / 00 Bluetooth Speaker Philips -**Blue Color**



Philips Bluetooth Speaker BT55A/00 -Blue Color Main functions Anti-clipping function for powerful, distortion-free audio Wireless playback via Bluetooth Built-in rechargeable battery to play music wherever you want Accessories included: USB charging cable, quick installation Details EAN 4895185630830 Philips brand Pack size 140 x 81 x

Cod.:ED3106 45,76 €

www.maltab2b.com Pagina 109/143

BT55P / 00 Bluetooth Speaker Philips - Pink



Main functions Anti-clipping function for powerful, distortion-free audio Wireless playback via Bluetooth Built-in rechargeable battery to play music wherever you want Accessories included: USB charging cable, quick installation guide Details EAN 4895185630847 Philips brand Dimensions 140 x 81 x 95mm Weight about 0.237KG Pink color

Cod.:ED3141 45,76 €

Dunlop 2X3W gray fabric Bluetooth speaker



Dunlop 2X3W gray fabric Bluetooth speaker Bring your music always preferred with you with the Dunlop Bluetooth Speaker! Simply connect your smartphone or tablet to the speaker via Bluetooth and the game is done!

Do you prefer a traditional connection? The supplied AUX cable allows you to manage the connection via

Cod.:ED5006 30.00 €

Dunlop 2x3W light gray fabric Bluetooth speaker



Bluetooth speaker light gray 2x3W
Dunlop fabric Bring yours favorite music
always with you with the Dunlop
Bluetooth Speaker! Just connect your
smartphone or tablet to the speaker via
Bluetooth and play It's done! Do you
prefer a traditional connection? The
supplied AUX cable allows you to
manage the connection via Jack. Clear

Cod.:ED5328 26,86 €

Dunlop Multicolour 3W 48 LED Bluetooth Speaker



Dunlop 3W 48 multicolor LED Bluetooth speaker Bluetooth speaker with multicolor LED, ideal for creating atmosphere. Very light, it is ideal to be transported wherever you need it.

Details EAN 8711252088068 Dunlop brand Dimensions 240 x 33 x 33mm Weight about 0.181KG Power supply: 2x AAA batteries (not included) Lighting:

Cod.:ED4104 31,46 €

9W Bluetooth speaker Up to 3 hours of playtime Green



WEE

9W Bluetooth speaker Up to 3 hours of playtime Green This wireless Bluetooth speaker allows you to have your favorite music at your fingertips in any room of the house or wherever you go. The speaker's built-in 300mAh battery allows you to play music continuously for up to three hours on a single charge. The rich 3W RMS audio experience is achieved

Cod.:ND9175 8,14 €

15W Mono Bluetooth speaker





Bluetooth 15W Mono speaker Battery playback time: Up to 4 hours | Design table | 15 W | Mono | Black / Gray Take your music with you wherever you go with this stylish Nedis Bluetooth v5.0 speaker.

The built-in 1200 mAh battery guarantees up to four hours of song playback on a single charge The fabric design ensures that the speaker looks as

Cod.:ND9570 31,46 €

Anthracite stereo Bluetooth© 30W speaker



Bluetooth© 30W stereo anthracite speaker Take your music with you wherever you go with this stylish pair of Nedis© Bluetooth© v5.0 speakers. The built-in 1200 mAh battery guarantees playback of songs for up to four hours on a single charge The fabric design looks as good as the audio provided thanks to True Wireless Stereo and the

Cod.:WB2000 38,00 €

Bluetooth / USB / AUX / SD speaker with radio and 2x4 "10W microphone



Bluetooth / USB / AUX / SD speaker with radio and microphone 2x4 "10W BLUETOOTH FUNCTION The wireless speaker is a great convenience and great mobility, due to the lack of the need to use a cable. The bluetooth range of this boombox speaker is up to 15m, which is very convenient because you can easily walk away from the speaker with your

Cod.:WB1215 43,80 €

TWS bluetooth 5.0 Bluetooth Speaker LED Light MicroSD / TF 10W C7



TWS bluetooth speaker Bluetooth 5.0 LED Light MicroSD / TF 10W C7 Wireless streaming via newer Bluetooth 5.0 with improved speed and longer range Stereo Pair Options You can easily pair two Bluetooth C7 speakers into a stereo pair for wider sound The built-in rechargeable battery high-capacity lithium-ion battery (1000

Cod.:P1293 17,96 €

Pagina 110/143 www.maltab2b.com

6W bluetooth speaker SD / AUX card input B12



Bluetooth speaker 6W SD / AUX B12 card input Features Model: B12 Bluetooth version: 2.1 + EDR RMS power: 2x3W Maximum distance: 10m Frequency range: 280Hz-16kHz SNR: less than 95dB Distortion: less than 5% Audio inputs: 3.5mm audio jack MicroSD memory card slot Key to answer incoming calls Charging cable

Cod.:WB314 17,96 €

TMBTH002R Rechargeable Bluetooth Speaker Various Colors



TMBTH002R rechargeable Bluetooth speaker various colors Features Portable mini Bluetooth speaker for wireless audio playback. Ultra compact for maximum mobility. Integrated Class D amplifier for high performance sound. A2DP Bluetooth for universal connectivity with smartphones. 740 mAh rechargeable lithium battery with micro

Cod.:WB534 13,96 €

Bluetooth® Party Boombox 16W AUX / USB speaker with LED lights



Bluetooth® Party Boombox 16W AUX / USB speaker with LED lights This Nedis Bluetooth® RGB Party Boombox consists of a 16 W 2.0-channel wireless speaker that delivers crisp, pure sound with powerful bass. You can bring more life to your party with the flashing RGB LED lights on the front. These RGB lights change color as music plays and can

Cod.:ND9158 59,60 €

Bluetooth/USB/FM speaker JK-1104 various colors



Bluetooth/USB/FM speaker JK-1104 various colors Characteristics Audio inputs: Bluetooth, SD card, USB FM radio function MicroUSB charging cable included, charging values ??5V - 500mAh Dual speaker system Bluetooth Version: 5.0 Battery Capacity: 1200mAh Charging time: 3h Usage time: from 2.5h to 4h S/N: 90db Frequency Response:

Cod.:WB1478 13,96 €

Rechargeable Bluetooth/USB/FM/LED 6W speaker with various colors solar panel



Rechargeable Bluetooth/USB/FM/LED 6W speaker with various colors solar panel Characteristics Model: JK-1413S Audio inputs: Bluetooth, SD card, USB FM radio function MicroUSB charging cable included, charging values ??5V - 120mAh - Charging via integrated solar panel Dual speaker system Bluetooth Version: 5.0 Battery Capacity: 800mAh

Cod.:WB1638 19,60 €

Black Bluetooth speaker 6W SD card input/AUX B12



Black Bluetooth speaker 6W SD card input/AUX B12 Characteristics Model: B12 Bluetooth version: 2.1+EDR RMS power: 2x3W Maximum distance: 10m Frequency range: 280Hz-16kHz SNR: less than 95dB Distortion: less than 5% Audio inputs: 3.5mm audio jack microSD memory card input Button for answering incoming calls Charging cable included,

Cod.:WB664 17,96 €

RGB LED lamp with FM Radio/Bluetooth/AUX/SD card function and wireless charging



RGB LED lamp with FM
Radio/Bluetooth/AUX/SD card function
and wireless charging Discover the new
wireless rechargeable Bluetooth LED
lamp for smartphones: the perfect
accessory for those who love
convenience and technology. Thanks to
its wireless charging function, you can
always keep your smartphone charged

Cod.:WB658 29,60 €

MG-66SR megaphone



Megaphone MG-66SR SR-66 series with built-in siren, whistle and DC jack.Digital recording function 60 seconds IC for voice files (rewritable). SHOW megaphones provide clear and effective voice amplification especially for outdoor activities, such as elections, sports or public occasions. Details MAX power 25W Range 0.5 ~ 0.7km depending on

Cod.:V2030 81,90 €

Passive speaker 10W TSCO



10W TSCO passive loudspeaker Male RCA connection Speaker diameter 50mm Power 10W Dimensions 70x165x80mm

Cod.:W828 4,16 €

www.maltab2b.com Pagina 111/143

Speaker repair cable HG 6X4MAJ coil 250gr



Speaker repair cable HG 6X4MAJ coil 250gr

Cod.:W827 25,20 €

Speaker repair cable HG 5X4MAJ coil 250gr



Speaker repair cable HG 5X4MAJ coil 250gr

Cod.:W813 25,20 €

Speaker repair cable HG 4X4MAJ coil 250gr



Speaker repair cable HG 4X4MAJ coil 250gr

Cod.:W186 25,20 €

Speaker repair cable HG 3C3X6MBJ coil 250gr



HG speaker repair cable 3C3X6MBJ coil 250gr

Cod.:W811 25,20 €

Speaker repair cable HG 3X4MAJ coil 250gr



Speaker repair cable HG 3X4MAJ coil 250gr

Cod.:W261 25,20 €

Goobay 200W 2-way speaker switch



Goobay 200W 2-way speaker switch for connecting max. 2 pairs of speakers max. 200W (to amplifier) ??and 100W x 2 (speakers) or 50W x 4 (speakers) Speaker switching console to turn on and off 2 pairs of speakers powered by a stereo amplifier Depending on the individual sound requirements, the speakers can be operated individually or

Cod.:F1433 11,60 €

Built-in socket for loudspeakers with solder connection



Built-in socket for loudspeakers with solder connection Features Brand: Goobay Supplier code: 11249 EAN number: 4040849112492

Cod.:70596 0,76 €

Speaker socket with screw connection and crease protection



Speaker socket with screw connection and crease protection Features screw-in housing article suitable only for hobby / DIY Supplier code: 11246 EAN: 4040849112461

Cod.:70246 0,90 €

Speaker plug with screw connection and kink protection



Speaker plug with screw connection and kink protection Features screw-in housing article suitable only for hobby / DIY Supplier code: 11241 EAN number: 4040849112416

Cod.:30467 0,90 €

Pagina 112/143 www.maltab2b.com

Shielded HI-FI speaker with conveyor



Shielded HI-FI speaker with conveyor Features Impedance: 8 ohm Power: 15 Watts Size: 5" (12 cm)

Cod.:SP298 4,00 €

PA ceiling speaker 100V 6" white



PA ceiling speaker 100V 6" white Speaker with 6" woofer for ceiling installation, equipped with 100V line transformer.Dedicated to Public Address(PA) applications for broadcasting announcements and background music. Characteristics Model: HT6-3 6" speaker Frequency Response: 70 – 14KHz Sensitivity: 90dB

Cod.:SP7500 19,60 €

80hm 1W broadband speaker



80hm 1W broadband speaker Size diameter: 50mm Hole distance: 62mm Depth : 20mm

Cod.:F1250 0,96 €

PA 70V / 100V 10W column loudspeaker - White



PA 70V / 100V 10W column loudspeaker
- White Frequency Response: 150 ~
10,000Hz SPL at 1K Hz: 92dB / 1W /
1m Dimensions: 105x80x350mm
Operation: 70V / 100V Including
brackets for wall mounting

Cod.:W100 32,68 €

PA 70V / 100V 15W - White Column speaker



PA 70V / 100V 15W - White Column speaker Frequency Response: 150 ~ 10,000Hz SPL at 1K Hz: 92dB / 1W / 1m Dimensions: 150x90x395mm Operation: 70V / 100V Including brackets for wall fixing

Cod.:W150 46,20 €

PA 70V / 100V 15W column loudspeaker - White



PA 70V / 100V 15W column loudspeaker
- White Frequency Response: 150 ~
10,000Hz SPL at 1K Hz: 92dB / 1W /
1m Dimensions: 105x80x460mm
Operation: 70V / 100V Including
brackets for wall mounting

Cod.:W110 39,90 €

PA 70V / 100V 30W column loudspeaker - White



PA 70V / 100V 30W column loudspeaker
- White Frequency Response: 150 ~
10,000Hz SPL at 1K Hz: 92dB / 1W /
1m Dimensions: 150x100x550mm
Operation: 70V / 100V Including
brackets for wall mounting

Cod.:W172 58,80 €

Column speaker PA 70V / 100V 10W - White



Column speaker PA 70V / 100V 10W - White Frequency Response: 150 ~ 10,000Hz SPL at 1K Hz: 92dB / 1W / 1m Dimensions: 150x90x300mm Operation: 70V / 100V Including brackets for wall fixing

Cod.:W285 33,82 €

8 ohm 10W speaker



8 ohm 10W speaker 8 ohm 10W Size: 11X5 cm

Cod.:SP396 0,88 €

www.maltab2b.com Pagina 113/143

Samsung Original AH59-02736A midrange speaker sound bar driver HW-K650 / K550



Samsung Original AH59-02736A midrange speaker sound bar driver HW-K650 / K550

Cod.:SP640 1,90 €

100V Pendant Ceiling PA Speaker - White



Speaker with 5" woofer for ceiling installation, equipped with 100V line transformer. Characteristics Frequency response: 70 – 14KHzSensitivity: 90 dBConstant voltage transformer: 100 VPower: 5W - 10WMaterial: ABS Colour: WhiteWeight: about 800 gDimensions (mm): 185 x 185 x 310

Cod.:SP990 29,40 €

100V Pendant Ceiling PA Speaker -Black



100V Pendant Ceiling PA Speaker - Black Speaker with 5" woofer for ceiling installation, equipped with 100V line transformer. Characteristics Frequency response: 70 – 14KHz Sensitivity: 90 dB Constant voltage transformer: 100 V Power: 5W - 10Wnn Material: ABS Colour: Black Weight: about 800 g Dimensions (mm): 185 x 185 x 310

Cod.:SP820 29,40 €

CALOTTA CAL-5T for TZ-5T ceiling diffuser in aluminum



CAL-5T CAP for TZ-5T aluminum ceiling speaker Original code: 559807115

Midrange 5 "SG-5M 150W 8 Ohm



Midrange 5 "SG-5M 150W 8 Ohm Rated power: 75W Diameter: 165 mm Magnet size: Ø 80mm Hole diameter: 125mm Mounting depth: 50mm EAN code: 8053323559979

Cod.:A1829 10,30 € Cod.:V3030

CASIO 6 Ohm 7W 118x118mm Loudspeaker



CASIO 6 Ohm 7W 118x118mm Loudspeaker Model: CJ12FH01 Diameter: 118 mm Magnet size: 60mm Hole diameter: 100mm Mounting depth:

Cod.:V3080 3,78 €

6" 4/8 Ohm 10W-50W Built-in speaker



6" 4/8 Ohm 10W-50W Built-in speaker 2-way crossover filter Frequency: 40Hz-20KHz Woofer and tweeter with separate coils Diameter: 170 mm Magnet: 80 mm Hole: 140 mm Depth: 90 mm

Cod.:W221 37,80 €

Loudspeaker 12 "6 Ohm 500 W

12,40 €



Loudspeaker 12 "6 Ohm 500W Max power 500 W Impedance 6 Ohm Diameter 310mm Magnet diameter 230mm Hole diameter 280mm Depth 145mm

Cod.:W299 96,60 €

2-way kit with crossover



2-way kit with crossover Woofer 8 " Impedance 8 Ohm Power 150W max Tweeter 2 " Template dimensions: 36.5x26.5x10.5cm

Cod.:V996 96,00 €

Pagina 114/143 www.maltab2b.com

Loudspeaker 2 "40hm 5W



Loudspeaker 2 "40hm 5W Max power 5W Impedance 40hm Dimensions 5x5x2 cm

Cod.:W814 2,06 €

Loudspeaker 2 "10W



Loudspeaker 2 "10W Max power 10W Dimensions 5x5x2.5 cm

Cod.:W489 2,06 €

Loudspeaker 5W 4 Ohm 5x5x2.5cm red



Loudspeaker 5W 4 Ohm 5x5x2.5cm red Loudspeaker power equal to 5W and impedance of 4 Ohm. The inner ring is glossy red. Features Power: 5W Impedance: 4 Ohm Height: 5cm Width: 5cm Depth: 2.5cm Magnet diameter: 4.5 cm Finish: glossy red

Cod.:W242 3,10 €

Loudspeaker 10W 4 Ohm 13x13x4.5cm red



Loudspeaker 10W 4 Ohm 13x13x4.5cm red Features Power: 10W max Impedance: 4 ohms Maximum diameter: 13cm Minimum diameter: 11cm Magnet diameter: 5.8cm Magnet height: 1.5cm Total height: 4.5cm

Cod.:W781 2,06 €

Speaker 2.5 "40hm 5W



Loudspeaker 2.5 "4ohm 5W Max power 5W Impedance 4Ohm Dimensions 6.5x6.5x2.5cm

Cod.:W231 3.10 €

Speaker 2.5 "40hm 5W



Loudspeaker 2.5 "4ohm 5W Max power 5W Impedance 4Ohm Dimensions 6.5x6.5x3.5cm

3,10 € Cod.:W361

Speaker 1.5 "40hm 5W



Loudspeaker 1.5 "40hm 5W Max power 5W Impedance 40hm Size 4x4x2cm

Cod.:W264 2,06 €

Speaker 3 "40hm 5W



Speaker 3 "40hm 5W Max power 5W Impedance 40hm Size 7.5x7.5x3.5cm

Cod.:W295 4,16 €

Built-in speaker K 28.40, 8 OHM

4,00€



Built-in speaker K 28.40, 8 OHM 2.8 x 4 cm mini speaker with paper membrane and rectangular plastic basket. Small size thanks to the neodymium driver.

Product specifications Impedance 8 Ohm Weight 0.014 kg Supplier Code: K 28.40, 8 OHM EAN code: 4007540029450

Cod.:ND5498 11,90 €

www.maltab2b.com Pagina 115/143

HiFi speaker in 10mm 8 Ohm polycarbonate



HiFi speaker in 10mm 8 Ohm polycarbonate HiFi speaker 10mm polycarbonate, with cutting fluid cooled coil. Suitable for small and shielded 2-way combinations, surround effect center speakers and multimedia systems, together with the VS-SC8 loudspeaker. General information Impedance (Ohm) 8 Rated power (W) 60 Maximum power

Cod.:ND6614 22,48 €

100 Pieces - Speaker 8 ohm 10W



100 Pieces - Speaker 8 ohm 10W Features Size: 11X5 cm 8 Ohm Power: 10W

Cod.:SP396-100 49,00 €

Martin Brother 120W karaoke KV8 speaker



Martin Brother KV8 karaoke speaker
120W The KV8 karaoke
loudspeaker is a versatile 2-way
passive coaxial system designed for
the application where high output is
required with an ultra compact enclosure and limited space .
It delivers big sound with power
handling capabilities of up to 120W att

Cod.:KV8 178,00 €

LG Original LGZ80 speaker woofer 2.5 "driver



LG Original LGZ80 speaker woofer 2.5

"driver Features
Configuration: Single Speaker
Connectivity: Wired Brand: LG
Electronics Model: EAB62290601
MPN: LGZ80 RMS Power: 40W max
Sound Quality: High Fidelity (Hi-Fi)

Cod.:SP005 4,96 €

100V 40hm Ceiling PA Speaker - Black



Ceiling PA Speaker 100V 40hm - Black Speaker with 6" woofer for ceiling installation, equipped with 100V line transformer. Dedicated to Public Address (PA) applications for broadcasting announcements and background music Details Voltage transformer 70v 100 V Max power 10W Color Black Size 185 mm Hole 165

Cod.:SP029 21,60 €

20W Public Address Wall Speaker



Public Address wall speaker 20W
Features Tweeter inch size: 2 " Woofer inch size: 4" Peak power: 20W
Minimum power: 5W Power supply: 70-100V Sensitivity: 92dB Frequency range: 150Hz-18KHz Size Height: about 25.5cm Width: 16cm Upper part depth: 11cm Lower part depth: about 4.5cm

Cod.:SP677 32,96 €

180W 4 Ohm WF-CX502 2-way speaker 5 " Winford



180W 4 Ohm WF-CX502 2-way speaker 5 " Winford Features Brand: Winford Model: WF-CX502 Diameter: approx. 128mm Size in inches: 5" Magnet diameter: 7 cm Peak power: 180W Power in W RMS: 80W Impedance: 4 Ohm 2 way 5 "cone with rubber edge 0.75 aluminum voice coil 6.3OZ magnet Hole distance diagonally: 14cm approx

Cod.:SP186 9,96 €

5.25 "30W 2-way wall speaker



5.25 "30W 2-way wall speaker Features Model: SP-0305T 2 ways Impedance 8 ohms Power 30W Frequency 75Hz-20Khz Sensitivity 88dB (1w / m) Woofer: 5.25 "(135mmmm) Tweeter: 0.5 "(13mm) PET dome Size: H * W * D 240 * 185 * 163mm White color

Cod.:V3096 48,96 €

PA 70V / 100V 15W column speaker



Column speaker PA 70V / 100V 15W
Frequency Response: 150 ~ 10,000Hz
SPL at 1K Hz: 92dB / 1W / 1m Input
voltage: 70V on white wire / 100V on
green wire Including brackets for fixing
to the wall Size Height 28cm Depth
about 13cm Front width: 16cm Back
width: 10.2cm

Cod.:V3082 59,96 €

Pagina 116/143 www.maltab2b.com

Pair of midrange 6.5 "4 Ohm 350W AE-620



Pair of midrange 6.5 "4 Ohm 350W
AE-620 Features Maximum power: 350W
Impedance: 4 Ohm Sensitivity: 92dB
Frequency response: 35-22KHz Model:
AE-620 Dimensions Diameter: 161mm
Depth: 75mm approx Magnet diameter:
100mm Hole distance horizontal: 110mm
Hole distance diagonally: 150mm

Cod.:SP127 39,96 €

PA ceiling speaker 100V 18cm white



PA ceiling speaker 100V 18cm white Round built-in loudspeaker, suitable for all public places or homes: ideal for shops, offices, studios where piped music audio transmission is required. Technical features White color Built-in box With springs for assembly Sensitivity: 91db Frequency: 90Hz - 16KHz Voltage: 70-100V Outputs: 40-70W Power:

Cod.:SP238 18,96 €

Ceiling PA speaker 100V 17cm white



Ceiling PA speaker 100V 17cm white Round built-in speaker, suitable for all public places or homes: ideal for shops, offices, studios where audio transmission of music via piped music is required. Technical features Model: 2905TR White color Built-in speaker With mounting springs Sensitivity: 91db Frequency: 90Hz - 16KHz Voltage: 70-100V Output:

Cod.:SP6139 14,96 €

2" 4ohm 5W speaker



2" 40hm 5W speaker Max power 5W Impedance 40hm Dimensions 5.4x5.4x2.4cm Magnet diameter: 4.5cm

Cod.:W256 2,06 €

Pair of 6.5" 100W 2-way 4 Ohm coaxial car speakers with grille



Pair of 6.5" 100W 2-way 4 Ohm coaxial car speakers with grille Characteristics Designed for use in any vehicle audio system. Loud sound and clear tone quality, high sensitivity. Long life, easy to install and maintain. High quality magnet. High temperature resistant and anti-aging PE rubber edge. Power: 100W Supplier code: KL-60C Size: 6.5" Sensitivity: 87dB

Cod.:SP817 29,96 €

Pair of 4*6" 150W 2-way 4 Ohm coaxial car speakers



Pair of 4*6" 150W 2-way 4 Ohm coaxial car speakers Characteristics Frequency range: 70Hz-20KHz Continuous Output Power: 25W Peak Power: 150W Impedance: 4 ohms High density magnet, strong vocal performance Strong bass performance Model: BA-4650 Distortion: less than 1% Magnet specification: 7010 Ferrite Sound

Cod.:SP655 29,36 €

150W 6.5" 4 Ohm dual cone speaker



150W 6.5" 4 Ohm dual cone speaker Characteristics Frequency Range (Hz): 20-18Khz Voltage: 12V Output power: 150W Size: 6.5 inches Impedance: 4 ohms

Cod.:SP678 4,20 €


Pair of speakers for PC/Smartphone/iPod/Tablet black/grey ?-606 3Wx2



Pair of speakers for PC/Smartphone/iPod/Tablet black/grey ?-606 3Wx2 Characteristics Brand: Kisonli EAN code: 3000000221181 Supplier code: 22118 Kisonli A-606 speakers Connector: AUX 3.5mm audio jack Power: USB Output Power: 3W Hormone power: 3W*2 Product size: 65*65*105MM Colours: black/grey

Cod.:L641 18,25 €

Trumpet for screw tweeter



Trumpet for screw tweeter Color: black Dimensions: 55x127x159mm Replacement for speaker: LM08, LM10, LM12, WL208, WL210, WL212

Cod.:SP302 5,26 €

www.maltab2b.com Pagina 117/143

50W tweeter pair with stand









50W tweeter pair with support Features Maximum power: 150 W Rated input power: 50 W Frequency response (1 W / 0.5 m): 2000 - 30000 Hz Impedance: 4 Ohms Sensitivity (1W / 1m): 92 dB Tweeter size: 25 mm External dimensions: 40 mm

Cod.:SP850 4,80 €

Tweeter Piezo



Tweeter Piezo Impedance: piezo Power RMS: 150W with 20 Ohm / 10W shunt Freq. Response: 6 kHz - 16 kHz Dimensions (mm): 85 / W x 85 / H x 65 /

Cod.:SP160 1.96 €

Piezo Tweeter



Piezo tweeter Bandwidth: 4000-20000Hz Max. Voltage: 30V Max. power: 4? 225W / 8? 115W Press. son. med. (2,83V/1m): 94dB Diff. angle (vert./hor.) Montage opening: 77mm Mounting depth: 60mm Size: 85x85mm Weight: 60g

Cod.:SP190 1.80 €

Chrome-plated 4 Ohm 20W dome tweeter



Tweeter 20hm 20W magnetic with large membrane for exceptional dynamic power even with low cutting frequencies and characterized by design chrome. The ideal solution for clear sound. Outer diameter: 102mm Mobile reel diameter 30mm Magnet diameter 70mm Mounting aperture 90mm Mounting depth 26mm

Cod.:SP390 8,20 €

Piezo Tweeter



Piezo tweeter Features 4000-20000Hz bandwidth Max voltage 30V~ Max power 4? 225W 8? 115W Press. son. med. (2.83V / 1m) 94dB Diff. Angle (vert./hor.) Impedance / 1kHz> 1000? 65mm mounting opening Mounting depth 50mm Dimensions (Ixlhxp) 70x70mm Weight 60g

Cod.:SP395 2,06€

Driver for horn tweeter, 100WMAX, 60hm with thread



Driver for horn tweeter, 100WMAX, 6 Ohm with thread , good frequency linearity and high sound pressure with few distortions: an excellent universal loudspeaker for almost all applications, also in combination with a 38cm woofer / midrange (15 ") or of course with all multi-way arrangements. Technical characteristics Impedance (Z): 6 Ohm

Cod.:SP368 14,30 €

Tweeter Piezo



TWEETER PIEZO 150W High performance Max power: 150W Frequency response (Hz): 2-20kHz Sensitivity (dB): 91 Dimensions 145 x 67 x 50 mm

Cod.:SP169 1,96 €

Trumpet for screw tweeter



Trumpet for screw tweeter Color: black Dimensions: 380x135

Cod.:SP122

Tweeter horn



Tweeter trumpet Color: black Dimensions: 314x197x208mm

Cod.:SP341 9,46 € 14,08€

Pagina 118/143 www.maltab2b.com

Screw tweeter horn



Screw tweeter horn Color: black Dimensions: 365x180x205mm Thread diameter: 34mm External thread diameter: 44mm

Cod.:SP193

14,08 €

Trumpet for screw tweeter



Trumpet for screw tweeter Color: black Dimensions: 195x123x195mm
Thread diameter: 34mm

Cod.:SP214

9,46 €

Tweeter horn



Tweeter trumpet Color: black Dimensions: 248x248x130mm

Cod.:SP377 11,88 €

400W compression driver



400W compression driver Magnetic compression driver Characteristics Impedance: 8 ohms Max power: 400W RMS power: 200W Frequency Response: 4kHz-20kHz Driver diameter: 170mm Driver Height: 60mm Weight: 4.35 Kg Hole distance: about 7.2cm Diagonal hole spacing: approx. 10.2cm Hole diameter: 4cm

Cod.:SP458 140,68 €

Compression driver for 45W horn



Driver a compression for 45W horn Features Impedance: 16 Ohms Max power: 45W Power RMS: 30W Thread size: 34mm Driver diameter: 135mm Driver height (including thread): 95mm

Cod.:SP272 43,66 €

200W compression driver



200W compression driver Magnetic compression driver Features Impedance: 8 Ohm Max Power: 200W RMS Power: 100W Frequency Response: 2kHz-20kHz Thread Size: 34mm Driver Diameter: 130mm Driver Height (including thread): 85mm

Cod.:SP452 116,42 €

Piezo horn tweeter 200W



Max power: 200W Frequency response: 3-20kHz Sensitivity :: 93dB Dimensions: 195x105x81mm Color: gray

Cod.:SP376 4,68 €

Double 500W Piezo Horn Tweeter



Max power: 500W Frequency response: 3-20kHz Sensitivity: 93dB Dimensions: 287x125x175mm Color: black

Cod.:SP188 12,98 €

500W compression driver



Magnetic compression driver
Characteristics Impedance: 8 ohms Max
power: 500W RMS power: 250W
Sensitivity 1W/1m: 109dB Frequency
Response: 4kHz-20kHz Hole distance:
90mm Driver diameter: 215mm Driver
height: 85mm Weight: 8Kg

Cod.:SP459 116,42 €

www.maltab2b.com Pagina 119/143

Trumpet for double tweeter



Trumpet for double tweeter Color: black Dimensions: 207x185x115

Trumpet for triple tweeter



Trumpet for triple tweeter Color: black Dimensions: 325x190x120mm

Cod.:SP171 39,98 €

Piezo Driver 120W max



Max. power 120W Diameter 6 cm

€ Cod.:SP815 2,68 €

High Efficiency Tweeter Pair

29,10€

Cod.:SP371



High efficiency tweeter pair.
Frequency response 5KHz - 20KHz SPL 97dB Max power: 500W It is recommended to mount a 3.3uF 50V capacitor in series. Blister packaging Package contents: 2x Tweeter 2x Clip 2x Stickers for clips

Cod.:SP140 2,96 €

Piezo tweeter with grill



Piezo tweeter with grill Speaker driver size 7 cm (2.75") Driver form Round Impedance 1000 Ohm Width (diameter) 70mm Depth 55mm Weight 60g Maximum power 225W Rated power 115W Assembly depth 45mm Frequency response 4 to 20 kHz Maximum frequency response 20 kHz Minimum frequency response 4 kHz Frequency

Cod.:SP228 2,14 €

Piezo tweeter with grid



Piezo tweeter with grid Speaker driver size 6cm (2.75") Driver shape Square Impedance 1000? Side dimensions 70mm Depth 55mm Weight 60g Maximum power 225W Nominal power 115W Mounting depth 50mm Frequency response 4 to 20kHz Maximum frequency response 20kHz Minimum frequency response 4kHz Frequency type Tweeter

Cod.:SP540 2,40 €

Driver for horn tweeter 100W max



Horn tweeter driver 100W max Thanks to the high efficiency of the piezo system, the amplifier can express all its power. Separately available reflection horn with 1 3/8" thread for 1 3/8" horn Characteristics Maximum power 100w @ 8 ohms Impedance 1kohm @ 1khz Frequency response 3khz - 29khz Maximum SPL 105db

Cod.:SP040 5,34 €

Treble protection



Model: PA-65 Rated power: 40W Max power: 150W Dimensions: 85x34x18mm

Cod.:SP448 11,64 €

Piezo tweeter



Piezo tweeter Speaker driver size
Maximum 11 cm (4 ") Square driver
shape Impedance 1000 Ohm Width
108mm Length 108mm Weight 60g
Maximum power 250W Nominal power
125W Depth 72mm Frequency
response from 4 to 20 kHz Maximum
frequency response 20 kHz Minimum
frequency response 4 kHz Type of

Cod.:SP109 3,96 €

Pagina 120/143 www.maltab2b.com

80W double magnet tweeter



80W double magnet tweeter Impedance: 6 ohm Maximum power: 80W RMS Diameter: 100mm Height: 46 mm Magnet dimensions: 70 (diameter) x40 (height) mm Weight: about 300 gr

Cod.:W118 15,40 €

Tweeter horn



Tweeter trumpet Color: black Dimensions: 285x220x175mm

Cod.:SP388 7,98 €

Double magnet tweeter 4 Ohm 50W



Double magnet Tweeter 4 Ohm 50W
Max power: 50W Diameter: 98mm
Magnet size: 60mm Depth of assembly:
40mm Hole diameter: 75mm

Cod.:SP851 8,20 €

Tweeter horn



Tweeter trumpet Color: black Dimensions: 215x115x95mm

Cod.:SP301 2,52 €

Tweeter horn



Tweeter trumpet Color: black Dimensions: 120x120x85mm

Cod.:SP263 3,10 €

500W compression driver



Magnetic compression driver Characteristics Impedance: 8 ohms Max power: 500W RMS power: 200W Frequency Response: 2kHz-20kHz Driver diameter: 170mm Driver Height: 65mm

Cod.:SP369 134,40 €

Piezo horn tweeter 250W



Piezo horn tweeter 250W Frequency Response: 3KHz-20KHz Sensitivity: 93dB Dimensions: 265x100x140mm Color: Grey

Cod.:SP6040 5,98 €

Compression tweeter 200W 8 Ohm - Professional



200W 8 Ohm compression tweeter Frequency Response: Hz 2.5k ÷ 20k Magnet size: 140mm External dimensions: 180x180x80mm Hole distance: 135mm

Cod.:SP6210 79,80 €

100W 8 Ohm 3" Tweeter SG-3T



100W 8 Ohm 3" Tweeter SG-3T Rated power: 50W Diameter: 105 mm Magnet size: 60mm Hole diameter: 75mm Depth of mounting: 30mm

Cod.:V2090 8,20 €

www.maltab2b.com Pagina 121/143

150W compression driver



Magnetic compression driver Features Impedance: 8 Ohms Max power: 150W RMS power: 75W Frequency response: 2kHz-20kHz Thread size: 34mm Driver diameter: 115mm Driver height (including thread): 80mm

Cod.:W219 35,50 €

100W compression driver



Magnetic compression driver Features Impedance: 8 ohms Max power: 100W RMS power: 50W Frequency Response: 2kHz-20kHz Thread Size: 34mm Driver diameter: 85mm Driver height (including thread): 70mm

Cod.:W244 27,80 €

Pair of piezo tweeters for cars



Pair of piezo tweeters for cars Frequency response: 5-20 KHz Impedance: 4 Ohm Sound pressure: 105 dB Single tweeter size: diamtro 38 mm Tilting joint

Cod.:W664 4,16 €

High Efficiency Tweeter pair with mounting kit



Pair of high efficiency tweeters with mounting kit Frequency response 5KHz - 20KHz SPL 97dB Maximum power: 380W Blister pack It is recommended to mount a 3.3uF 50V capacitor in series No magnetic fields harmful to credit cards or recorded tapes EAN code: 8053323558835 Box contents 2x tweeters 2x Discs 2x Corner Mounting

Cod.:SP423 4,00 €

250W compression driver



250W compression driver Features Impedance: 8 Ohm Max power: 250W RMS power: 125W Frequency response: 2kHz-20kHz Thread size: 34mm Driver diameter: 135mm Driver height (including thread): 75mm

Cod.:W238 59,90 €

100W compression driver



Magnetic compression driver Features Impedance: 8 Ohm Max power: 100W RMS power: 50W Frequency response: 2kHz-20kHz Driver diameter: 90mm Driver height (including thread): 55mm

Cod.:SP108 25,20 €

150W compression driver



Magnetic compression driver Features Impedance: 8 Ohm Max power: 150W RMS power: 75W Frequency response: 2kHz-20kHz Driver diameter: 110mm Driver height: 60mm

Cod.:W994 29,40 €

Compression driver 80W 6 Ohm - 2305S



Magnetic compression driver Features Impedance: 6 Ohm Max power: 80W RMS power: 40W Frequency response: 2kHz-20kHz Driver diameter: 80mm Thread diameter: 34mm Driver height (including thread): 50mm

Cod.:W784 8,82 €

Tweeter horn 15x15cm



Tweeter horn 15x15cm Hole distance: 112mm Depth: 60mm Threading: 34mm

Cod.:SP126 6,10 €

Pagina 122/143 www.maltab2b.com

Tweeter horn 20x20cm



Tweeter horn 19x19cm Hole distance: 147mm Depth: 85mm Thread: 34mm

Cod.:SP256 7,98 €

Compression driver for 80W 8 Ohm tweeter



Magnetic compression driver Features Impedance: 8 Ohms Max power: 80W RMS power: 40W Frequency response: 2kHz-20kHz Thread size: 34mm Driver diameter: 78mm Driver height (including thread): 80mm

Cod.:SP110 8,36 €

Pair of 250W tweeter in black / chrome



Pair of 250W tweeter in black / chrome Features Super Tweeter: 1 " Impedance: 4 OHM Power: 150/250 watts Sensitivity: 101 db Frequency Range: 2/22 khz 95mm tweeter Magnet diameter 65mm Hole distance 75mm

Cod.:SP296 26,88 €

Tweeter Titanium Pro Serie 80W



Professional Pro Series tweeter with titanium diaphragm, 25mm voice coil and a powerful magnet for high performance.
Characteristics Power: 80W
Diaphragm: Titanium Impedance: 4 ohms
Frequency Response: 4.5kHz - 30kHz
SPL @ 1W / 1m: 104dB Coil: 25mm
Magnet weight: 0.23kg Dimensions: 80 x
80 x 60mm Weight: 0.65kg

Cod.:W389 19,80 €

Horn for tweeter screw 19.5x15.5x11cm



Horn for screw tweeter 19.5x15.5x11cm Features Color: black Dimensions: 19.5x15.5x11cm Thread diameter: 34mm External thread diameter: 44mm

Cod.:W375 7,98 €

Double 200W piezo horn tweeter



200W Double Piezo Horn Tweeter Features Max power: 200W Frequency response: 3-20kHz Sensitivity: 93dB Size: 160x95x105mm Color: black

Cod.:SP023 5,48 €

Soft dome tweeter 60W 8Ohm99mm VE-380C-1



Soft dome tweeter 60W 80hm99mm VE-380C-1 Characteristics Brand: Vecsonic Model: VE-380C-1 Maximum power: 60W Impedance: 8 ohms Diameter: 9.9cm Magnet diameter: 6.9cm Height: about 3cm

Cod.:SP192 9,20 €

Soft dome tweeter 80W 80hm 12cm



Soft dome tweeter 80W 80hm 12cm
Features Maximum power: 80W
Impedance: 8 0hm Diameter: 12cm
Magnet diameter: 7cm Height: approx
3.5cm Distance between holes: 6cm

Cod.:SP028 11,96 €

Double magnet tweeter 4 Ohm 30W MD-PA3675A



Double magnet tweeter 4 Ohm 30W MD-PA3675A Features Model: MD-PA3675A Power: 30W Impedance: 4 Ohm Double magnet Diameter: approximately 98mm Magnet diameter: 55mm Depth: about 40mm

Cod.:SP849 7,96 €

www.maltab2b.com Pagina 123/143

Tweeter 40W 4 Ohm



Tweeter 40W 8 Ohm Features
Diameter: 98mm Magnet size: Ø 92mm
Mounting depth: 35mm Magnet diameter:
55mm Max power: 40W Impedance: 8
ohms

Cod.:SP393 5,80 €

Compression driver 90W 16? AU-60



Compression driver 90W 16? AU-60
Weatherproof and sturdy construction.
High SPL, crisp and penetrating sound.
Precision wound voice coils on an
aluminum coil for efficient heat
dissipation. IP66 rated, when fitted to a
reflex horn, against foreign particles such
as dust and water jets, therefore making
them ideal for outdoor use. Complies with

Cod.:SP6046 25,60 €

Piezo tweeter with 150W grille



Piezo tweeter with 150W grille
Characteristics Frequency Response:
5000-20000Hz Sensitivity: 98dB
Maximum power: 150W RMS power:
75W Impedance: 4 to 16 ohms Mounting
aperture 55mm Mounting depth 45mm
Dimensions: 60x60x45mm

Cod.:SP025 1,96 €

385 mm woofer 8 Ohm 400W W-158



385 mm woofer 8 Ohm 400W W-158 Features SIZE: 15" VOICE COIL: 2" (ASV) MAGNET: 40 OZ IMPEDANCE: 8 Ohms FREQUENCY: 35HZ-4KHZ SENSITIVITY: 93 dB MAX POWER: 400 Watts Outside diameter: 38.5cm

Cod.:W-158 50,20 €

Woofer 165mm 100W 8 ohm W-068



Woofer 165mm 100W 8 ohm W-068 Impedance (Z): 8 Ohm Resonant frequency (fs): 45Hz Bandwidth: f3-3500Hz Max power: 100WMAX Power rating (P): 50WRMS SPL (1W / 1m): 92dB Suspension elasticity (Cms): 0,75mm/N Mÿassa mobile (Mms): 16,7g Q factor mechan. (Qms): 3,96 Elect. Q factor (Qes): 1.35 Total Q factor

Cod.:W-068 10,98 €

305 mm woofer 8 Ohm 250W W-128



305 mm woofer 8 Ohm 250W W-128 Features Diameter: 30.5cm Spool: diameter 1.5" Impedance: 8 Ohms Magnet: diameter 120m Max power: 250W Sensitivity: 94db Passband .: 45Hz - 5 Khz

Cod.:W-128 31,50 €

Woofer 260 mm 8 Ohm 300W S-108



Woofer 260 mm 8 Ohm 300W S-108 Impedance: 8 Ohm Max Power: 300 W Nominal power: 150 W Resonance frequency: 42 Hz SPL (1W / 1M): 88 db

Cod.:S-108 21,94 €

Woofer 165mm 100W 4 ohm W-064



Woofer 165mm 80W 4 ohm W-064
Features Impedance (Z): 4? Resonant frequency (fs): 45Hz Bandwidth:
f3-3500Hz Max power: 80WMAX Rated Power (P): 50WRMS SPL (1W / 1m): 92dB Suspension elasticity (Cms): 0,75mm / N Mobile mass (Mms): 16.7g Q factor mech. (Qms): 3.96 Q factor elect. (Qes): 1.35 Total Q factor (Qts): 1.00

Cod.:W-064 11,98 €

Woofer 165mm 50W 8 ohm S-68



Woofer 165mm 50W 8 ohm S-68
Features Impedance (Z) 8? Resonant
frequency (fs) 45Hz Bandwidth
f3-3500Hz Max power 50WMAX Rated
power (P) 25WRMS SPL (1W / 1m) 92dB
Suspension elasticity (Cms) 0,75mm / N
Mobile mass (Mms) 16.7g Q factor mech.
(Qms) 3.96 Q factor elect. (Qes) 1.35
Total Q factor (Qts) 1.00 Equivalent

Cod.:S-68 11,98 €

Pagina 124/143 www.maltab2b.com

165mm 50W 4 ohm S-64 woofer



Woofer 165mm 50W 4 ohm S-64 Impedance (Z): 4×reste Resonant frequency (fs): 45Hz Bandwidth: f3-3500Hz Max power: 50WMAX Rated power (P): 25WRMS SPL (1W / 1m): 92dB Suspension elasticity (Cms): 0,75mm/N Mobile mass (Mms): 16,7g Q factor mech.(Qms): 3,96 Elect.(Qes): 1,35 Total Q factor (Qts): 1,00

Cod.:S-64 11,98 €

Woofer 210mm 150W 8 ohm W-088



Woofer 210mm 150W 8 ohm W-088 Resonance frequency (fs)45Hz Bandwidth 3-3500Hz Max power 150WMAX Rated Power (P)75WRMS SPL (1W/1m)92dB Suspension elasticity (Cms)0,75mm/N Mobile mass (mms) 16.7g Q factor mech. (Qms)3.96 Q factor elect. (Qes)1.35 Total Q Factor (Qts)1.00 Equivalent volume (Vas)48 I Ohmic

Cod.:W-088 12,96 €

Woofer 210mm 80W 4 Ohm S-84



Woofer 210mm 80W 4 Ohm S-84 Resonant frequency (fs): 45Hz Bandwidth: f3-3500Hz Max power: 80WMAX Rated power (P): 40WRMS SPL (1W / 1m): 92dB Suspension elasticity (Cms): 0,75mm / N Mobile mass (Mms): 16,7g Q factor mech.(Qms): 3.96 Elect.(Qes): 1.35 Total Q factor (Qts): 1.00 Equivalent volume (Vas): 48 I

Cod.:S-84 12,96 €

Woofer 310 mm 4 Ohm 350W S-124



Woofer 310 mm 4 Ohm 350W S-124 Diameter: 31cm Spool: diameter 1,5" Impedance: 4 Ohms Magnet: diameter 120m Max power: 350W Sensitivity: 94db Bandwidth: 45Hz - 5 Khz

Cod.:S-124 32,00 €

260 mm woofer 4 Ohm 300W S-104



260 mm woofer 4 Ohm 300W S-104 Impedance: 4 Ohm Max Power: 300 W Nominal power: 150 W Resonance frequency: 42 Hz SPL (1W / 1M): 88 db

Cod.:S-104 21,94 €

Woofer 260 mm 8 Ohm 150W W-108



Woofer 260mm 8 Ohm 150W W-108 Impedance: 8 ohms Max Power: 200W Rated Power: 75W Resonance frequency: 42Hz SPL (1W/1M): 88dB

Cod.:W-108 16,90 €

305 mm woofer 4 Ohm 250W W-124



305 mm woofer 4 Ohm 250W W-124 Diameter: 30.5cm - Spool: diameter 1.5"
- Impedance: 4 Ohm - Magnet:
diameter 120m - Max power: 250W Sensitivity: 94db - Passband: 45Hz - 5
Khz

Cod.:W-124 31,50 €

Woofer 310 mm 8 Ohm 350W S-128



Woofer 310 mm 8 Ohm 350W S-128 Diameter: 31cm Spool: diameter 1.5" Impedance: 8 Ohms Magnet: diameter 120m Max power: 350W Sensitivity: 94db Passband: 45Hz - 5 Khz

Cod.:S-128 31,90 €

380 mm woofer 8 Ohm 400W S-158



Woofer 380 mm 8 Ohm 400W S-158 Features SIZE: 15" VOICE COIL: 2 "(ASV) MAGNET: 40 OZ IMPEDANCE: 8 Ohm FREQUENCY: 35HZ-4KHZ SENSITIVITY: 93 dB MAX POWER: 400 Watt

Cod.:S-158 52,20 €

www.maltab2b.com Pagina 125/143

Woofer 380mm 4 Ohm 400W S-154



Woofer 380mm 4 Ohm 400W S-154 Characteristics Diameter:15" Coil: 2"(ASV) Magnet:40 OZ Impedance: 4 ohms Frequency: 35HZ-4KHZ Sensitivity: 93dB Maximum power: 400 Watts

Cod.:S-154 50,20 €

385 mm 4 Ohm 400W W-154 woofer



385 mm 4 Ohm 400W W-154 woofer SIZE: 15" VOICE COIL: 2" (ASV) MAGNET: 40 OZ IMPEDANCE: 4 Ohm FREQUENCY: 35HZ-4KHZ SENSITIVITY: 93 dB MAX POWER: 400 Watts Outside diameter: 38.5cm

Cod.:W-154 50,20 €

Woofer 210mm 150W 4 ohm W-084



Woofer 210mm 150W 4 ohm W-084 Mounting hole: 180mm Resonant frequency (fs): 45Hz Bandwidth: f3-3500Hz Max power: 150WMAX Power Rating (P): 75WRMS SPL (1W / 1m): 92dB Elas suspension ticity (Cms): 0,75mm / N Mobile mass (Mms): 16,7g Q factor mechan. (Qms): 3.96 Elect. Q factor (Qes): 1.35 Total Q factor (Qts):

Cod.:W-084 12,88 €

460 mm 4 Ohm 500W S-184 Woofer



460mm (18") woofer, ferrite magnet, paper cone Nominal power: 25W Maximum power: 500W Impedance: 4 Ohm Diameter: 460 mm Magnet size: Ø 190mm Mounting hole: Ø 420mm Hole depth: 190mm

Cod.:S-184 145,04 €

460 mm 8 Ohm 500W S-188 woofer



460mm (18") woofer, ferrite magnet, paper cone. Nominal power: 25W Maximum power: 500W Impedance: 8 Ohm Diameter: 460 mm Magnet size: Ø 190mmMounting hole: Ø 420mmHole depth: 190mm

Cod.:S-188 143,12 €

Subwoofer with 12 "Push-Pull configuration



Technically and acoustically advanced narrowband subwoofer, very rare push-pull design made for very small acoustic volumes with distortion so low as to be irrelevant suitable for reproducing low and ultra-low frequencies in a super linear and distortion-free way usable in both home hi-fi and car hi-fi (no spl, only quality) it

Cod.:SP112 81,90 €

Woofer 260 mm 4 Ohm 150W W-104



Woofer 260 mm 4 Ohm 150W W-104 Impedance: 4 Ohm Max Power: 200 W Nominal power: 75 W Resonance frequency: 42 Hz SPL (1W / 1M): 88 db

Cod.:W-104 16,90 €

Woofer 320mm 500W 8 Ohm



Max power: 500WMAX Rated power (P): 250WRMS Diameter: 320 mm (12 ") Magnet size: 190mm Mounting depth: 120mm Hole diameter: 280mm

Cod.:WL1208 100,80 €

Active slim flat subwoofer 10" 600W max



250mm amplified subwoofer in die-cast metal ideal for installation under the seats, equipped with self-ignition.

Remote control included in the package.
Features Extra-flat 250 mm diameter speaker Inputs with low and high sensitivity Low pass crossover adjustable from 50 to 150 Hz Signal to noise ratio 60 dB Impedance: 4 Ohm

Cod.:SP434 132,00 €

Pagina 126/143 www.maltab2b.com

Woofer 310mm 8 Ohm 600W RMS - 2226H - JBL



Woofer 310mm 8 Ohm 600W RMS - JBL 12" woofers 4" voice coil Power rating: 600W RMS Impedance: 8 ohms X-over application range: max. 1200Hz Fs: 40Hz, Xmax: Thomas 7.6mm High quality woofer chassis Weight: 9.8kg Diameter: 310mm Magnet size: Ø 220mm Mounting hole: Ø 290mm Hole depth: 110mm Manufacturer: JBL

Cod.:W660 184,80 €

Slim Woofer 210mm 4 Ohm double coil 300W



Slim Woofer 210mm 4 Ohm double coil 300W Max power: 300W RMS power: 150W Diameter: 210mm Magnet size: Ø 100mm Mounting hole: Ø 175mm Hole depth: 50mm

Cod.:W250 26,88 €

Woofer 310mm 4 Ohm 250W



Woofer 310mm 4 Ohm 250W Woofer 12" (310mm) 4 Ohm Max power: 250W Diameter: 310mm Magnet size: 120mm Depth of assembly: 125mm Hole diameter: 290mm

Cod.:SP342 37,80 €

310mm 4 Ohm 600W woofer with double coil



Woofer 310mm 4 Ohm 600W with double coil Max power: 600W Diameter: 310mm Magnet size: 155mm Depth of assembly: 130mm Hole diameter: 280mm

Cod.:W990 121,80 €

Woofer 105mm 6 Ohm 15W



Woofer 105mm 6 Ohm 15W EAN: 8053323553649 Diameter: 105mm Magnet size: Ø 70mm Mounting depth: 55mm Hole diameter: 100mm

Cod.:W825 8,20 €

Mini Woofer 50mm 16 Ohm 10W



Rated power: 5W Maximum power: 10W Impedance: 16 Ohm Diameter: 53 mm Magnet size: 40mm Diameter of hole: 50mm Mounting depth: 40mm

Cod.:SP668 3,78 €

140W 135mm 3 Ohm Woofer



140W 135mm 3 Ohm Woofer Rated power: 70W Maximum power: 140W Impedance: 3 Ohm Diameter: 150 mm Magnet size: 80mm Diameter of hole: 135mm Mounting depth: 70mm

Cod.:W662 8,20 €

Woofer 76mm 8 Ohm 10W



Woofer 76mm 8 Ohm 10W Max power: 10W Impedance 8 Ohm Total diameter: 90mm Magnet size: 65mm Mounting depth: 45mm hole diameter: 78mm

Cod.:W991 8,20 €

165mm woofer 4 Ohm 60W



165mm woofer 4 Ohm 60W Woofer 6.5" (165mm) 4 Ohm Max power: 60W Total diameter: 185mm Magnet size: 90mm Depth of assembly: 100mm Hole diameter: 170mm

Cod.:W217 12,40 €

www.maltab2b.com Pagina 127/143

Woofer 254mm 8 Ohm 300W



Woofer 254mm 8 Ohm 300W RMS rated power: 150 W Impedance: 8 Ohm Diameter: 258 mm Magnet size: 170mm Assembly hole: 235mm Depth hole: 115mm

Cod.:W265 62,80 €

Woofer 450mm 8 Ohm 500W



Woofer 450mm 8 Ohm 500W RMS rated power: 250 W Impedance: 8 Ohm Diameter: 470 mm Magnet size: 195mm Assembly hole: 430mm Depth of hole: 190mm

Cod.:W234 123,90 €

Woofer 380mm 8 Ohm 1600W - High quality



Woofer 380mm 8 Ohm 1600W - High quality RMS rated power: 800 W Impedance: 8 Ohm Diameter: 400 mm Magnet size: 220mm Mounting hole: 360mm Depth of hole: 190mm Frequency: 35-2.3KHz Spl (1m / w): 100dB

Cod.:W782 205,80 €

Woofer 260mm 4 Ohm 200W



Woofer 260mm 4 Ohms 200W Woofer 10" (260mm) 4 ohms Maximum power: 200W Details Overall diameter: 260mm Magnet size: Ø 120mm Mounting depth: 100mm Hole diameter: 230mm

Cod.:W915 60,90 €

Subwoofer 8 "2x 4 Ohm 2x 150W



Subwoofer 8 "2x 4 Ohm 2x 150W Power 2x 150W Impedance 2x 4 Ohm Diameter 210mm Magnet 115mm 180mm hole 100mm depth

Cod.:W383 26,88 €

Woofer 8 "8 Ohm 60W



Woofer 8 "8 Ohm 60W Power 60W Impedance 8 Ohm Diameter 220mm Magnet 75mm hole 200mm depth 85mm

Cod.:W236 14,50 €

Woofer 4 "6 Ohm 15 W



Woofer 4" 6 Ohm 15W Power 15W Impedance 6 ohms Diameter 105mm Magnet diameter 60mm Hole diameter 95mm Depth 60mm

Cod.:SP667 5,88 €

Woofer 12 "1000 W 8 Ohm V12A200



Woofer 12 "1000 W 8 Ohm V12A200 Size 32 cm Magnet 20 cm Hole 28 cm Depth 18 cm Max power 1000 w Frequency range 45-5Khz Impedance 8 Ohm SPL (1m/w): 103 db

Cod.:SP6138 151,20 €

Woofer 15 "1000 W 8 Ohm V15202



Woofer 15 "1000 W 8 Ohm V15202 Size 39.50 cm Magnet 20 cm hole 28.50 cm depth 19 cm Max power 1000 w Frequency range 40-4Khz Impedance 8 Ohm SPL (1m/w): 105 db

Cod.:SP6930 205,80 €

Pagina 128/143 www.maltab2b.com

Woofer 8 "4 Ohm 300 W Max



Woofer 8 "4 Ohm 300 W Max Max power 300 W Impedance 4 Ohm Dimensions 21 cm Magnet 10 cm Hole 18 cm Depth 10 cm

Cod.:W408 20,58 €

Woofer 15 "8 Ohm 700W



Woofer 15 "8 Ohm 700W Max power 700 W Impedance: 8 Ohm Diameter: 39 cm Magnet size: 22 cm Mounting hole: 36 cm Hole depth: 15 cm

Cod.:W247 205,80 €

Double magnet woofer XM-008 8 "50hm 200W max



Double magnet woofer XM-008 8 "50hm 200W max 200W max power Impedance 5 Ohm Dimensions 21 cm Double magnet 10 cm hole 18 cm depth 10.5 cm

Cod.:W672 38,22 €

Double magnet woofer XM-108 10" 5 Ohm 300W max



XM-108 double magnet woofer 10" 5 Ohm 300W max 300W max power Impedance: 5 Ohm Dimensions: 26 cm Double magnet 10 cm Hole: 23 cm Depth: 15 cm

Cod.:W812 51,04 €

Woofer XM-128 12 "50hm 400W max



Woofer XM-128 12 "50hm 400W max Power 400W max Impedance 5 0hm Dimensions 30.5 cm Magnet 11 cm Hole 27 cm Depth 125 cm

Cod.:W1002 62,58 €

Woofer 380mm 8 + 8 Ohm 300W



Woofer 380mm 8 + 8 Ohm 300W Max power 300W 33Hz - 1.5 KHz response frequency 93dB. Spl. Impedance 8 + 8 Ohm External diameter 380mm Magnet size 155 mm Mounting depth 180mm Hole diameter 340mm

Cod.:SP998 81,90 €

Woofer 17cm 6.5 "80W Max 80hm Visaton



Woofer 17cm 6,5 "80W Max 80hm Visaton 17 cm (6.5 ") HiFi woofer with coated paper cone, powerful drive and extended back plate. Special spool and elastic rubber coating for long strokes. Product specifications Nominal power: 50 W Maximum power: 80 W Nominal impedance Z: 8 Ohm Frequency response: fu-8000 Hz (fu: Lower cutoff

Cod.:ND2870 66,90 €

6.5 "4 Ohm 200W woofer air suspension



Woofer 6.5 "4 Ohm 200W max air suspension Maximum power: 200W Impedance: 4 Ohm Total depth: 11cm Embedding depth: 12cm Woofer diameter: 16.5cm (6.5 ") Magnet diameter : 12cm (4.7 ") Magnet thickness: 5cm

Cod.:W522 39,48 €

Woofer 385mm 600W 6 Ohm



Woofer 385mm 600W 6 Ohm Features RMS Wattage: 300W Maximum power: 600W Impedance: 6 Ohm Woofer diameter: 385mm Magnet diameter: 220mm Hole distance: 145mm approx Mounting depth: approx. 70 mm

Cod.:W917 138,00 €

www.maltab2b.com Pagina 129/143

Woofer 260mm 8 Ohm 250W max



Woofer 260mm 8 Ohm 250W max Features Model: PA-6390A Impedance: 8 Oh Diameter: 260mm Power in W RMS: 150W Maximum power: 250W Depth: about 11cm

Cod.:SP230 65,60 €

Woofer 310mm 400W max 8 Ohm



Woofer 310mm 400W max 8 Ohm Features Diameter: 310mm Peak power: 400W Power in W RMS: 250W Depth: about 13cm Magnet diameter: about 15.5cm

Cod.:SP688 75,60 €

Woofer 300mm 700Wmax 8 Ohm 12NDL75



Woofer 300mm 700Wmax 8
Ohm 12NDL75 Features Model:
12NDL75 Diameter: 320mm Impedance:
8 Ohm Power in W RMS: 350W Peak
power: 700W Sensitivity: 97dB Range
frequency: 50-200Hz Magnet material:
Neodymium Coil diameter: 75mm

Cod.:SP1046 156,00 €

Neodymium woofer 15 "393mm 80hm 1000Wmax



Neodymium woofer 15 "393mm 80hm 1000Wmax General features 1000 W peak power 76mm (3in) Copper Voice Coil Response 40-2000 Hz 99.5 dB of sensitivity The neodymium magnet allows for a very light but powerful motor assembly Ventilated voice coil space for low power compression N.B: Indicative images, the color of the magnet is

Cod.:SP069 196,00 €

Woofer 210mm 200Wmax 8 Ohm



Woofer 210mm 200Wmax 8 Ohm Features Power in W RMS: 100W Peak power: 200W Impedance: 8 Ohm Diameter: 210mm Hole distance diagonally: 19.5cm Hole distance horizontal: 13.5cm Depth: about 9.5cm Magnet diameter: about 15cm

Cod.:SP480 36,80 €

Woofer 390mm 600Wmax 6 Ohm



Woofer 390mm 600Wmax 6 Ohm
Features Diameter: 39cm Depth: about
6cm Distance between holes diagonally:
about 37cm Distance between holes:
14cm Magnet diameter: about 22cm
Peak power: 600W Power in W RMS:
300W Impedance: 6 Ohm

Cod.:W395 178,00 €

260mm 500W 8 Ohm Neodymium woofer



260mm 500W 8 Ohm Neodymium woofer Features Model: 10NDL75 Diameter: 26cm Depth: about 12cm Magnet diameter: 9.5cm Magnet type: neodymium Distance between holes diagonally: about 17.5cm Peak power: 500W Impedance: 8 Ohm

Cod.:SP129 129,60 €

Woofer 150mm 3 Ohm 60W



Woofer 150mm 3 Ohm 60W Characteristics Rated power: 30W Maximum power: 60W Impedance: 3 ohms Diameter: 150mm Magnet size: Ø 80mm Hole diameter: 135mm Mounting depth: 70mm

Cod.:SP968 8,20 €

325mm woofer 8 Ohm 400W



Woofer 325mm 8 Ohm 400W
Features Model: PA-6128A Woofer
diameter: 32.5cm Height: about 14cm
Magnet diameter: about 19cm Distance
between holes: 15cm Peak power:
400W RMS power: 200W Impedance:
8 Ohm

Cod.:SP257 138,00 €

Pagina 130/143 www.maltab2b.com

80W 8 Ohm 204mm woofer



Woofer 80W 8 Ohm 204mm Features Maximum power: 80W Impedance: 8 Ohm Diameter: 204mm Magnet diameter: 78mm Depth: 85mm Hole distance: 135mm

Cod.:W1352 17,96 €

Woofer 395mm 600W 8 Ohm



Woofer 395mm 600W 8 Ohm
Features Peak power: 600W Power in
W RMS: 300W Impedance: 8 Ohm
Diameter: 395mm Depth: about 15cm
Magnet diameter: 17cm Hole distance:
14cm

Cod.:W298 118,00 €

Pair of 4-way speakers with 4 "250W 4 Ohm MF-1043 grid



Pair of 4-way speakers with 4 "250W 4 Ohm MF-1043 grid Features Woofer size in inches: 4 " Midrange diameter: 40mm Tweeter diameter: 11mm diameter Overall size: 12.8x12.8cm Peak power: 250W RMS power: 125W Impedance: 4 Ohm Frequency: 30 Hz - 36KHz Total weight: 1.60Kg Model: MF-1043 Brand: MusicFire Screws and

Cod.:SP194 23,60 €

Pair of 4-way speakers with 5 "350W 4 Ohm MF-1343 grid



Pair of 4-way speakers with grille 5
"350W 4 Ohm MF-1343 Features
Woofer size in inches: 5 "130mm
Midrange diameter: 40mm Tweeter
diameter: 11mm diameter Overall size:
15x15cm Peak power: 350W RMS
power: 175W Impedance: 4 Ohm
Frequency: 30 Hz - 36KHz Sensitivity:
92dB Weight overall: 1.60Kg Model:

Cod.:SP6812 26,96 €

Pair of 3-way speakers with grill 6.5 "400W 4 Ohm MF-1643



Pair of 3-way speakers with grille 6.5
"400W 4 Ohm MF-1643 Features
Woofer size in inches: 6.5 " / 160mm
Midrange diameter: 40mm Tweeter
diameter: 11mm diameter Overall size:
16x16cm Peak power: 400W
Impedance: 4 Ohm Frequency: 30 Hz 36KHz Sensitivity: 92dB Total weight:
1.60Kg Model: MF-1643 Brand:

Cod.:SP999 29,96 €

Woofer 165mm 6.5" 8 Ohm 90W



Woofer 165mm 6.5" 8 Ohm 90W
Features RMS power: 30W Peak power: 90W Impedance: 4-8 ohms Sensitivity: 90dB Dimensions Speaker diameter: 165mm Size in inches: 6.5" Height: 75mm (internal 66mm) Magnet diameter: 90mm Magnet thickness: 20mm Hole diameter: 155mm (+/- 3mm) Diagonal hole spacing: 157mm Hole spacing

Cod.:SP300 11,96 €

Woofer 132mm 5.25" 60W 8 Ohm



Woofer 132mm 5.25" 60W 8 Ohm
Features RMS power: 20W Peak power:
60W Impedance: 4-8 ohms Sensitivity
:90dB Dimensions Speaker diameter:
132mm Size in inches: 5.25" Height:
64mm (internal 57mm) Magnet diameter:
80mm Magnet thickness: 15mm Hole
diameter: 120-128mm Diagonal hole
spacing: 138mm Hole spacing

Cod.:SP679 7,80 €

Woofer 165mm 6.5" 8 Ohm 100W



Woofer 165mm 6.5" 8 Ohm 100W
Features RMS power: 30W Peak power:
100W Impedance: 4-8 ohms Sensitivity:
90dB Dimensions Speaker diameter:
165mm Size in inches: 6.5" Height:
74mm (internal 66mm) Magnet diameter:
100mm Magnet thickness: 18mm Hole
diameter: 155mm (+/- 3mm) Diagonal
hole spacing: 157mm Hole spacing

Cod.:SP988 13,96 €

Woofer 138mm 8 ohm 60W



Woofer 138mm 8 ohm 60W Features RMS power: 20W Peak power: 60W Impedance: 4-8 ohms Sensitivity: 90dB Dimensions Speaker diameter: 147mm Height: 61mm (internal 55mm) Magnet diameter: 80mm Magnet thickness: 15mm Hole diameter: 117-125mm Diagonal hole spacing: 138mm Hole spacing horizontally: 97mm

Cod.:SP692 7,80 €

www.maltab2b.com Pagina 131/143

Woofer 210mm 150W 8 Ohm J-88



Woofer 210mm 150W 8 Ohm J-88
Features Max power: 150WMAX Rated
Power (P): 75WRMS Impedance: 8
ohms Diameter: 210mm Magnet size: Ø
80mm Mounting depth: 90mm Hole
diameter: 180mm Diagonal hole spacing:
200mm Distance between holes: 75mm

Cod.:J-88 14,96 €

Woofer 210mm 150W 4 Ohm J-84



Woofer 210mm 150W 4 Ohm J-84
Features Max power: 150WMAX Rated
Power (P): 75WRMS Impedance: 4 ohms
Diameter: 210mm Magnet size: Ø
80mm Mounting depth: 90mm Hole
diameter: 180mm Diagonal hole spacing:
200mm Distance between holes: 75mm

Cod.:J-84 14,96 €

Woofer 165mm 150W 4 Ohm J-64



Woofer 165mm 150W 4 Ohm J-64
Features Max power: 150WMAX Rated
Power (P): 75WRMS Impedance: 4 ohms
Diameter: 165mm Magnet size: Ø
80mm Mounting depth: 90mm Diagonal
hole spacing: approx. 160mm Distance
between holes: approx. 110mm

Cod.:J-64 12,96 €

Woofer 165mm 150W 8 Ohm J-68



Woofer 165mm 150W 8 Ohm J-68
Features Max power: 150WMAX Rated
Power (P): 75WRMS Impedance: 8 ohms
Diameter: 165mm Magnet size: Ø
80mm Mounting depth: 90mm Diagonal
hole spacing: approx. 160mm Distance
between holes: approx. 110mm

Cod.:J-68 12,96 €

Woofer 400W 8 Ohm 310mm



Woofer 400W 8 Ohm 310mm
Characteristics RMS power: 200W Peak power: 400W Impedance: 8 ohms
Dimensions Woofer diameter: approx.
310mm Magnet diameter: 190mm
Mounting Depth: 135mm Hole distance:
115mm Diagonal hole spacing: 295mm

Cod.:W386 116,00 €

Woofer 210mm 80W 8 Ohm S-88



Woofer 210mm 80W 8 Ohm S-88
Caratteristiche Frequenza di risonanza
(fs): 45Hz Larghezza di banda:
f3-3500Hz Potenza massima: 80 W MAX
Potenza nominale (P): 40WRMS SPL
(1W/1m): 92dB Elasticità sospensione
(Cms): 0,75mm / N Massa mobile (Mms):
16,7g Fattore Q mecc.(Qms): 3.96
Eletto.(Domande): 1.35 Fattore Q totale

Cod.:S-88 12,96 €

Woofer 25.5cm 4 Ohm 400W



Woofer 25.5cm 4 Ohm 400W Characteristics Impedance: 4 ohms Diametro: 25.5cm Magnet diameter: 14cm Depth: about 12cm Diagonal hole spacing: 24.5cm Distance between holes: approx. 17.5cm Peak power: 400W RMS power: 200W

Cod.:SP391 51,60 €

Woofer 255mm 4 ohm 300W J-104



Woofer 255mm 4 ohm 300W J-104 Characteristics Max power: 300WMAX Rated Power (P): 150WRMS Impedance: 4 ohms Diameter: 255mm Magnet size: Ø 10cm Mounting depth: 90mm Diagonal hole spacing: approx. 24.5cm Distance between holes: approx. 10cm

Cod.:J-104 23,60 €

Woofer 255mm 8 ohm 300W J-108



Woofer 255mm 8 ohm 300W J-108 Characteristics Max power: 300WMAX Rated Power (P): 150WRMS Impedance: 8 ohms Diameter: 255mm Magnet size: Ø 10cm Mounting depth: 90mm Diagonal hole spacing: approx. 24.5cm Distance between holes: approx. 10cm

Cod.:J-108 23,60 €

Pagina 132/143 www.maltab2b.com

Woofer 305mm 350W 4 Ohm J-124



Woofer 305mm 350W 4 Ohm J-124 Characteristics Diameter: 30.5cm Impedance: 4 Ohms Magnet: diameter 12cm Maximum power: 350W Sensitivity: 94db Banda pass.: 45Hz - 5 Khz Hole distance: 11.5cm Diagonal hole spacing: approx. 29cm Mounting depth: approx. 12.5cm

Cod.:J-124 37,60 €

Woofer 305mm 350W 8 Ohm J-128



Woofer 305mm 350W 8 Ohm J-128 Characteristics Diameter: 30.5cm Impedance: 8 ohms Magnet: diameter 12cm Maximum power: 350W Sensitivity: 94db Banda pass.: 45Hz - 5 Khz Hole distance: 11.5cm Diagonal hole spacing: approx. 29cm Mounting depth: approx. 12.5cm

Cod.:J-128 37,60 €

6.5" 16.5cm 40W SP675K dual cone woofer



6.5" 16.5cm 40W SP675K dual cone woofer The SP675K 6.5 inch speaker can be used as a replacement for car audio systems or other audio systems.

Characteristics Size: 6.5" Diameter: 16.5cm Model: SP675K RMS power: 20W Maximum power: 40W Double cone Distance between holes: 3cm Distance between groups of holes: 6cm Magnet

Cod.:W404 9,36 €

Mini woofer 3" 77mm 15W 8 Ohm



Mini woofer 3" 77mm 15W 8 Ohm Characteristics Size: 3" Speaker diameter: 77mm Hole diameter: 70mm Height 38mm (inside 35mm) Magnet size: 60x10mm Impedance: 4-8 ohms RMS power: 10W Peak power: 30W Sensitivity: 90dB Paper cone

Cod.:SP117 3,76 €

Woofer 10" 255mm 150W 8 Ohms



Woofer 10" 255mm 150W 8 Ohms Characteristics Supplier code: 06105 RMS power: 100W Peak power: 150W Impedance: 8 ohms Size: 10" Diameter: 255mm Depth: 98mm approx Diameter: 10mm Distance between holes: approx. 17cm

Cod.:SP454 19,20 €

Woofer 8" 210mm 6 Ohm 100W



Woofer 8" 210mm 6 Ohm 100W
Caratteristiche Diametro: 8" Dimensioni:
210mm Profondità: 82mm Dimensioni
magnete: 100x18mm Impedenza: 6 Ohm
Potenza RMS: 50W Potenza di picco:
100W Sensibilità: 90dB

Cod.:SP504 18,96 €

Woofer 395mm 600W 4 Ohms



Woofer 395mm 600W 4 Ohms
Characteristics Power in Watts RMS:
300W Maximum power: 600W
Impedance: 4 ohms Woofer diameter:
39.5cm Magnet diameter: approx.
19.5cm Hole distance: approx. 14cm
Mounting depth: approx. 15cm Diagonal
hole spacing: 38cm Magnet thickness:
3cm Magnet diameter: 19.5cm

Cod.:SP290 176,00 €

Triangular truss 40x40cm side - 2 meters



Triangular truss 40x40cm, suitable for all fixed or mobile installations in the trade fair, furniture, fashion and entertainment sector which require a compromise between aesthetics and sturdiness.

Length: 2m Length 2 m External dimensions 400mm x 400mm Wheelbase 350mm x 350mm Running pipes Round tube Ø 50x2 mm Aluminum

Cod.:TRC100 336,00 €

Triangular trellis side 30x30cm - 2 meters



Triangular truss 30x30cm, suitable for all fixed or mobile installations in the trade fair, furniture, fashion, entertainment sector which require a compromise between aesthetics and sturdiness.

Length: 2m Length 2 m External dimensions 300mm x 300mm Wheelbase 250mm x 250mm Running pipes Round tube Ø 50x2 mm Aluminum

Cod.:TRC200 294,00 €

www.maltab2b.com Pagina 133/143

Square truss side 40x40cm - 2 meters



Square truss 40x40cm, suitable for all fixed or mobile installations in the trade fair, furniture, fashion and entertainment sector which require a compromise between aesthetics and sturdiness.

Length: 2m Length 2 m External dimensions 400mm x 400mm Wheelbase 350mm x 350mm Running pipes Round tube Ø 50x2 mm Aluminum

Cod.:TRC300

336,00 €

Square truss side 30x30cm - 2 meters



Square truss 30x30cm, suitable for all fixed or mobile installations in the trade fair, furniture, fashion, entertainment sector which require a compromise between aesthetics and sturdiness.

Length: 2m Length 2 m External dimensions 300mm x 300mm Wheelbase 250mm x 250mm Running pipes Round tube Ø 50x2 mm Aluminum

Cod.:TRC400

Corner joint for triangular truss 30x30cm



Dimensions: A: 37.5cmB: 25cmC: 50cm
Distance between holes: 140mm
Running pipes Round tube Ø 50x2 mm
Aluminum Diagonal tubes Round tube Ø
25x2 mm Aluminum Vertical pipes Round
tube Ø 30x2 mm Aluminum Arrived
Truncated cone joint Aluminium

Cod.:TRC500 231,00 €

Corner joint for triangular truss 40x40cm



Dimensions: A: 33cmB: 15.5cmC: 50cm
Distance between holes: 245mm
Running pipes Round tube Ø 50x2 mm
Aluminum Diagonal tubes Round tube Ø
25x2 mm Aluminum Vertical pipes Round
tube Ø 30x2 mm Aluminum Arrived
Truncated cone joint Aluminium

Cod.:TRC600 252,00 €

Corner joint for square truss 30x30cm

294.00 €



Distance between holes: 140mm Plate width: 5cm Side size: 30cm

Cod.:TRC700 231,00 €

Corner joint for 40x40cm square truss



Distance between holes: 245mm Plate width: 5cm Side size: 40cm

Cod.:TRC800 252,00 €

Guitar stand



Guitar stand Very stable: the guitar stand is made of metal and is painted black; the stable A-frame construction provides a secure hold for acoustic guitars, electric guitars and basses Universally applicable: the guitar stand can be folded up very easily; in this way it is easy to store and transport; Non-slip: non-slip rubber feet ensure a secure grip; they

Cod.:L065 12,40 €

Stylus replacement head for PHILIPS 946 / D60 turntable



Stylus replacement head for PHILIPS 946 / D60 turntable Suitable for Philips 946 / d60 Philips GP-400 MK1 EAN: 4004533630020 DK-D946D60

Cod.:ND2035 30,70 €

Shure n70b stylus



Stylus Replacement cartridge for SHURE N70B turntable STYLUS SHURE N70B EAN: 5412810123452 DK-DN70B

Cod.:ND2050 35,26 €

Pagina 134/143 www.maltab2b.com

Digital / Analog Audio Converter with optical / toslink and coaxial inputs



Digital / Analog Audio Converter with optical / toslink and coaxial inputs AUDIO CONVERTER from DIGITAL to ANALOG from coaxial RCA or optical TOSLINK signal (input) to analog Stereo L / R RCA (outgoing) Digital to analog audio converter that can be used both in professional and home environment. EAN code: 8053323558538 Power cable

Cod.:SP972 13,80 €

Universal flight case 44.5x38.5x57cm - black



Protect your cables securely and securely, light effects, pipe materials Drape or other audio equipment The interior of the flight case measures 44.5x38.5x57cm: you will have enough space for a good deal of cables and materials! Once you have placed your equipment inside the flight case, you can use the 4 comfortable wheels, 2 of which

Cod.:FLCASE100 159,60 €

Universal flight case 105x53x38cm - black



Universal flight case 105x53x38cm - black Protect your cables in a practical and safe way, stands, light effects, materials Pipe & Drape or other audio equipment The interior of the flight case measures 105x53x38cm: you will have enough space for a good dose of cables and materials! Once you have placed your equipment inside the flight

Cod.:FLCASE200 247,80 €

Audio cable tester - Alctron DB-4C



RJ45 Ethernet and Audio Cable Tester Alctron DB-4C Tester for various
cables included CAT5 RJ45 Ethernet
XLR (3 & Diamonth amp; 5 Pin) Male & Diamonth amp; Female
6.35mm stereo 6.35mm mono
3.5mmmini RCA Speakon 2, 4 & Diamonth amp; 8
Conductors Banana connector General
characteristics Easy to use 8-way rotary
control Individual LEDs confirm continuity

Cod.:SP600 78,00 €

Alctron DI100 Active DI Box Direct



Alctron DI100 Active DI Box Direct LD Systems DI Box Active DI Box in rugged metal housing (aluminium/steel) with corner protectors, silver-blue/metallic, internal 9 V battery (indicator flashes during operation) automatically switches off when phantom power is used (LED indicator is always on) Extremely low battery usage Battery: 9V (not included)

Cod.:SP610 94,50 €

Stylus Replacement cartridge for SHURE N75-6 turntable



Stylus Replacement cartridge for SHURE N75-6 turntable STYLUS SHURE N75-6 EAN: 4004533790014 DK-DN756

Cod.:ND2040 33,80 €

Akai rs-33 stylus



Stylus replacement cartridge for AKAI RS-33 and NIVICO DT-45 turntables STYLUS AKAI RS-33 EAN: 4004533050026 DK-DRS33

Cod.:ND2033 35,24 €

Pair of 5A drum sticks



Pair of 5A drum sticks Waxed ash sticks Tip in wood Natural color Model 5A.

Cod.:SP950 10,08 €

Pair of sticks for battery 7A



Pair of sticks for battery 7A Waxed ash sticks Tip in wood Natural color Model 7A

E Cod.:SP965 10,08 €

www.maltab2b.com Pagina 135/143

FLIGHT CASE 10U RACK 19 "with wheels and double lid



FLIGHT CASE 10U RACK 19" with wheels and double lid Recessed handles Metal corners Dimensions: 690x605x675mm

Cod.:FLCASE300 331,80 €

FLIGHT CASE 12U RACK 19 "with wheels and double lid



FLIGHT CASE 12U RACK 19" with wheels and double lid Recessed handles Metal corners Dimensions: 690x605x765mm

Cod.:FLCASE400 415,80 €

FLIGHT CASE 16U RACK 19 "with wheels and double lid



FLIGHT CASE 16U RACK 19" with wheels and double lid Recessed handles Metal corners Dimensions: 685x605x950mm

Cod.:FLCASE500 495,60 €

Suitcase - Flight Case for microphones - 38x28x8cm



Suitcase - Flight Case for microphones - 38x28x8cm Designed for the transport of microphones and connection cables Stuffed with spongy shockproof material

Cod.:MIC010 29,96 €

Rubber wheel with fixed plate 45x60mm



Rubber wheel with fixed plate 45x60mm Wheel diameter: 38mm Hole center distance: 45mm long side, 30mm short side

Cod.:SP673 2,68 €

Rubber wheel with fixed plate 50x69mm



Rubber wheel with fixed plate 50x69mm Wheel diameter: 45mm Hole center distance: 51mm long side, 35mm short side

Cod.:SP436 3,52 €

2-pole loudspeaker terminals



Body: plastic with polarized clamps (quick connection) Contacts: treated brass

Cod.:SP116 0,34 €

Carlsbro TANK footswitch



Carlsbro TANK footswitch pedal The Carlsbro TANK footswitch pedal is a single latch type footswitch pedal.

Featuring a steel chassis and LED status indicator, it is suitable for use with many Carlsbro products and is also compatible with non-Carlsbro products. The Tank is equipped with a status LED polarity reversal switch.

Cod.:MIC071 16,60 €

Carlsbro TANK 4 footswitch pedal



Carlsbro TANK 4 footswitch pedal The 4 Carlsbro footswitch pedal TANK is a 4-switch pedal of the "latch" type Equipped with steel chassis and LED status indicator, it is suitable for use with many of the Carlsbro products and is also compatible with non Carlsbro products. The Tank is equipped with an LED

The Tank is equipped with an LED polarity reversal switch status.

Cod.:MIC074 31,08 €

Pagina 136/143 www.maltab2b.com

Carlsbro TANK 2 footswitch pedal



Carlsbro TANK footswitch 2 pedal The Carlsbro footswitch 2 pedal TANK is a dual switch pedal type latch Equipped with steel chassis and LED status indicator, it is suitable for use with many of the Carlsbro products and is also compatible with non Carlsbro products. The Tank is equipped with an LED polarity reversal switch status.

Cod.:MIC002 23,84 €

Rack Panel 24 XLR Female black

Rack Panel 24 XLR Female black Measures 48x9x0.5cm

Cod.:V2023 41,58 €

Rack panel 12 Jack 6.35 black

Rack panel 12 Jack 6.35 black Measures 48x4.5x0.5cm

Cod.:V2049 26,88 €

Horn for tweeter



Tweeter horn Color: black Dimensions: 280x280x240mm

Cod.:SP055 14,28 €

Pair of black lacquered MDF cabinets



Pair of black lacquered MDF cabinets 3
"woofer cabinet Speaker hole diameter:
70mm Hole distance: 60mm Single case
dimensions: 150x120x85mm Connection
cable between rear connector and
speaker included

Cod.:V925 20,58 €

Black antistatic brush for cleaning discs



Black Antistatic Disc Cleaning Brush
This brush microfiber for disc cleaning
allows you to thoroughly clean the
grooves of the vinyls, thanks to the
support for the discs. Dissipates static
electricity to keep the audio of your disc
library at its best. Antistatic, to better
preserve your disc collection Easy to
use, thanks to disk support Small size,

Cod.:ND1086 5,20 €


Medium butterfly clasp in galvanized steel



Medium butterfly clasp in galvanized steel Cadmiate, for transport containers of all kinds, mounting dimensions 78x82x15mm, dimensions 102x105x20mm. Type Butterfly closing Nominal value - Type - Color cadmium-coated Material - Suitable for transport container Power - Dimensions (Ixlhxp) 102 x 105 x 20

Cod.:SP004 6,10 €

Audio transformer



Audio transformer 0-16 ohm Blk -Red 0-110V Blk-Blu-Red 4.2 x 3.4 x 1.1 cm

Cod.:T314 4,62 €

Audio transformer



Audio transformer 0-16 ohm Blk -Red 0-110V Blk-Blu-Red 3.6 x 3.0 x 1.1 cm

Cod.:T720 4,00 €

www.maltab2b.com Pagina 137/143

Dual dn239 turntable tip



Dual dn239 turntable tip Stylus - spare cartridge for Dual DN239 turntable Product specification Color Yellow Suitable for Dual dn239 Code EAN: 4004533230022

Cod.:ND4670 33,98 €

Audio Technica atn3400 Turntable Tip



Audio Technica atn3400 Turntable Tip Stylus - spare head for AUDIO TECHNICA ATN3400 turntable Product specifications Suitable for Audio Technica atn3400 Supplier Code: DK-DA3400 EAN code: 4004533110027

Cod.:ND4672 32,22 €

National es-24cs Turntable Tip



National es-24cs Turntable Tip Stylusreplacement cartridge for NATIONAL ES-24CS turntable Product Specifications Suitable for National es-24cs Supplier Code: DK-DEPS24CS EAN number: 4004533510025

Cod.:ND4674 36,46 €

MP3 player with headphones included Setty



MP3 player with headphones included Setty Features Brand: Setty USB charging cable and headphones included SD card support (not included) maximum 32GB Supported formats mp3, wma Input Volt: 5V DC Color: silver EAN code: 5900495519191

Cod.:Z333 4,16 €

2x50W digital amplifier with Bluetooth, USB and SD card



2x50W digital amplifier with bluetooth Tf card Features Bluetooth receive playback Supply voltage: DC 8-26V (DC power supply) Additional features: FM radio function, can use the remote control to receive control (infrared) Easy to install Beautifully designed Amplifier IC: TPA3116 digital amplifier chip with heat sink, stereo, 2x50W power.(More

Cod.:WB348 28,98 €

MP3 with LCD screen + Setty black earphones



MP3 with LCD screen + Setty black earphones MP3 player with LCD screen and headphones included, supports max.32gb memory card . Black color. Setty brand. Features Setty brand Supported formats: mp3 , wma 5V DC power supply MircroSD maximum 32gb Including mini USB charging cable and earphones EAN code: 5900495394521

Cod.:WB292 8,20 €

Multifunctional 8GB Portable Voice Recorder



Multifunctional 8GB Portable Voice Recorder Features Format Support: MP3, WMA, MP1, MP2 Format, WAV Recording Format. USB cable used to transfer Mac / PC files and battery charge. Main function: MP3 function, A-B repeat function, VOC & DR function, USB disk flash memory, delete function. Large capacity: 20 hours of

Cod.:WB875 33,18 €

8GB Digital Recorder with MP3 Player



8GB Digital Recorder with MP3 Player
Description EAN number:
6917171160117 Capacity: 8GB
Dictaphone function Fixed time
registration Mp3 player LCD screen
Built-in microphone Maximum recording:
2320 hours Format: MP3 / WM / WMV /
ASF Operation with 2 AAA batteries Size
107 x 28 x 17 mm Operating System:

Cod.:L603 33,18 €

Replacement cartridge needle for NATIONAL EPS-30CS turntable



Replacement cartridge needle for NATIONAL EPS-30CS turntable Stylus - spare cartridge for NATIONAL EPS-30CS turntables product Suitable for National eps-30cs Supplier Code:

DK-DEPS30CS EAN code:
5412810123421

Cod.:ND6812 32,24 €

Pagina 138/143 www.maltab2b.com

Replacement cartridge needle for SANYO ST-09D turntable



Replacement cartridge needle for SANYO ST-09D turntable Stylus replacement cartridge for SANYO ST-09D turntable Product specifications Suitable for Sanyo st-09d Supplier Code: DK-DST09D EAN code: 5412810123520

Cod.:ND6814 32,24 €

Audio Technica ATN91 stylus



Audio Technica ATN91 stylus Audio Technica ATN91 stylus Replacement for complete DK-SAT2005 cartridge Product specification Color Yellow Suitable for Audio Technica atn91 EAN code: 4004533110010 Supplier code: DK-DA91

Cod.:ND6816 33,99 €

Replacement needle / cartridge for Ortofon Nadel 5 turntable



Replacement needle / cartridge for Ortofon Nadel 5 turntable Specifications of product Suitable for Ortofon nadel 5 Supplier Code: DK-D5 EAN code: 4004533590041

Cod.:ND7092 35,25 €

Replacement needle / cartridge for Pioneer PN-110 turntable



Replacement stylus / cartridge for Pioneer PN-110 turntable Product specifications Color Red Suitable for Pioneer pn-110 Supplier Code: DK-DPN110 EAN code: 4004533690017

Cod.:ND7094 31,32 €

Replacement stylus / cartridge for Shure N44C turntable



Replacement needle / cartridge for Shure N44C turntable Product specification Supplier Code: DK-DN44C EAN Code: 5412810123438 Suitable for: Shure n44c

Cod.:ND7096 33,82 €

Replacement stylus / cartridge for Philips 946 / D65 turntable



Replacement needle / cartridge for Philips 946 / D65 turntable STYLUS PHILIPS 946 / D65 (GP400II) Product specifications Suitable for Philips 946 / d65 Philips GP-400 MK II Supplier Code: DK-D946D65 EAN Code: 4004533630013

Cod.:ND7098 37,48 €

Replacement stylus / cartridge for National EPS-270SD turntable



Replacement stylus / cartridge for National EPS-270SD turntable STYLUS NATIONAL EPS-270SD Features Tip material: diamond Tip shape: spherical Product specifications Suitable for National EPS-270SD Supplier Code: DK-DEPS270S EAN code: 4004533510018

Cod.:ND7100 35,70 €

Replacement stylus / cartridge for Philips 946 / D74 turntable



Replacement needle / cartridge for Philips 946 / D74 turntable STYLUS PHILIPS 946 / D74 Product specifications Suitable for Philips 946 / d74 Supplier Code: DK-D946D74 EAN code: 4004533630037

Cod.:ND7102 33,80 €

Replacement cartridge needle for SHURE N95G turntable



Replacement cartridge needle for SHURE N95G turntable Product Specifications Model: STYLUS SHURE N95G Suitable for Shure n95g Supplier Code: DK-DN95G EAN number: 5412810123513

Cod.:ND173 36,84 €

www.maltab2b.com Pagina 139/143

Replacement cartridge needle for Audio Technica ATN71 turntable



Replacement cartridge needle for Audio Technica ATN71 turntable General information Compatibility: STYLUS AUD.TECH. ATN71 Product specifications Suitable for Audio Technica atn71 Supplier Code: DK-DA71B EAN code: 4004533110096

Cod.:ND1939 30,70 €

Replacement cartridge needle for Audio Technica ATN3472P turntable



Replacement cartridge needle for Audio Technica ATN3472P turntable Product Specifications Suitable for Audio Technica atn3472p Supplier Code: DK-DA3472P EAN code: 4004533110133

Cod.:ND223 35,08 €

Replacement cartridge needle for Dual DN325 turntable



Replacement cartridge needle for Dual DN325 turntable Product specification Suitable for Dual DN325 Supplier Code: DK-DDN325 EAN code: 4004533230015

Cod.:ND6167 35,06 €

Replacement cartridge needle for EXCEL S70SR turntable



Replacement cartridge needle for EXCEL S70SR turntable General information STYLUS EXCEL S70SR Product specification Suitable for Excel S70SR Supplier Code: DK-DS70SR EAN Code: 4004533290019

Cod.:ND6165 36,40 €

Replacement cartridge needle for AUDIO TECHNICA ATN3711 turntable



Replacement cartridge needle for AUDIO TECHNICA ATN3711 turntable General information STYLUS AUD.TECH.ATN3711 Product specifications Suitable for Audio Technica ATN3711 Vendor code: DK-DA3711 EAN code: 4004533110119

Cod.:ND6169 35,24 €

Replacement cartridge needle for Audio Technica ATN3600 turntable



Spare head stylus for Audio Technica ATN3600 turntables General information STYLUS AUD.TECH.ATN3600 Product specifications Audio Technica ATN3600 < / span> Supplier Code: DK-DA3600 EAN code: 4004533110034

Cod.:ND6589 30,70 €

5L Smoke Machine Liquid - Yellow BeamZ



Smoke Machine Liquid 5L - BeamZ
Yellow This fluid for water-based smoke
is an approved, high performance,
non-toxic fluid that produces a medium
fog density with a medium
duration.BeamZ smoke fluids are
environmentally friendly and do not leave
stains and residues.Suitable for most
models of smoke machines. Features

Cod.:L980 25,60 €

Suitcase - Flight Case for microphones - 58.5x32x13cm



Suitcase - Flight Case for microphones - 58.5x32x13cm Studied for the transport of microphones and connection cables, resistant steel body with reinforced corners. Supplied with feet to be able to place it vertically. Padded with shockproof sponge material. Size Width: 58.5cm Length: 32cm Height: 13 cm Internal height (compartment)

Cod.:WB2180 28,00 €

Suitcase - Flight Case for microphones black / silver - 45x27.5x8cm



Suitcase - Flight Case for black / silver microphones - 45x27.5x8cm Designed for the transport of microphones and connection cables, resistant steel body with reinforced corners. Supplied with feet to be able to place it vertically. Padded with shockproof sponge material. Size Width: 45cm Length: 27.5cm Height: 8 cm Internal height

Cod.:WB1730 28,00 €

Pagina 140/143 www.maltab2b.com

Flight Case 55x35.6x13cm MZ-6000



Flight Case 55x35.6x13cm MZ-6000
Studied for the transport of microphones and connection cables, resistant steel body with reinforced corners. Supplied with feet to be able to place it vertically.
Padded with shockproof sponge material.
Model: MZ-6000 Size Width: 55cm
Length: 35.6cm Height: 13 cm Internal height (compartment without shockproof

Cod.:WB2173

33.60 €

12V 2x3W AJX-019BT FM USB SD Bluetooth 5.0 AUX Multifunction Car Kit with Remote Control



12V 2x3W AJX-019BT FM USB SD Bluetooth 5.0 AUX Multifunction Car Kit with Remote Control Main features FM radio USB input for sticks up to 32GB TF (microSD) input for cards up to 32GB Folder playback support AUX input (3.5mm jack) Digital display Bluetooth 5.0 Supported formats (USB / microSD): MP3 / WMA / WAV / APE / FLAC Save

Cod.:WB2480

9,96 €

12V 2x25W AJX-019BT FM USB SD Bluetooth 5.0 AUX Multifunction Car Kit with Remote Control



12V 2x25W AJX-019BT FM USB SD Bluetooth 5.0 AUX Multifunction Car Kit with Remote Control Main features FM radio USB input for sticks up to 32GB TF (microSD) input for cards up to 32GB Folder playback support AUX input (3.5mm jack) Digital display Bluetooth 5.0 Supported formats (USB / microSD): MP3 / WMA / WAV / APE / FLAC Save

Cod.:WB1124

11.96 €

12V 2x25W JX-806BT FM USB Micro-USB SD Bluetooth 5.0 AUX Multifunction Car Kit with Remote Control



12V 2x25W JX-806BT FM USB
Micro-USB SD Bluetooth 5.0 AUX
Multifunction Car Kit with Remote Control
Main features ON / OFF switch FM radio
USB input for sticks up to 32GB TF
(microSD) input for cards up to 32GB
Micro-USB input Folder playback support
AUX input (3.5mm jack) Digital display
Bluetooth 5.0 Supported formats (USB /

Cod.:WB758 11,96 €

Music keyboard for beginners 54 keys with microphone AUX / USB inputs



Musical keyboard for beginners 54 keys with microphone AUX/USB inputs Sheet music stand The keyboard is equipped with a sheet music/note stand mounted on a latch, useful if the child is starting his learning and uses a notebook. You can also place a tablet or smartphone on the holder. Energy saving mode After 1 minute of inactivity, the keyboard enters

Cod.:WB990 64,00 €

Black Height Adjustable Guitar Tripod Stand



Black Height Adjustable Guitar Tripod Stand Height adjustable guitar stand. The keyboard handle is closed with the plastic flap. The tripod has soft grips. Features Manufacturer: Iso Trade EAN number: 5901785366914 Manufacturer code: 00000143 Black colour Adjustable height, 65-70cm

Cod.:MIC560 15,96 €

5-Piece Beginner Drum Percussion Set



5-piece beginner drum percussion set Music plays an important role in the development of every child. It increases positive emotions, entertains them and at the same time trains concentration and stimulates the imagination. The first signs of musical talent are visible very soon. your baby a drum kit! If your baby loves everything about music: playing, dancing,

Cod.:WB2167 47,90 €

Children's keyboard with microphone - 61 keys



Children's keyboard with microphone - 61 keys An electronic organ is a multifunctional instrument, whose modern design and great sounds will encourage everyone to play. This keyboard and microphone will awaken the passion for music in young people. The children's keyboard is powered by the mains adapter (included) or by batteries, which

Cod.:WB1353

31,28 €

Electronic keyboard for children with 37-key microphone



Electronic keyboard for children with 37-key microphone The keyboard Multifunctional electronics is an ideal toy for playing and learning for younger children. It will be a great gift that will bring a smile to any child's face. This educational value keyboard has up to 37 function keys that will allow children to compose their own fairly professional

Cod.:WB1598 23,96 €

www.maltab2b.com Pagina 141/143

Common anti-interference signal generator stereo audio isolator



Common anti-interference signal generator stereo audio isolator This product is an audio common ground isolator, which effectively suppresses the noise caused by the common ground for the sound source and receiving device. So what's the common ground? To put it simply, the ground point of the two electrical appliances is not at the same

Cod.:WB1488

8,80 €

3.5mm stereo audio ground isolator module common anti-interference signal generator XH-M372



3.5mm stereo audio ground isolator module common anti-interference signal generator XH-M372 Audio isolation transformer is a transformer used for audio signal transmission between systems or equipment, which can avoid some problems caused by cascaded audio systems and realize the safe transmission of audio signals.

Cod.:WB1007

200W 4-way speaker switch



Switch for 4-way speaker 200W for linking max. 4 pairs of speakers speaker pairs can be used individually or together terminals distinguished by different colors up to an of 2.5 mm² max. 200 W of power for all outputs Supplier code: 11934 EAN code: 4040849119347 Brand: Goobay Devices Connections Input, type: Terminal block Output 2,

Cod.:F1680

7.96 €

16.20 €

Belt drive turntable with preamp 33/45 / 78rpm 1xRCA stereo / Bluetooth 18W 1200mAh battery



Belt drive turntable with preamp 33/45 / 78rpm 1xRCA stereo / Bluetooth 18W 1200mAh battery This Nedis turntable makes it easy to listen to your music on vinyl and from your digital devices. The built-in speakers with maximum power of 2 x 9 W allow you to relax and listen to your albums without complicated setup or problems. Its carrying case with carrying

Cod.:ND8052 102,12 €

0.6L soap bubble machine with remote control



0.6L soap bubble machine with remote control Features Power supply: 110-220V 50-60Hz Power: 40W Liquid container capacity: 0.600 I Size: 29 * 24 * 22cm Weight: 2kg With remote control for remote on and off Practical mounting bracket European power plug EAN number: 8053323552154 NB: Some details may vary from the product shown

Cod.:F1800 64,00 €

Multifunction Bluetooth receiver 3.5mm AUX audio output



Multifunction Bluetooth receiver 3.5mm
AUX audio output Characteristics
Typology Bluetooth receiver Model
SK-BTI-030 Version V4.1+EDR Chipsets
CSR BC8635 Frequency
2.402GHZ-2.480GHZ Battery 150mAh,
rechargeable Nominal charge duration 9
hours Charging time 2 hours Bluetooth
protocols A2DP,AVRCP,HSP.HFP

Cod.:WB1123 9,96 €

Belt-driven turntable 33/45/78rpm Bluetooth 9W built-in preamplifier



Belt-driven turntable 33/45/78rpm
Bluetooth 9W built-in preamplifier This
Nedis turntable makes it easy to enjoy
your music on vinyl and from your digital
devices. The built-in speaker with
maximum power of 9W allows you to
relax and listen to your albums without
complicated setup or problems. Its brown
finish makes it a great addition to any

Cod.:ND8004 98,25 €

Belt-driven turntable 33/45/78rpm Bluetooth 18W built-in preamplifier



Belt-driven turntable 33/45/78rpm
Bluetooth 18W built-in preamplifier This
Nedis turntable allows you to listen to
your vinyl collection and convert it into
digital music files directly from the
device. Built-in speakers with 2 x 9W
maximum power let you sit back and
listen to your albums without complicated
setup or hassle. Its brown finish makes it

Cod.:ND8088 142,77 €

Guitar wall mount



Guitar wall mount UNIVERSAL The hanger fits most types of guitars (acoustic, classical, electric, bass) but can also be used with other instruments as well. It allows you to store tools of various types and sizes in a comfortable and safe way. WALL MOUNTING The guitar hanger is designed for wall mounting. The set includes 4 screws and

Cod.:WB1543 4,56 €

Pagina 142/143 www.maltab2b.com

Pair of drumsticks for 5A drums with non-slip grip - various colors



Pair of drumsticks for 5A drums with non-slip grip - various colors Characteristics Brand: Yamaha Waxed ash sticks Wooden tip Natural color Handle with non-slip rubber coating Various colors available Model 5A Wand length: 40.5cm

Cod.:SP002 9,60 €

Belt drive turntable with preamplifier 33/45/78rpm MP3 conversion 1xRCA stereo 18W



Belt drive turntable with preamplifier 33/45/78rpm MP3 conversion 1xRCA stereo 18W This Nedis® turntable lets you listen to your vinyl collection and convert it to digital files from your computer. The built-in speakers deliver a maximum power output of 2 x 9W, allowing you to sit back and listen to your albums without complicated setup or

Cod.:ND8003 112,71 €

2 CD box set - Edith Piaf - L'hymne a l'amour



2 CD box set - Edith Piaf - L'hymne a l'amour 2 CDs containing 23 tracks each. Mon legionnaire Les Mômes de la cloche He's the one who chooses my heart In the prisons of Nantes La Vie en rose Les lovers de Paris... The most beautiful titres of cells here gain enormous silver and lead to a great train of life tout en restant toujours très simple

Cod.:10608 7,80 €

www.maltab2b.com Pagina 143/143